

1	Azithromycin Tablets IP	Each film coated tablet contains :		
		Azithromycin Dihydrate eq to Azithromycin	I.P.	500 mg
		Excipients q.s		
		Colour: Titanium Dioxide IP		
2	Azithromycin Tablets IP	Each film coated tablet contains :		
		Azithromycin Dihydrate eq to Azithromycin	I.P.	250 mg
		Excipients q.s		
		Colour: Titanium Dioxide IP		
3	Azithromycin Oral Suspension IP	Each 5ml (after reconstitution) oral suspension contains:		
		Azithromycin Dihydrate Eq to Azithromycin	I.P.	100 mg
		Excipients q.s		
		Colour: Quinoline Yellow WS colour		
		In flavoured base		
4	Azithromycin Oral Suspension IP	Each 5ml contains:		
		Azithromycin Dihydrate eq to Azithromycin	I.P.	200 mg
		Excipients q.s		
		Flavoured Syrupy base		
		Colour: Approved Colour used.		
5	Atorvastatin Tablets IP	Each film coated tablet contains:		
		Atorvastatin Calcium Eq to Atorvastatin	I.P.	10 mg
		Excipients q.s		
		Colour: Titanium Dioxide IP		
6	Atorvastatin Tablets IP	Each film coated tablet contains:		
		Atorvastatin Calcium Eq to Atorvastatin	I.P.	20 mg
		Excipients q.s		
		Colour: Titanium Dioxide IP		
7	Aceclofenac Tablets I.P	Each film coated tablet contains:		
		Aceclofenac	I.P.	100 mg
		Excipients q.s		
Colour: Erythrosine				
8	Adapalene Gel BP	Composition:		
		Adapalene	BP	0.1% w/w
		In a Gel Base containing Aloe Vera and Zinc q.s		
		Each uncoated tablet contains:		
		Amlodipine Besylate	IP	

9	Amlodipine Tablets IP	Eq. to Amlodipine		2.5 mg
		Excipients		q.s
		Colour: Approved colour used		
10	Amlodipine Tablets IP	Each uncoated tablet contains:		
		Amlodipine Besylate Eq. to Amlodipine	IP	5 mg
		Excipients		q.s
		Colour: Approved colour used		
11	Amlodipine Tablets IP	Each uncoated tablet contains:		
		Amlodipine Besylate Eq. to Amlodipine	IP	10 mg
		Excipients		q.s
		Colour: Approved colour used		
12	Albendazole oral suspension I.P	Each 5ml contains:		
		Albendazole	IP	200 mg
		flavoured syrupy base	IP	q.s
		Excipients		q.s
13	Acyclovir Tablets IP	Each film coated tablet contains :		
		Acyclovir	IP	200 mg
		Excipients		q.s
		Colour: Approved colour used		
14	Acyclovir Tablets IP	Each film coated tablet contains :		
		Acyclovir	IP	400 mg
		Excipients		q.s
		Colour: Approved colour used		
15	Acyclovir Tablets IP	Each film coated tablet contains :		
		Acyclovir	IP	800 mg
		Excipients		q.s
		Colour: Approved colour used		
16	Aceclofenac Sustained Release Tablets	Each sustained release tablet contains:		
		Aceclofenac	I.P.	200 mg
		Excipients		q.s
		Colour: Sunset Yellow FCF		
17	Acebrophylline Capsules	Each hard gelatin capsule contains:		
		Acebrophylline	IH	100 mg
		Colour: Approved colour used in empty capsules shells & pellets		
18	Benzoyl Peroxide gel BP	Composition:		
		Hydrous Benzoyl Peroxide eq. to Anhydrous Benzoyl Peroxide	BP	2.5%w/w
		In a cream base		
		q.s		

19	Benzoyl Peroxide gel I.P	Composition:		
		Hydrous Benzoyl Peroxide eq. to Anhydrous Benzoyl Peroxide	IP	4%w/w
		In a cream base q.s		
20	Benzoyl Peroxide gel BP	Composition:		
		Hydrous Benzoyl Peroxide eq. to Anhydrous Benzoyl Peroxide	BP	5%w/w
		In a cream base q.s		
21	Betamethasone Dipropionate lotion IP	Composition:		
		Betamethasone Dipropionate eq. to Betamethasone	IP	0.05%w/v
		In a lotion base q.s		
22	Betahistine Hydrochloride Tablets I.P	Each uncoated tablet contains:		
		Betahistine Hydrochloride	I.P.	8 mg
		Excipients q.s		
23	Betahistine Hydrochloride Tablets I.P	Each uncoated tablet contains:		
		Betahistine Hydrochloride	I.P.	16 mg
		Excipients q.s		
24	Biotin Tablets BP	Each uncoated tablet contains:		
		Biotin	B.P	5 mg
		Excipients q.s		
		Colour: Tartrazine Lake		
25	Biotin Tablets BP	Each uncoated tablet contains:		
		Biotin	B.P	10 mg
		Excipients q.s		
		Colour: Tartrazine Lake		
26	Beclomethasone dipropionate Lotion IP	Composition:		
		Beclomethasone dipropionate	IP	0.05%w/w
		In a lotion base q.s		
27	Benfotiamine Tablets	Each film coated tablet contains:		
		Benfotiamine	IH	150 mg
		Excipients q.s		
		Colour: Approved colour used		
28	Benfotiamine Tablets	Each film coated tablet contains:		
		Benfotiamine	IH	100 mg
		Excipients q.s		
		Approved colour used		
29	Cilnidipine	Each film coated tablet contains:		
		Cilnidipine	IH	5 mg

27	Tablets	Excipients			q.s	
Colour: Approved colour used						
30	Cilnidipine Tablets	Each film coated tablet contains:				
		Cilnidipine	IH	10 mg		
		Excipients				q.s
Colour: Approved colour used						
31	Cilnidipine Tablets	Each film coated tablet contains:				
		Cilnidipine	IH	20 mg		
		Excipients				q.s
Colour: Approved colour used						
32	Cetirizine dihydrochloride Syrup IP	Each 5ml contains:				
		Cetirizine dihydrochloride	IP	5mg		
		Excipients				q.s
In a flavoured syrupy base						
33	Cetirizine dihydrochloride Syrup IP	Each ml contains:				
		Cetirizine dihydrochloride	IP	5mg		
		Excipients				q.s
In a flavoured syrupy base						
34	Cinitapride hydrogen tartrate Tablets	Each uncoated tablet contains:				
		Cinitapride hydrogen tartrate	IH	1 mg		
		Excipients				q.s
Colour: Approved colour used.						
35	Cinnarizine Tablets IP	Each uncoated tablet contains:				
		Cinnarizine	IP	25 mg		
		Excipients				q.s
Colour: Approved colour used						
36	Cinnarizine Tablets IP	Each uncoated tablet contains:				
		Cinnarizine	IP	75 mg		
		Excipients				q.s
Colour: Approved colour used						
37	Clomifene Citrate Tablets IP	Each uncoated tablet contains:				
		Clomifene Citrate	IP	50mg		
		Excipients				q.s
Colour: Approved colour used						
38	Clobetasol Propionate Ointment IP	Composition				
		Clobetasol Propionate	IP	0.05%w/w		
		In a Ointment base				q.s
Colour: Approved colour used						
39	Clotrimazol Cream IP	Composition:				
		Clotrimazol	IP	2.0%w/w		

		In a Cream Base		q.s
40	Clotrimazole Cream IP	Composition:		
		Clotrimazole	IP	1.0%w/w
		In a Cream Base		q.s
41	Cefadroxil Tablets IP	Each film coated tablet contains:		
		Cefadroxil eq. to Cefadroxil anhydrous	IP	250 mg
		Excipients		q.s
		Colour: Approved colour used.		
42	Chlorhexidine Mouthwash IP	Composition:		
		Chlorhexidine Gluconate Solution Eq to Chlorhexidine Gluconate	IP	0.2%w/v
		In a pleasantly flavoured aqueous base		q.s
		Colour: Approved colour used		
43	Calcium with Vitamin D tablets U.S.P	Each uncoated tablet contains:		
		Calcium Carbonate	IP	1000mg
		Vitamin D3	IP	250 IU
		Excipients		q.s
		Colour: Approved colour used		
44	Calcium with Vitamin D tablets U.S.P	Each uncoated tablet contains:		
		Calcium Carbonate Eq. to Elemental Calcium	IP	1250mg 500 mg
		Vitamin D3	IP	200 IU
		Excipients		q.s
		Colour: Approved colour used		
45	Cholecalciferol Tablets IP	Each uncoated tablet contains :		
		Cholecalciferol	IP	60,000 IU
		Excipients		q.s
		Colour: Approved colour used.		
46	Clobetasol Propionate Cream IP	Composition		
		Clobetasol Propionate	IP	0.05%w/w
		In a cream base		q.s
		Colour: Approved colour used		
47	Ciprofloxacin Tablets IP	Each film coated tablet contains:		
		Ciprofloxacin Hydrochloride eq to Ciprofloxacin	IP	500 mg
		Excipients		q.s
		Colour: Approved colour used		q.s
48	Atorvastatin Tablets IP	Each un coated tablet contains:		
		Atorvastatin Calcium Eq to Atorvastatin	IP	40 mg

		Excipients	q.s
		Colour: Approved colour used	
49	Cyproheptadine Hydrochloride Drops	Each 1ml Contains:	
		Cyproheptadine Hydrochloride	I.P 1.5 mg
		Excipients	q.s
		In a flavoured Syrupy base	
		Colour: Tartrazine	
50	Cyproheptadine Hydrochloride Syrup	Each 5ml Contains:	
		Cyproheptadine Hydrochloride	I.P 2 mg
		Excipients	q.s
		In a flavoured Syrupy base	
		Colour: Tartrazine	
51	Calcium Aspartate Anhydrous Tablets	Each film coated tablet contains:	
		Calcium Aspartate Anhydrous	IH 560 mg
		Eq to Elemental Calcium	73 mg
		Excipients	q.s
		Colour: Approved colour used.	
52	Cetirizine Hydrochloride Tablets IP	Each uncoated tablet contains :	
		Cetirizine Hydrochloride	I.P. 10 mg
		Excipients	q.s
53	Calcium Dobesilate Capsules	Each hard gelatin capsule contains:	
		Calcium Dobesilate	IP 500 mg
		Colour: Approved colour used in empty capsules shells	
54	Domperidone Drops	Each ml contains:	
		Domperidone	I.P 1 mg
		In a flavoured sorbitol solution 70% non crystallising	
		Colour Ponceu-4R	
55	Dicyclomine Hydrochloride Tablets IP	Each uncoated tablet contains:	
		Diicyclomine Hydrochloride	IP 5mg
		Excipients	
56	Deflazacort Tablets 6 mg	Each uncoated tablet contains:	
		Deflazacort	IH 6 mg
		Excipients	
57	Deflazacort Tablets	Each uncoated tablet contains:	
		Deflazacort	IH 30 mg
		Excipients	q.s
		Colour: Approved colour used.	
58	Drotavarin Hydrochloride Tablets I.P.	Each film coated tablets contains:	
		Drotavarin Hydrochloride	I.P 80 mg
		Excipients	q.s

		Colour: Approved colour used.		
59	Dutasteride Tablets	Each uncoated tablet contains:		
		Dutasteride	IP	0.5 mg
		Excipients q.s		
		Colour: Approved colour used		
60	Diacerein Capsules IP	Each hard gelatin capsule contains:		
		Diacerein	I.P	50 mg
		Excipients q.s		
		Colour: Approved colour used in empty capsule shells.		
61	Etodolac Tablets IP	Each film coated tablet contains:		
		Etodolac	IP	300 mg
		Excipients q.s		
		Colour: Approved colour used.		
62	Esomeprazole Gastro-resistant tablets IP	Each enteric coated tablet contains:		
		Esomeprazole magnesium trihydrate eq. to Esomeprazole	IP	40 mg
		Excipients q.s		
		Colour: Approved colour used		
63	Etamsylate Tablets	Each film coated tablet contains:		
		Etamsylate	BP	500 mg
		Excipients q.s		
		Colour: Approved colour used.		
64	Etoricoxib Tablets IP	Each film coated tablet contains:		
		Etoricoxib	IP	90mg
		Excipients q.s		
		Colour: Approved colour used		
65	Etoricoxib Tablets IP	Each film coated tablet contains:		
		Etoricoxib	IP	120mg
		Excipients q.s		
		Colour: Approved colour used		
66	Fluconazole Tablets IP	Each uncoated tablet contains:		
		Fluconazole	I.P.	150 mg
		Excipients q.s		
		Colour: Sunset Yellow FCF		
67	Fluconazole Tablets IP	Each film coated tablet contains:		
		Fluconazole	I.P.	150 mg
		Excipients q.s		
		Colour: Sunset Yellow FCF		
68	Fluconazole	Each uncoated tablet contains:		
		Fluconazole	I.P.	50 mg

68	Tablets IP	Excipients			q.s
		Colour: Sunset Yellow FCF			
69	Finasteride Tablets IP	Each film coated tablet contains:			
		Finasteride	IP	1 mg	
		Excipients		q.s	
		Colour: Approved colour used			
70	Finasteride Tablets IP	Each film coated tablet contains:			
		Finasteride	IP	5 mg	
		Excipients		q.s	
		Colour: Approved colour used			
71	Fusidic acid Cream IP	Composition:			
		Fusidic acid	IP	2% w/w	
		In a Cream base		q.s	
72	Folic Acid Tablets IP	Each uncoated tablet contains:			
		Folic Acid	IP	5 mg	
		Excipients		q.s	
		Colour: Approved colour used			
73	Fexofenadine hydrochloride Tablets IP	Each film coated tablet contains:			
		Fexofenadine hydrochloride	IP	120 mg	
		Excipients		q.s	
		Colour: Approved colour used.			
74	Atorvastatin Tablets IP	Each uncoated tablet contains:			
		Atorvastatin Calcium	IP	80 mg	
		Eq to Atorvastatin		80 mg	
		Excipients		q.s	
		Colour: Approved colour used			
75	Fluticasone propionate cream IP	Composition:			
		Fluticasone propionate	IP	0.05%w/w	
		In a Cream base		q.s	
76	Febuxostat Tablets	Each Film coated tablet contains:			
		Febuxostat	IH	20 mg	
		Excipients		q.s	
		Colour: Titanium dioxide IP.			
77	Febuxostat Tablets	Each Film coated tablet contains:			
		Febuxostat	IH	40 mg	
		Excipients		q.s	
		Colour: Titanium dioxide IP.			
78	Fexofenadine hydrochloride Oral Suspension	Each 5ml Contains:			
		Fexofenadine hydrochloride	IP	30 mg	
		Excipients		q.s	

		Flavoured Syrupy base	q.s
79	Famciclovir Tablets IP	Each film coated tablet contains : Famciclovir Excipients Colour: Approved colour used	IP 250 mg q.s
80	Famciclovir Tablets IP	Each film coated tablet contains : Famciclovir Excipients Colour: Approved colour used	IP 500 mg q.s
81	Framycetin Sulphate Cream	Composition Framycetin Sulphate In a cream base Colour: Approved colour used	IP 1 %w/w q.s
82	Glimepiride Tablets IP	Each uncoated tablet contains: Glimepiride Excipients Colour: Approved colour used	IP 2 mg q.s
83	Glimepiride Tablets IP	Each uncoated tablet contains: Glimepiride Excipients Colour: Approved colour used	IP 1 mg q.s
84	Glucosamine Sulphate Tablets	Each film coated tablet contains: Glucosamine Sulphate Potassium Chloride Excipients Colour: Approved colour used.	U.S.P 1500 mg q.s
85	Halobetasol propionate Cream	Composition: Halobetasol propionate In a Cream base Colour: Approved colour used	IH 0.05%w/w q.s
86	Hydroxyzine Hydrochloride Tablets I.P	Each uncoated tablet contains: Hydroxyzine Hydrochloride Excipients Colour: Approved colour used	I.P 10 mg q.s
87	Hydroxyzine Hydrochloride Tablets I.P	Each uncoated tablet contains: Hydroxyzine Hydrochloride Excipients Colour: Approved colour used	I.P 25 mg q.s
88	Hydrochlorothiazide & Metoprolol Tartarate Tablets IP	Each uncoated tablet contains: Metoprolol Tartarate Eq. to Metoprolol Hydrochlorothiazide	IP 50 mg IP 12.5 mg

	Tablets USP	Excipients q.s		
		Colour: Approved colour used		
89	Halobetasol propionate Ointment	Composition:		
		Halobetasol propionate	IH	0.05%w/w
		In a ointment base q.s		
90	Ilaprazole Tablets	Each film coated tablet contains :		
		Ilaprazole	IP	5 mg
		Excipients q.s		
		Colour: Approved colour used		
91	Ilaprazole Tablets	Each film coated tablet contains :		
		Ilaprazole	IP	10 mg
		Excipients q.s		
		Colour: Approved colour used		
92	Itraconazole Capsules	Each hard gelatin capsule contains:		
		Itraconazole	BP	100 mg
		Colour: Approved colour used in empty capsules shells.		
93	Itraconazole Capsules	Each hard gelatin capsule contains:		
		Itraconazole	BP	200 mg
		Colour: Approved colour used in empty capsules shells.		
94	Isotretinoin Capsules USP 20mg	Each hard gelatin capsule contains:		
		Isotretinoin	I.P	20 mg
		Excipients q.s		
		Colour: Approved colour used in empty capsule shell		
95	Ketoconazole Lotion	Composition		
		Ketoconazole	IP	2% w/v
		In a lotion base q.s		
		Colour: Approved colour used		
96	Ketoconazole cream	Composition:		
		Ketoconazole	IP	2% w/w
		In a cream base q.s		
97	Ketoconazole Shampoo	Composition		
		Ketoconazole	I.P.	2% w/v
		In non aqueous base q.s		
		Colour : Brilliant Blue		
98	Ketoconazole Shampoo	Composition		
		Ketoconazole	I.P.	1% w/v
		In non aqueous base q.s		
		Colour : Brilliant Blue		

99	Levocetirizine Dihydrochloride Tablets IP	Each film coated tablet contains:		
		Levocetirizine Dihydrochloride	I.P.	5 mg
		Excipients		q.s
		Colour: Approved colour used.		
100	Levofloxacin Tablets IP	Each film coated tablet contains :		
		Levofloxacin Hemihydrate eq to Levofloxacin	I.P.	250 mg
		Excipients		q.s
		Colour: Approved colour used		
101	Levofloxacin Tablets IP	Each film coated tablet contains :		
		Levofloxacin Hemihydrate eq to Levofloxacin	I.P.	500 mg
		Excipients		q.s
		Colour: Approved colour used		
102	Levofloxacin Tablets IP	Each film coated tablet contains :		
		Levofloxacin Hemihydrate eq to Levofloxacin	I.P.	750 mg
		Excipients		q.s
		Colour: Approved colour used		
103	Linezolid Tablets IP	Each film coated tablet contains :		
		Linezolid	IP	600 mg
		Excipients		q.s
		Colour: Approved colour used		
104	Levofloxacin Oral solution	Each 5ml contains:		
		Levofloxacin hemihydrate eq to Levofloxacin	IP	125 mg
		Excipients		q.s
		In a flavoured base		q.s
105	Losartan potassium Tablets IP	Each uncoated tablet contains :		
		Losartan potassium	IP	25 mg
		Excipients		q.s
		Colour: Approved colour used		
106	Losartan potassium Tablets IP	Each uncoated tablet contains :		
		Losartan potassium	IP	50 mg
		Excipients		q.s
		Colour: Approved colour used		
107	Losartan potassium & Hydrochlorothiazide Tablets IP	Each uncoated tablet contains :		
		Losartan potassium	IP	50 mg
		Hydrochlorothiazide	IP	12.5 mg
		Excipients		q.s
Colour: Approved colour used				

108	Losartan potassium & Amlodipine Tablets IP	Each film coated tablet contains :		
		Losartan potassium	IP	50 mg
		Amlodipine Besylate eq. to Amlodipine	IP	5 mg
		Excipients		q.s
		Colour: Approved colour used		
109	Levocarnitine Tablets USP.	Each Film coated tablet contains:		
		Levocarnitine	BP	500 mg
		Excipients		q.s
		Colour: Approved colour used.		
110	Levosulpiride Tablets	Each uncoated tablet contains :		
		Levosulpiride	IH	25 mg
		Excipients		q.s
111	Luliconazole Cream	Composition:		
		Luliconazole	IH	1 %w/w
		In a cream base		q.s
112	Leflunomide Tablets IP	Each enteric coated tablet contains:		
		Leflunomide	IP	10 mg
		Excipients		q.s
		Colour: Approved colour used.		
113	Leflunomide Tablets IP	Each enteric coated tablet contains:		
		Leflunomide	IP	20 mg
		Excipients		q.s
		Colour: Approved colour used.		
114	Minocycline Hydrochloride Tablets BP	Each film coated tablet contains:		
		Minocycline Hydrochloride Eq. to Minocycline	BP	50 mg
		Excipients		q.s
		Colour: Approved colour used.		
115	Minocycline Hydrochloride Tablets BP	Each film coated tablet contains:		
		Minocycline Hydrochloride Eq. to Minocycline	BP	100 mg
		Excipients		q.s
		Colour: Approved colour used		
116	Minocycline Hydrochloride Capsules USP	Each hard gelatin capsule contains:		
		Minocycline Hydrochloride Eq. to Minocycline	BP	50 mg
		Excipients		q.s
		Colour: Approved colour used in empty capsules shells.		
	Minocycline	Each hard gelatin capsule contains:		
		Minocycline Hydrochloride	BP	

117	Hydrochloride Capsules USP	Eq. to Minocycline		100 mg	
		Excipients			q.s
		Colour: Approved colour used in empty capsules shells.			
118	Mupirocin ointment IP	Composition:			
		Mupirocin	IP	2%w/w	
		In a ointment base			q.s
119	Miconazole Nitrate Cream IP	Composition:			
		Miconazole Nitrate	IP	2.0% w/w	
		In a Cream base			q.s
120	Miconazole Nitrate gel	Composition:			
		Miconazole Nitrate	IP	2.0% w/w	
		In a gel base			q.s
121	Methylprednisolone Tablets IP	Each film coated tablet contains:			
		Methylprednisolone	IP	8 mg	
		Excipients			q.s
		Colour: Approved colour used.			
122	Methylprednisolone Tablets IP	Each film coated tablet contains:			
		Methylprednisolone	IP	16 mg	
		Excipients			q.s
		Colour: Approved colour used.			
123	Magaldrate & Simethicone oral Suspension USP	Each 5ml contains:			
		Magaldrate	IP	400mg	
		Simethicone	IP	20mg	
		Excipients			q.s
		In a flavoured base			q.s
124	Metoprolol succinate extended release Tablets USP	Each uncoated extended Release tablet contains:			
		Metoprolol succinate	USP	25 mg	
		Eq. to Metoprolol			
		Excipients			q.s
Colour: Approved colour used					
125	Metoprolol succinate extended release Tablets USP	Each uncoated extended Release tablet contains:			
		Metoprolol succinate	USP	50 mg	
		Eq. to Metoprolol			
		Excipients			q.s
Colour: Approved colour used					
126	Minoxidil topical solution USP	Each ml contains :			
		Minoxidil	IP	20 mg	
		Isopropyl Alcohol IP			q.s
127	Minoxidil topical	Each ml contains :			
		Minoxidil	IP	50 mg	

	solution USP	Isopropyl Alcohol IP	q.s
128	Mometasone Furoate Cream IP	Composition:	
		Mometasone Furoate	I.P. 0.1% w/w
		Methylparaben (As Preservative)	I.P. 0.2% w/w
		Propylparaben (As Preservative)	I.P. 0.02% w/w
		In a Cream Base	q.s
129	Methylcobalamin Sublingual Tablets	Each uncoated sublingual tablet contains:	
		Methylcobalamin	IP 1500 mcg
		Excipients	q.s
		Colour: Approved colour used.	
130	Metformine hydrochloride Sustaned release Tablets IP	Each uncoated sustained release tablet contains:	
		Metformin Hydrochloride	I.P. 500 mg
		Excipients	q.s
131	Metformine hydrochloride Sustaned release Tablets IP	Each uncoated sustained release tablet contains:	
		Metformin Hydrochloride	I.P. 1000 mg
		Excipients	q.s
132	Metformin Hydrochloride Tablets IP	Each uncoated tablet contains:	
		Metformin Hydrochloride	I.P. 500 mg
		Excipients	q.s
133	Nimesulide sublingual Tablets	Each uncoated sublingual tablet contains:	
		Nimesulide	B.P. 100 mg
		Excipients	q.s
		Colour: Approved colour used.	
		Caution: Children below 12 years not to be given.	
134	Nimesulide mouth dissolving Tablets	Each uncoated mouth dissolving tablet contains:	
		Nimesulide	B.P. 100 mg
		Excipients	q.s
		Colour: Approved colour used.	
		Caution: Children below 12 years not to be given.	
135	Ofloxacin Tablets IP	Each film coated tablet contains:	
		Ofloxacin	I.P. 200 mg
		Excipients	q.s
		Colour: Sunset Yellow	
136	Ofloxacin Oral Suspension I.P	Each 5ml contains:	
		Ofloxacin	I.P. 50 mg
		Excipients	q.s
		In flavoured syrupy base	
		Colour: Sunset Yellow FCF	
		Each 5ml contains:	

137	Ofloxacin Oral Suspension I.P	Ofloxacin	I.P.	100 mg	
		Excipients			q.s
		In flavoured syrupy base			
		Colour: Sunset Yellow FCF			
138	Ondansetron Oral Solution I.P.	Each 5ml contains:			
		Ondansetron Hydrochloride	I.P.	2 mg	
		Eq to Ondansetron			q.s
		In a flavoured Syrupy base			
Colour: Ponceau 4R					
139	Ofloxacin Tablets IP	Each film coated tablet contains:			
		Ofloxacin	I.P	400 mg	
		Excipients			q.s
		Colour: Titanium Dioxide IP			
140	Ondansetron orally disintegrating tablets IP	Each orally disintegrating tablet contains:			
		Ondansetron Hydrochloride	IP	4 mg	
		Eq to Ondansetron			q.s
		Excipients			
141	Omeprazole Gastro-Resistant Capsules IP	Each hard gelatin capsule contains:			
		Omeprazole	IP	20 mg	
		Colour: Approved colour used in empty capsules shells & pellets			
142	Olmesartan Tablets	Each film coated tablet contains:			
		Olmesartan	IH	20 mg	
		Excipients			q.s
		Colour: Approved colour used			
143	Olmesartan Tablets	Each film coated tablet contains:			
		Olmesartan	IH	40 mg	
		Excipients			q.s
		Colour: Approved colour used			
144	Promethazine Syrup I.P	Each 5ml Contains:			
		Promethazine Hydrochloride	I.P	5 mg	
		In a flavoured Syrupy base			
		Colour: Approved colour used			
145	Potassium Nitrate Medicated Toothpaste	Composition:			
		Potassium Nitrate	BP	5 % w/w	
		In a Pleasant flavoured base			q.s
146	Piroxicam Tablets	Each uncoated tablet contains:			
		Piroxicam	IP	20 mg	
		Excipients			q.s
		Colour: Approved colour used			

147	Piroxicam capsule IP	Each hard gelatin capsule contains:		
		Piroxicam	IP	20 mg
		Colour: Approved colour used in empty capsules & pellets shells		
148	Permethrin cream	Composition		
		Permethrin	BP	5%w/v
		In a cream base q.s		
		Colour: Approved colour used		
149	Permethrin Lotion	Composition		
		Permethrin	BP	5 %w/v
		In a Lotion base q.s		
		Colour: Approved colour used		
150	Povidone iodine Ointment USP	Composition:		
		Povidone iodine (Available iodine 0.5%w/w)	IP	5%w/w
		In a water soluble Ointment base q.s		
151	Paracetamol Paediatric oral Suspansion I.P	Each 5ml contains:		
		Paracetamol	I.P.	125 mg
		Excipients q.s		
152	Paracetamol Paediatric oral Suspansion I.P	Each 5ml contains:		
		Paracetamol	I.P.	250 mg
		Excipients q.s		
153	Paracetamol Syrup I.P	Each ml contains:		
		Paracetamol	I.P.	150 mg
		Flavoured Syrupy base q.s		
		Colour: Erythrosine		
154	Paracetamol Tablets	Each uncoated tablet contains:		
		Paracetamol	I.P.	650 mg
		Excipients q.s		
155	Paracetamol Tablets IP	Each uncoated tablet contains :		
		Paracetamol	I.P.	500 mg
		Excipients q.s		
156	Pantoprazole Gastro-resistant Tablets IP	Each enteric coated tablet contains:		
		Pantoprazole Sodium	I.P.	40 mg
		Eq. to Pantoprazole		
		Excipients q.s		
Colour: Approved colour used.				
157	Quinine Sulphate Tablets IP	Each film coated tablet contains:		
		Quinine Sulphate	IP	300 mg
		Excipients q.s		

		Colour: Approved colour used		
158	Quinine Sulphate Tablets IP	Each film coated tablet contains:		
		Quinine Sulphate	IP	150 mg
		Excipients q.s		
		Colour: Approved colour used		
159	Rosuvastatin Tablets IP	Each uncoated tablet contains :		
		Rosuvastatin Calcium eq. to Rosuvastatin	IP	10 mg
		Excipients q.s		
		Colour: Approved colour used		
160	Rosuvastatin Tablets IP	Each uncoated tablet contains :		
		Rosuvastatin Calcium eq. to Rosuvastatin	IP	20 mg
		Excipients q.s		
		Colour: Approved colour used		
161	Ramipril Tablets IP	Each uncoated tablet contains:		
		Ramipril	IP	2.5 mg
		Excipients q.s		
		Colour: Approved colour used		
162	Ramipril Tablets IP	Each uncoated tablet contains:		
		Ramipril	IP	5 mg
		Excipients q.s		
		Colour: Approved colour used		
163	Rifaximin Tablets	Each film coated tablet contains :		
		Rifaximin	BP	550 mg
		Excipients q.s		
		Colour: Approved colour used		
164	Rifaximin Tablets	Each film coated tablet contains :		
		Rifaximin	BP	400 mg
		Excipients q.s		
		Colour: Approved colour used		
165	Raloxifene hydrochloride Tablets USP	Each Film coated tablet contains:		
		Raloxifene Hydrochloride	IP	60 mg
		Excipients q.s		
		Colour: Approved colour used.		
166	Rabeprazole Gastro-resistant Tablets I.P	Each enteric coated tablet contains:		
		Rabeprazole Sodium	I.P	20 mg
		Excipients q.s		
		Colour: Brilliant Blue		
		Each enteric coated tablet contains:		

167	Rabeprazole Gastro-resistant Tablets I.P	Rabeprazole Sodium	IP	40 mg	
		Excipients			q.s
		Colour: Approved colour used.			
168	Sildenafil citrate tablets IP	Each film coated tablet contains:			
		Sildenafil citrate Eq. to Sildenafil	IP	50 mg	
		Excipients			q.s
		Colour: Approved colour used			
169	Sertaconazol nitrate Lotion	Composition:			
		Sertaconazol nitrate	BP	2.0 %w/w	
		In a Lotion base			q.s
170	Sertaconazole Nitrate Cream	Composition:			
		Sertaconazole Nitrate	BP	2.0% w/w	
		In a Cream base			q.s
171	Serratiopeptidase Tablets IP	Each enteric coated tablet contains:			
		Serratiopeptidase (As enteric coated granules) (Eq to 20,000 units of Enzymatic activity)	IP	10 mg	
		Excipients			q.s
		Colour: Approved colour used.			
172	Serratiopeptidase Tablets IP	Each enteric coated tablet contains:			
		Serratiopeptidase (As enteric coated granules) (Eq to 10,000 units of Enzymatic activity)	IP	5 mg	
		Excipients			q.s
		Colour: Approved colour used.			
173	Silymarin Suspension	Each 5ml contains:			
		Silymarin (As Silybin)	IH	35 mg	
		Excipients			q.s
Colour: Approved colour used					
174	Sucralfate Suspension	Each 5ml contains:			
		Sucralfate	U.S.P	1000 mg	
		Excipients			q.s
		Flavoured sugar free base			
Colour: Approved colour used.					
175	Silymarin Tablets	Each film coated tablet contains:			
		Silymarin (As Silybin)	IH	70 mg	
		Excipients			q.s
Colour: Approved colour used.					
176	Silymarin Tablets	Each film coated tablet contains:			
		Silymarin (As Silybin)	IH	140 mg	
		Excipients			q.s
		Colour: Approved colour used.			

177	Trioxsalen Tablets USP	Each film coated tablet contains:			
		Trioxsalen	U.S.P	25 mg	
		Excipients			q.s
		Approved colour used			
178	Triamcinolone Tablets IP	Each film coated tablets contains:			
		Triamcinolone	IP	4 mg	
		Excipients			q.s
		Approved colour used in coating			
179	Tacrolimus ointment	Composition:			
		Tacrolimus	USP	0.03%w/w	
		In a ointment base			q.s
180	Tacrolimus ointment	Composition:			
		Tacrolimus	USP	0.1%w/w	
		In a ointment base			q.s
181	Terbinafine hydrochloride cream	Composition:			
		Terbinafine hydrochloride	BP	1%w/w	
		In a Cream base			q.s
182	Telmisartan Tablets IP	Each film coated tablet contains :			
		Telmisartan	IP	20 mg	
		Excipients			q.s
		Colour: Approved colour used			
183	Telmisartan Tablets IP	Each film coated tablet contains :			
		Telmisartan	IP	40 mg	
		Excipients			q.s
		Colour: Approved colour used			
184	Terbinafine hydrochloride Tablets USP	Each uncoated tablet contains:			
		Terbinafine hydrochloride eq. to Terbinafine	BP	250 mg	
		Excipients			q.s
		Colour: Approved colour used			
185	Tretinoin Gel USP	Composition:			
		Tretinoin	USP	0.025%w/w	
		In a gel base			q.s
186	Thiocolchicoside Capsules IP	Each hard gelatin capsule contains:			
		Thiocolchicoside	IP	4 mg	
		Excipients			q.s
		Colour: Approved colour used in empty capsules shells			
187	Trioxsalen	Each film coated tablet contains:			
		Trioxsalen	USP	5 mg	

187	Tablets USP	Excipients		q.s
Colour: Approved colour used				
188	Prolonged-release Tamsulosin Tablets BP	Each uncoated Prolonged-release tablet contains:		
		Tamsulosin hydrochloride	IP	0.4 mg
		Excipients		q.s
		Colour: Approved colour used		
189	Terbinafine Tablets USP	Each uncoated tablet contains:		
		Terbinafine hydrochloride eq. to Terbinafine	BP	500 mg
		Excipients		q.s
		Colour: Approved colour used		
190	Ursodeoxycholic acid Tablets IP	Each film coated tablet contains:		
		Ursodeoxycholic Acid	IP	150 mg
		Excipients		q.s
		Colour: Approved colour used.		
191	Ursodeoxycholic acid Tablets IP	Each film coated tablet contains:		
		Ursodeoxycholic Acid	IP	300 mg
		Excipients		q.s
		Colour: Approved colour used.		
192	Voglibose Tablets IP	Each uncoated tablet contains:		
		Voglibose	IP	0.3 mg
		Excipients		q.s
		Colour: Approved colour used		
193	Voglibose Tablets IP	Each uncoated tablet contains:		
		Voglibose	IP	0.2 mg
		Excipients		q.s
		Colour: Approved colour used		
194	Vitamin A Concentrate Oil IP	Each ml contains:		
		Vitamin A (As Palmitate)	IP	50,000 I.U.
		Arachis Oil	IP	q.s
		Excipients		q.s
195	Valacyclovir hydrochloride Tablets USP	Each Film coated tablet contains:		
		Valacyclovir hydrochloride eq. to Valacyclovir	USP	1000mg
		Excipients		q.s
		Colour: Approved colour used.		
196	Zinc Acetate Syrup	Each 5ml Contains:		
		Zinc Acetate Eq to Elemental Zinc	B.P	20 mg
		Excipients		q.s
		Flavoured Syrupy base		

		Colour: Ponceau 4R		
197	Calcium Citrate, Magnesium Hydroxide, Zinc & Vitamin D3 Tablets	Each film coated tablet contains:		
		Calcium Citrate	U.S.P	1000 mg
		Magnesium Hydroxide Eq to Elemental Magnesium	I.P	100 mg
		Zinc Sulphate Eq to Elemental Zinc	I.P	4 mg
		Vitamin D3	I.P	200 I.U
		Excipients		q.s
		Colour: Titanium Dioxide IP		
		198	Calcium Carbonate, Cholecalciferol, Cyanocobalamin Suspension	Each 5ml Contains:
Calcium Carbonate Eq to Elemental Calcium	I.P			250 mg
Cholecalciferol	I.P			125 I.U
Cyanocobalamin	I.P			0.75 mcg
Flavoured Syrupy base				q.s
Colour: Erythrosine				
199	Calcium Carbonate, Calcitriol & Zinc Tablets			Each film coated tablet contains:
		Calcitriol	I.P	0.25 mcg
		Calcium Carbonate Eq to Elemental Calcium	I.P	200 mg
		Zinc Sulphate Monohydrate Eq to Elemental Zinc	U.S.P	7.5 mg
		Excipients		q.s
		Colour: Approved colour used.		
		200	Calcium Aspartate, Calcium orotate, Calcitriol, Zinc, Magnesium Hydroxide & Folic Acid Tablets	Each film coated tablet contains:
Calcium Aspartate	IP			500 mg
Calcium Orotate	IH			500 mg
Calcitriol	I.P			0.25 mcg
Zinc (As zinc sulphate Monohydrate)	U.S.P			7.5 mg
Magnesium Hydroxide	I.P			50 mg
Hydroxocobalamin	I.P			100 mcg
Folic Acid	I.P			1.5 mg
Excipients				q.s
Colour: Approved colour used.				
201	Calcium Citrate, Calcitriol & Zinc Tablets	Each film coated tablet contains:		
		Calcium Citrate	U.S.P	1000 mg
		Calcitriol	I.P.	0.25 mcg
		Zinc Sulphate Monohydrate Eq. to Elemental Zinc	U.S.P	4 mg
		Excipients		q.s
		Colour: Approved colour used.		
		Each film coated tablet contains:		
		Calcium Carbonate	IP	1250mg

202	Calcium Carbonate, methylcobalamin, Zinc Oxide, Vitamin K2-7, Magnesium oxide and Calcitriol Tablets.	eq. to elemental Calcium		500 mg
		Methylcobalamin	IH	1500 mcg
		Zinc Sulphate	IP	22.5 mg
		eq. to elemental Zinc		7.5 mg
		Magnesium hydroxide	IP	50 mg
		Vitamin K2-7	IH	45 mcg
		Calcitriol	IP	0.25 mcg
		Excipients		q.s
		Colour: Approved colour used		
203	Calcium Citrate Malate, methylcobalamin, Zinc Oxide, Vitamin K2-7, Magnesium oxide and Vitamin D3 Tablets.	Each film coated tablet contains:		
		Calcium Citrate Malate	IH	1250 mg
		Methylcobalamin	IH	1500 mcg
		Zinc Oxide	IP	15 mg
		Magnesium Oxide	IP	50 mg
		Vitamin K2-7	IH	90 mcg
		Vitamin D3	IP	1000 IU
		Excipients		q.s
		Colour: Approved colour used		
204	Calcium Citrate Malate, Zinc Oxide, Magnesium Oxide, Vitamin D3, Vitamin K2-7 Tablets.	Each film coated tablet contains:		
		Calcium Citrate Malate	IH	1000 mg
		Zinc Oxide	IP	15 mg
		Magnesium Oxide	IP	50 mg
		Vitamin D3	IP	1000 IU
		Vitamin K2-7	IH	50 mcg
		Excipients		q.s
		Colour: Approved colour used		
205	Calcium Citrate, Zinc, Magnesium and Vitamin D3 Tablets.	Each film coated tablet contains:		
		Calcium Citrate	USP	1000 mg
		Zinc Sulphate monohydrate	IP	
		eq. to elemental zinc		61.8 mg
		Magnesium Hydroxide	IP	240 mg
		eq. to Magnesium		100 mg
		Vitamin D3	IP	400 IU
Excipients		q.s		
Colour: Approved colour used				
206	Calcium Citrate, methylcobalamin, Zinc, Magnesium and Vitamin D3 Tablets.	Each film coated tablet contains:		
		Calcium Citrate	USP	1000 mg
		Methylcobalamin	IH	500 mcg
		Zinc Sulphate monohydrate	IP	
		eq. to elemental zinc		4 mg
		Magnesium Hydroxide	IP	
		eq. to Magnesium		100 mg
		Vitamin D3	IP	200 IU
Excipients		q.s		
Colour: Approved colour used				

207	Calcium Citrate Malate, Folic acid with Vitamin D3 Tablets.	Each film coated tablet contains:			
		Calcium Citrate Malate Eq. to Elemental Calcium	IH	250 mg	
		Folic acid	IP	1.5 mg	
		Vitamin D3	IP	100 IU	
		Excipients			q.s
		Colour: Approved colour used			
208	Calcium Carbonate, Calcitriol & Zinc Tablets	Each film coated tablet contains:			
		Calcitriol	I.P	0.25 mcg	
		Calcium Carbonate Eq to Elemental Calcium	I.P	500 mg	
		Zinc Sulphate Monohydrate Eq to Elemental Zinc	U.S.P	7.5 mg	
		Excipients			q.s
		Colour: Approved colour used.			
209	Calcium Citrate Malate, Folic acid, Methylcobalamin, Vitamin B6 and Calcitriol Tablets.	Each film coated tablet contains:			
		Calcium Citrate Malate	IH	750 mg	
		Calcitriol	IP	0.25 mcg	
		Folic acid	IP	1.5 mg	
		Methylcobalamin	IH	1500 mcg	
		Vitamin B6	IP	3 mg	
		Excipients			q.s
Colour: Approved colour used					
210	Calcium orotate & Vitamin D3 Tablets	Each film coated tablet contains:			
		Calcium Orotate	IH	740 mg	
		Vitamin D3	I.P	500 IU	
		Excipients			q.s
Colour: Approved colour used.					
211	Calcium carbonate, Cholecalciferol & Cyanocobalamin Suspension	Each 5 ml contains:			
		Calcium carbonate eq. to elemental calcium	I.P	250 mg	
		Cholecalciferol	I.P	125 IU	
		Cyanocobalamin	I.P	0.75 mcg	
		In a flavoured base			q.s
		Colour: Approved colour used			
212	Methylcobalamin, folic Acid & Pyridoxine Tablets	Each Film coated tablet contains:			
		Methylcobalamin	IH	1500 mcg	
		Folic Acid	I.P	5 mg	
		Pyridoxine hydrochloride	I.P	20 mg	
		Excipients			q.s
Colour: Approved colour used					
213	Methylcobalamin, folic Acid &	Each Film coated tablet contains:			
		Methylcobalamin	IH	500 mcg	
		Folic Acid	I.P	5 mg	

213	Folic Acid & Pyridoxine Tablets	Pyridoxine hydrochloride	I.P	10 mg	
		Excipients			q.s
		Colour: Approved colour used			
214	Methylcobalamin, Pyridoxine hydrochloride, Thiamine mononitrate, alpha liopic acid & Folic Acid caplues	Each hard gelatin capsule contains:			
		Methylcobalamin	IH	500 mcg	
		Pyridoxine hydrochloride	IP	3 mg	
		Folic Acid	IP	1.5 mg	
		Thiamine mononitrate	IP	10 mg	
		Alpha liopic acid	USP	100 mg	
		Colour: Approved colour used in empty capsules shells.			
215	Methylcobalamin, Pyridoxine hydrochloride, zinc sulphate, alpha liopic acid & Folic Acid caplues	Each hard gelatin capsule contains:			
		Methylcobalamin	IH	1500 mcg	
		Alpha liopic acid	USP	100 mg	
		Pyridoxine hydrochloride	IP	1.5 mg	
		Folic Acid	IP	300 mcg	
		Zinc sulphate monohydrate	IP	22.5 mg	
		Colour: Approved colour used in empty capsules shells.			
216	Methylcobalamin, alpha lipoic acid, pyridoxine & folic acid Tablets	Each film coated tablets contains:			
		Methylcobalamin	IH	1500 mcg	
		Alpha Lipoic Acid	USP	100 mg	
		Pyridoxine Hydrochloride	I.P.	3 mg	
		Folic acid	I.P.	1.5 mg	
		Excipients			q.s
Colour: Approved colour used.					
217	Methylcobalamin, Pyridoxine hydrochloride, alpha liopic acid & Folic Acid caplues	Each hard gelatin capsule contains:			
		Methylcobalamin	IH	500 mcg	
		Pyridoxine hydrochloride	IP	3 mg	
		Folic Acid	IP	1.5 mg	
		Alpha liopic acid	USP	100 mg	
		Thiamine mononitrate	IP	10 mg	
Colour: Approved colour used in empty capsules shells.					
218	Pregabalin & Methylcobalamin Capsules	Each hard gelatin capsule contains:			
		Pregabalin	IP	75 mg	
		Methylcobalamin	IH	750 mcg	
		Colour: Approved colour used in empty capsules shells			
219	Methylcobalamin & Gabapentin Tablets	Each film coated tablet contains:			
		Methylcobalamin	IH	500 mcg	
		Gabapentin	U.S.P	300 mg	
		Excipients			q.s
Colour: Iron Oxide Red					
	Methylcobalamin,	Each hard gelatin capsule contains:			
		Methylcobalamin	IH	750 mcg	

220	Pyridoxine hydrochloride, Pregabalin, alpha liopic acid & Folic Acid caplues	Pyridoxine hydrochloride		IP	3 mg
		Folic Acid		IP	1.5 mg
		Pregabalin		IP	75 mg
		Alpha liopic acid		USP	100 mg
		Colour: Approved colour used in empty capsules shells.			
221	Methylcobalamin, Pyridoxine hydrochloride, Thiamine mononitrate, alpha liopic acid & Folic Acid caplues	Each hard gelatin capsule contains:			
		Methylcobalamin		IH	500 mcg
		Pyridoxine hydrochloride		IP	3 mg
		Folic Acid		IP	1.5 mg
		Thiamine mononitrate		IP	10 mg
		Alpha liopic acid		USP	100 mg
Colour: Approved colour used in empty capsules shells.					
222	Tramadol & Paracetamol Tablets	Each uncoated dispersible tablets contains:			
		Tramadol Hydrochloride		I.P	37.5 mg
		Paracetamol		I.P	325 mg
		Excipients		q.s	
Colour: Approved colour used.					
223	Ofloxacin & Ornidazole Tablets	Each film coated tablet contains:			
		Ofloxacin		I.P.	200 mg
		Ornidazole		I.P.	500 mg
		Excipients		q.s	
Colour: Tartrazine					
224	Ofloxacin & Ornidazole Oral Suspension	Each 5ml contains:			
		Ofloxacin		I.P.	50 mg
		Ornidazole		I.P.	125 mg
		Excipients		q.s	
		In flavoured syrupy base			
Colour: Sunset Yellow FCF					
225	Pantoprazole & Domperidone Tablets	Each enteric coated tablet contains:			
		Pantoprazole Sodium		I.P	40 mg
		Eq to Pantoprazole			
		Domperidone		I.P	10 mg
		Excipients		q.s	
Colour: Approved colour used.					
226	Enteric Coated Pantoprazole Sodium & Domperidone Sustained release Capsules	Each hard gelatin capsule contains:			
		Pantoprazole Sodium (As enteric coated pellets)		I.P.	40 mg
		Domperidone (10mg of Immediate release pellets & 20mg of Sustain release pellets)		I.P.	30 mg
		Approved colour used in empty capsule shells & pellets			
	Rabeprazole &	Each enteric coated tablet contains:			
		Rabeprazole Sodium		I.P	20 mg

227	Domperidone Tablets	Domperidone	I.P	10 mg	
		Excipients			q.s
		Colour: Sunset Yellow			
228	Minoxidil topical solution USP	Each ml contains :			
		Minoxidil	IP	100 mg	
		Isopropyl Alcohol IP			q.s
229	Isotretinoin Capsules USP	Each hard gelatin capsule contains:			
		Isotretinoin	IP	10 mg	
		Excipients			q.s
		Colour: Approved colour used in empty capsules shells			
230	Biotin & Finasteride Tablets	Each film coated tablet contains:			
		Biotin	B.P	5 mg	
		Finasteride	B.P	1 mg	
		Excipients			q.s
		Colour: Tartrazine Lake.			
231	Chlorpheniramine, Dextromethorpha n, Phenylephrine & Guaiphenesin syrup	Each 5ml Contains:			
		Chlorpheniramine Maleate	I.P	4 mg	
		Dextromethorphan Hydrobromide	I.P	10 mg	
		Phenylephrine Hydrochloride	I.P	5 mg	
		Guaiphenesin	I.P	100 mg	
		Flavoured Syrupy base			q.s
		Colour: Ponceau 4R			
232	Chlorpheniramine, Dextromethorpha n, Phenylephrine & Paracetamol Syrup	Each 5ml Contains:			
		Chlorpheniramine Maleate	I.P	1.5 mg	
		Dextromethorphan Hydrobromide	I.P	5 mg	
		Phenylephrine Hydrochloride	I.P	2.5 mg	
		Paracetamol	I.P	170 mg	
		Flavoured Syrupy base			q.s
233	Paracetamol, Phenylephrine & Chlorpheniramine Tablets	Each uncoated tablet contains:			
		Paracetamol	I.P	325 mg	
		Phenylephrine Hydrochloride	I.P	2.5 mg	
		Chlorpheniramine Maleate	I.P	1 mg	
		Excipients			q.s
234	Caffeine , Levocetizine , Paracetamol & Phenylephrine Tablets	Each uncoated tablet contains:			
		Caffeine Anhydrous	I.P	30 mg	
		Levocetizine Dihydrochloride	I.P	2.5 mg	
		Paracetamol	I.P	325 mg	
		Phenylephrine Hydrochloride	I.P	10 mg	
		Excipients			q.s
	Chlorpheniramine Maleate,	Each 5ml Contains:			
		Chlorpheniramine Maleate	I.P	2 mg	
		Ammonium Chloride	I.P	160 mg	

235	Ammonium Chloride, Sodium Citrate & Menthol Syrup	Sodium Citrate	I.P	70 mg	
		Menthol	I.P	0.5 mg	
		Flavoured Syrupy base			q.s
		Colour: Ponceau 4R			
236	Ambroxol Hydrochloride, Terbutaline Sulphate & Guaiphenesin Syrup	Each 5ml Contains:			
		Ambroxol Hydrochloride	I.P	7.5 mg	
		Terbutaline Sulphate	I.P	0.25 mg	
		Guaiphenesin	I.P	12.5 mg	
		Excipients			q.s
Colour: Tartrazine					
237	Paracetamol, Phenylephrine & Chlorpheniramine Syrup	Each 5ml Contains:			
		Paracetamol	I.P	125 mg	
		Phenylephrine Hydrochloride	I.P	2.5 mg	
		Chlorpheniramine Maleate	I.P	1 mg	
		Excipients			q.s
Colour: Approved colour used					
238	Paracetamol, Phenylephrine & Chlorpheniramine Syrup	Each 5ml Contains:			
		Paracetamol	I.P	250 mg	
		Phenylephrine Hydrochloride	I.P	5 mg	
		Chlorpheniramine Maleate	I.P	2 mg	
Excipients			q.s		
Colour: Approved colour used					
239	Paracetamol, Phenylephrine, Dextromethorphan & Chlorpheniramine Tablets	Each uncoated tablet contains:			
		Paracetamol	I.P	325 mg	
		Phenylephrine Hydrochloride	I.P	10 mg	
		Dextromethorphan hydrochloride	I.P	10 mg	
		Chlorpheniramine Maleate	I.P	2 mg	
Excipients			q.s		
Colour: Approved colour used					
240	Paracetamol, Phenylephrine, Dextromethorphan & Chlorpheniramine Suspension	Each 5 ml contains:			
		Paracetamol	I.P	250 mg	
		Phenylephrine Hydrochloride	I.P	5 mg	
		Dextromethorphan hydrochloride	I.P	10 mg	
		Chlorpheniramine Maleate	I.P	2 mg	
In a flavoured base			q.s		
Colour: Approved colour used					
241	Paracetamol, Phenylephrine & Chlorpheniramine Drops	Each ml contains:			
		Paracetamol	I.P	125 mg	
		Phenylephrine Hydrochloride	I.P	2.5 mg	
		Chlorpheniramine Maleate	I.P	1 mg	
		In a flavoured base			q.s
Colour: Approved colour used					
		Each 5ml Contains:			

242	Ambroxol & Cetirizine Syrup	Ambroxol Hydrochloride	IP	30 mg
		Cetirizine hydrochloride	IP	2.5 mg
		Flavoured Syrupy base		q.s
243	Terbutaline Sulphate, Ambroxol, Guaiphenesin & Menthol Syrup	Each 5ml Contains:		
		Terbutaline Sulphate	IP	1.25mg
		Ambroxol Hydrochloride	IP	15mg
		Guaiphenesin	IP	50mg
		Menthol	IP	2.5mg
	Flavoured Syrupy base		q.s	
244	Chlorpheniramine, Dextromethorphan, Phenylephrine & Paracetamol Syrup	Each 5ml Contains:		
		Chlorpheniramine Maleate	I.P	2 mg
		Dextromethorphan Hydrobromide	I.P	5 mg
		Phenylephrine Hydrochloride	I.P	2.5 mg
		Paracetamol	I.P	170 mg
	Flavoured Syrupy base		q.s	
245	Ambroxol HCl & Levocetirizine dihydrochloride syrup	Each 5 ml contains:		
		Ambroxol hydrochloride	IP	30 mg
		Levocetirizine dihydrochloride	IP	2.5 mg
		Excipients		q.s
	In a Flavoured Syrupy base		q.s	
246	Lysine-Hydrochloride, Vitamin B1, Vitamin B12, Vitamin B6 and Vitamin B3 Liquid	Each 5 ml contains:		
		Lysine-Hydrochloride	BP	375 mg
		Vitamin B1	IP	2 mg
		Vitamin B12	IP	2 mcg
		Vitamin B6	IP	0.75 mg
		Vitamin B3	IP	15 mg
		Excipients		q.s
	Flavoured syrupy base		q.s	
247	L-Ornithine L-Aspartate and Silymarin Tablets	Each film coated tablet contains :		
		L-Ornithine L-Aspartate	IH	250 mg
		Silymarin	IH	140 mg
		Excipients		q.s
	Colour: Approved colour used			
248	L-Ornithine L-Aspartate and Silymarin Suspension	Each 5 ml contains:		
		L-Ornithine L-Aspartate	IH	150 mg
		Silymarin	IH	35 mg
		Excipients		q.s
	Flavoured syrupy base		q.s	
249	Acetyl Cysteine and Ambroxol Hydrochloride Tablets	Each Film coated tablet contains:		
		Acetyl Cysteine	BP	300 mg
		Ambroxol Hydrochloride	IP	30 mg
		Excipients		q.s
	Colour: Approved colour used			

250	Alpha amylase, papain, dill oil and caraway oil Drop	Each ml contains:		
		Alpha Amylase	IP	20 mg
		Pepain	IP	10 mg
		Dill oil	BP	2 mg
		Anise oil	BP	2 mg
		Caraway oil	BP	2 mg
		Excipients	q.s	
		Flavoured syrupy base	q.s	
251	Alpha amylase, papain, dill oil and caraway oil Drop	Each ml contains:		
		Alpha Amylase	IP	20 mg
		Pepain	IP	10 mg
		Dill oil	BP	25 mg
		Anise oil	BP	2 mg
		Caraway oil	BP	2 mg
		Excipients	q.s	
		Flavoured syrupy base	q.s	
252	Trypsin, Bromelains and Rutoside Trihydrate Tablets	Each film coated tablet contains:		
		Trypsin	IP	48 mg
		Bromelains	BP	90 mg
		Rutoside Trihydrate	BP	100 mg
		Excipients	q.s	
		Colour: Approved colour used		
253	Trypsin, Bromelains, Rutoside Trihydrate and Diclofenac potassium Tablets	Each film coated tablet contains:		
		Trypsin	IP	48 mg
		Bromelains	BP	90 mg
		Rutoside Trihydrate	BP	100 mg
		Diclofenac potassium	BP	50 mg
		Excipients	q.s	
		Colour: Approved colour used		
		Trypsin	IP	48 mg
		Bromelains	BP	90 mg
		Rutoside Trihydrate	BP	100 mg
		Excipients	q.s	
		Colour: Approved colour used		
255	Trypsin, Bromelains, Rutoside Trihydrate and Diclofenac potassium Tablets	Each enteric coated tablet contains:		
		Trypsin	IP	48 mg
		Bromelains	BP	90 mg
		Rutoside Trihydrate	BP	100 mg
		Diclofenac potassium	BP	50 mg
		Excipients	q.s	
Colour: Approved colour used				
	Trypsin,	Each enteric coated tablet contains:		
		Trypsin	IP	96 mg

256	Bromelains, Rutoside Trihydrate and Diclofenac potassium Tablets	Bromelains	BP	180 mg
		Rutoside Trihydrate	BP	200 mg
		Diclofenac potassium	BP	50 mg
		Excipients		q.s
		Colour: Approved colour used		
257	Myo-Inositol, L-Methyl folate, Vitamin D3, Acetyl cysteine and L-Arginine Tablets	Each film coated tablet contains:		
		Myo-Inositol	BP	1 gm
		L-Methyl folate	IH	100 mcg
		Vitamin D3	IP	1000 IU
		Acetyl cysteine	USP	600 mg
		L-Arginine	IP	100 mg
		Excipients		q.s
Colour: Approved colour used				
258	L-Arginine, Co-enzyme Q10, Chaste-Berry, Grape seed, Acetyl cysteine, Inositol, Folic acid, Zinc sulphate and Omega 3 fatty acid Tablets	Each film coated tablet contains:		
		L-Arginine	IP	100 mg
		Co-enzyme Q10 (Ubedecarenone)	USP	50 mg
		Chaste-Berry extract	USP	100 mg
		Grape seed extract	USP	50 mg
		Acetyl cysteine	USP	100 mg
		Inositol	BP	100 mg
		Folic acid	IP	100 mcg
		Zinc sulphate monohydrate	IP	15 mg
		Omega 3 fatty acid	BP	100 mg
		Excipients		q.s
Colour: Approved colour used				
259	Calamine, Zinc Oxide, Bentonite, Sodium Citrate and Glycerin Lotion	Composition		
		Calamine	IP	15 % w/v
		Zinc Oxide	IP	5 %w/v
		Bentonite	IP	3 %w/v
		Sodium Citrate	IP	0.05 %w/v
		Glycerin	IP	5 %w/v
		In a Lotion base		q.s
Colour: Approved colour used				
260	Calamine, Zinc, Aloe Vera & Vitamin E Lotion	Composition:		
		Calamine	I.P.	15% w/v
		Zinc Oxide	I.P.	5% w/v
		Bentonite	I.P.	3% w/v
		Sodium Citrate	I.P.	0.5% w/v
		Vitamin E Acetate	I.P.	0.5% w/v
		Aloevera	I.P.	3% w/v
		Glycerin	I.P.	5% w/v
		Purified Water		q.s
	Calamine, Zinc	Composition:		
		Calamine	I.P.	15% w/v
		Zinc Oxide	I.P.	5% w/v

261	Carbamide, ZINC, Aloe Vera, Bentonite, glycerin & Vitamin E Lotion	Bentonite	I.P.	3% w/v
		Sodium Citrate	I.P.	0.5% w/v
		Vitamin E Acetate	I.P.	0.5% w/v
		Aloevera	IP	5% w/v
		Glycerin	I.P.	5% w/v
		Purified Water		q.s
262	B Complex with Lactic Acid Bacillus Oral Suspension	Each 5ml (after reconstitution) oral suspension contains:		
		Thiamine Mononitrate	I.P.	2 mg
		Riboflavin	I.P.	2.5 mg
		Pyridoxine Hydrochloride	I.P.	1.5 mg
		Nicotinamide	I.P.	20 mg
		Lactic Acid Bacillus	40 million spores	
		Excipients	q.s	
Colour: Approved colour used.				
263	Mecobalamin & B Complex Tablets	Each film coated tablets contains:		
		Mecobalamin	IH	1500 mcg
		Vitamin B1	I.P.	5 mg
		Vitamin B2	I.P.	5 mg
		Pyridoxine Hydrochloride	I.P.	1.5 mg
		Niacinamide	I.P.	45 mg
		Calcium Pantothenate	I.P.	12.5 mg
		Alpha Lipoic Acid	I.H	100 mg
		Excipients	q.s	
Colour: Approved colour used.				
264	Fexofenadine hydrochloride Tablets IP	Each film coated tablet contains:		
		Fexofenadine hydrochloride	IP	180 mg
		Excipients	q.s	
		Colour: Approved colour used.		
265	Silymarin with B Complex Capsules	Each hard gelatin capsule contains		
		Silymarin (As Silybin)	IH	140 mg
		Thiamine Mononitrate	I.P	5 mg
		Riboflavin	I.P	5 mg
		Pyridoxine Hydrochloride	I.P	1.5 mg
		Vitamin B12	I.P	5 mcg
		Niacinamide	I.P	25 mg
		Calcium Pantothenate	I.P	7.5 mg
		Excipients	q.s	
Colour: Approved colour used in Empty capsule shells				
266	Lactic Acid Bacillus Oral Suspension	Each 5ml (after reconstitution) oral suspension contains:		
		Lactic Acid Bacillus	60 million spores	
		Excipients	q.s	
		Colour: Approved colour used		
		Each film coated tablet contains:		

267	Ferrous Ascorbate & Folic Acid Tablets	Ferrous Ascorbate eq to Elemental Iron		IH	100 mg	
		Folic Acid		I.P	1.5 mg	
		Excipients		q.s		
		Colour: Approved Colour used.				
268	Ferrous Ascorbate, Folic Acid & Vitamin B12 Syrup	Each 5ml contains:				
		Ferrous Ascorbate eq to Elemental Iron		IH	30 mg	
		Folic Acid		I.P	1.5 mg	
		Vitamin B12		I.P	5 mcg	
		In a flavoured syrupy base		q.s		
Colour: Approved Colour used.						
269	Ferrous Ascorbate, Folic Acid & Zinc Tablets	Each film coated tablet contains:				
		Ferrous Ascorbate Eq to Elemental iron		IH	100 mg	
		Folic Acid		IP	1.5 mg	
		Zinc Sulphate Monohydrate		IP	22.5 mg	
		Excipients		q.s		
Colour: Approved colour used						
270	Ferrous Ascorbate, Folic Acid & Zinc Tablets	Each film coated tablet contains:				
		Ferrous Ascorbate Eq to Elemental iron		IH	100 mg	
		Folic Acid		IP	1.5 mg	
		Zinc Sulphate Monohydrate Eq to Elemental zinc		IP	22.5 mg	
		Excipients		q.s		
Colour: Approved colour used						
271	Ferrous Ascorbate & Folic Acid suspension	Each 5ml contains:				
		Ferrous Ascorbate eq to Elemental Iron		I.H	30 mg	
		Folic Acid		I.P	550 mcg	
		In a flavoured syrupy base		q.s		
Colour: Approved Colour used.						
272	Diclofenac Diethylamine, Linseed Oil, Menthol & Methyl Salicylate Rollon	Composition:				
		Diclofenac Diethylamine (Equivalent to Diclofenac Sodium)		BP	1.16%w/w	
				IP	1.0%w/w	
		Linseed Oil		BP	3.0%w/w	
		Methyl Salicylate		IP	10.0%w/w	
		Menthol		IP	5.0%w/w	
		Benzyl Alcohol (As Preservative)		IP	1.0%w/w	
In a Gel Base		q.s				
	Diclofenac Diethylamine,	Composition:				
		Diclofenac Diethylamine Equivalent to Diclofenac Sodium		B.P.	1.16% w/w	
					1% w/w	

273	Oleum Lini, Menthol & Methyl Salicylate Gel	Linseed Oil	B.P.	3% w/w
		Menthol	I.P.	5% w/w
		Methyl Salicylate	I.P.	10% w/w
		In a Gel Base		q.s
274	Diclofenac Diethylamine, Oleum Lini, Menthol & Methyl Salicylate Gel	Composition:		
		Diclofenac Diethylamine Equivalent to Diclofenac Sodium	B.P.	1.16% w/w
		Linseed Oil	B.P.	3% w/w
		Menthol	I.P.	1% w/w
		Methyl Salicylate	I.P.	10% w/w
		In a Gel Base		q.s
275	Ketoconazole & Cetrimide Lotion	Composition		
		Ketoconazole	I.P.	2% w/v
		Cetrimide	I.P.	0.5% w/v
		In a lotion base		q.s
Colour : Erythrosine				
276	Ketoconazole & Coaltar Lotion	Composition		
		Ketoconazole	IP	2%w/v
		Coaltar solution 1966	IP	4%w/v
		In a lotion base		q.s
Colour: Approved colour used				
277	Ketoconazole & Zinc Pyrithone Shampoo	Composition		
		Ketoconazole	IP	2%w/v
		Zinc Pyrithone	IH	1%w/v
		In a Shampoo base		q.s
Colour: Approved colour used				
278	Cefixime & ofloxacin Tablets	Each film coated tablet contains:		
		Cefixime eq. to Cefixime anhydrous	IP	200 mg
		ofloxacin	IP	200 mg
		Excipients		q.s
		Colour: Approved colour used		
279	Cefprozil Tablets USP.	Each uncoated tablet contains:		
		Cefprozil	USP	250 mg
		Excipients		q.s
		Colour: Approved colour used.		
280	Lycopene Enriched with antioxidant, multivitamin &	Each 10 ml contains:		
		Lycopene 10%	USP	2000mcg
		Niacinamide	IP	25 mg
		Folic acid	IP	100 mcg
		Selenium dioxide monohydrate eq. to Selenium	BP	35 mcg
		Zinc (as Zinc gluconate)	USP	3 mg

	multimineral Syrup	Iodine (as potassium Iodide)	USP	100 mcg
		Copper (as cupric sulphate)	USP	500 mcg
		Vitamin B12	IP	1 mcg
		Vitamin B6	IP	1.5 mg
		Excipients		q.s
		In a flavoured base		q.s
		Each Enteric coated tablet contains:		
281	Nimesulide & Serratiopeptidase Tablets	Nimesulide	B.P.	100 mg
		Serratiopeptidase (As enteric coated granules) (Eq to 30,000 units of Enzymatic activity)	I.P.	15 mg
		Excipients		q.s
		Colour: Approved colour used.		
		Caution: Children below 12 years not to be given.		
		Each 5ml Contains:		
282	Cyproheptadine & Tricholine Citrate Syrup	Cyproheptadine Hydrochloride	I.P.	2 mg
		Tricholine Citrate (65%)	I.P.	275 mg
		Flavoured Syrupy base		q.s
		Each 5ml Contains:		
283	Promethazine & Paracetamol Syrup	Promethazine	I.P.	5 mg
		Paracetamol	I.P.	125 mg
		In a flavoured Syrupy base		
		Colour: Ponceau-4R		
		Each 15ml Contains:		
284	Fungal Diastase & Pepsin Syrup	Diastase (1:1200) (Fungal Diastase derived from Aspergillus Oryzae. Digests not less than 60g of cooked starch)	I.P.	50 mg
		Pepsin (1:3000) (Digests not less than 30g of coagulated egg albumen)	I.P.	10 mg
		Excipients		q.s
		In a flavoured Sorbitol Base		
		Each 5ml contains:		
285	Haematinic Syrup of Iron, Folic Acid & Vitamin B12	Ferric Ammonium Citrate	I.P.	160 mg
		Vitamin B12	I.P.	7.5 mcg
		Folic Acid	I.P.	0.5 mg
		Excipients		q.s
		In a flavoured Syrupy base		
		Each 5ml Contains:		
286	Cetirizine HCL & Ambroxol Syrup	Cetirizine Hydrochloride	I.P.	2.5 mg
		Ambroxol Hydrochloride	I.P.	30 mg
		Flavoured Syrupy base		q.s
		Colour: Sunset Yellow FCF		
		Each 5ml contains:		

287	Ofloxacin & Ornidazole Suspension	Ofloxacin	I.P	50 mg
		Ornidazole	I.P	125 mg
		Excipients		q.s
		Flavoured syrupy base		
		Colour: Sunset Yellow FCF		
288	Paracetamol & Nimesulide Tablets	Each uncoated tablet contains:		
		Paracetamol	I.P	325 mg
		Nimesulide	B.P.	100 mg
		Excipients		q.s
		Caution: Children below 12 years not to be given.		
289	Diclofenac Potassium, Paracetamol & Chlorzoxazone Tablets	Each film coated tablet contains:		
		Diclofenac Potassium	B.P	50 mg
		Paracetamol	I.P	325 mg
		Chlorzoxazone	U.S.P	250 mg
		Excipients		q.s
Colour: Approved colour used.				
290	Diclofenac Potassium & Serratiopeptidase Tablets	Each Film coated tablet contains:		
		Diclofenac Potassium	BP	50 mg
		Serratiopeptidase (As enteric coated granules) (Eq to 20,000 units of Enzymatic activity)	IP	10 mg
		Excipients		q.s
Colour: Approved colour used.				
291	Diclofenac Potassium & Serratiopeptidase Tablets	Each Film coated tablet contains:		
		Diclofenac Potassium	BP	50 mg
		Serratiopeptidase (As enteric coated granules) (Eq to 30,000 units of Enzymatic activity)	IP	15 mg
		Excipients		q.s
Colour: Approved colour used.				
292	Diclofenac Potassium, Paracetamol & Serratiopeptidase Tablets	Each film coated tablets contains:		
		Diclofenac Potassium	BP	50 mg
		Paracetamol	IP	325 mg
		Serratiopeptidase (As enteric coated granules) (Eq to 20,000 units of Enzymatic activity)	IP	10 mg
		Excipients		q.s
Colour: Approved colour used				
293	Diclofenac Potassium, Paracetamol & Serratiopeptidase Tablets	Each film coated tablets contains:		
		Diclofenac Potassium	BP	50 mg
		Paracetamol	IP	325 mg
		Serratiopeptidase (As enteric coated granules) (Eq to 30,000 units of Enzymatic activity)	IP	15 mg
		Excipients		q.s
Colour: Approved colour used				
		Each Film coated tablet contains:		

294	Diclofenac Potassium & Paracetamol Tablets	Diclofenac Potassium			BP	50 mg
		Paracetamol			IP	325 mg
		Excipients			q.s	
		Colour: Approved colour used				
295	Glimepiride & Metformin Hydrochloride Sustained release Tablets	Each uncoated tablet contains:				
		Glimepiride			IP	1 mg
		Metformin Hydrochloride (Sustained release)			IP	500 mg
		Excipients			q.s	
		Colour: Approved colour used				
296	Glimepiride & Metformin Hydrochloride Sustained release Tablets	Each uncoated tablet contains:				
		Glimepiride			IP	2 mg
		Metformin Hydrochloride (Sustained release)			IP	500 mg
		Excipients			q.s	
		Colour: Approved colour used				
297	Metformin Hydrochloride Sustained release, Glimepiride & Pioglitazone Tablets	Each uncoated tablet contains:				
		Pioglitazone hydrochloride eq. to Pioglitazone			IP	15mg
		Glimepiride			IP	1 mg
		Metformin Hydrochloride (Sustained release)			IP	500 mg
		Excipients			q.s	
Colour: Approved colour used						
298	Metformin Hydrochloride Sustained release, Glimepiride & Pioglitazone Tablets	Each uncoated tablet contains:				
		Pioglitazone hydrochloride eq. to Pioglitazone			IP	15mg
		Glimepiride			IP	2 mg
		Metformin Hydrochloride (Sustained release)			IP	500 mg
		Excipients			q.s	
Colour: Approved colour used						
299	Clobetasol Propionate, Neomycin, miconazole Nitrate & Zinc Sulphate Cream	Composition:				
		Clobetasol Propionate			IP	0.05%w/w
		Neomycin Sulphate eq. to Neomycin			IP	0.5%w/w
		Miconazole Nitrate			IP	2.0% w/w
		Zinc Sulphate			IP	2%w/w
		In a Cream base			q.s	
300	Carbonyl Iron, Folic Acid, Vitamin B12 & Zinc sulphate	Each film coated tablet contains:				
		Carbonyl Iron Eq to Elemental Iron			IH	100 mg
		Folic Acid			IP	1.5 mg
		Zinc Sulphate monohydrate			IP	61.8 mg

	Tablets.	Vitamin B12	IP	15 mcg
		Excipients		q.s
		Colour: Approved colour used		
301	Fungal diastase, Cinnamon oil, Caraway oil & Cardmom oil Syrup	Each 10ml contains:		
		Fungal diastase (1:2000) (Fungal diastase derived from aspergillus oryage)	IP	40 mg
		Cinnamon oil	B.P	250 mcg
		Caraway oil	B.P	250 mcg
		Cardmom oil	B.P	250 mcg
		Excipients		q.s
		Colour: Caramel IP		
302	Olmesartan & Hydrochorothiazide Tablets	Each uncoated tablet contains:		
		Olmesartan	IH	20 mg
		Hydrochorothiazide	IP	12.5 mg
		Excipients		q.s
		Colour: Approved colour used		
303	Olmesartan & Hydrochorothiazide Tablets	Each uncoated tablet contains:		
		Olmesartan	IH	40 mg
		Hydrochorothiazide	IP	12.5 mg
		Excipients		q.s
		Colour: Approved colour used		
304	Olmesartan & Amlodipine Tablets	Each film coated tablet contains:		
		Olmesartan	IH	40 mg
		Amlodipine Besylate Eq. to Amlodipine	IP	5 mg
		Excipients		q.s
		Colour: Approved colour used		
305	Gliclazide Modified release & Metformine Sustaned release Tablets	Each film coated tablet contains:		
		Gliclazide Modified release	IP	80 mg
		Metformine hydrochloride Sustaned release	IP	500 mg
		Excipients		q.s
		Colour: Approved colour used		
306	Gliclazide Modified release & Metformine Sustaned release Tablets	Each film coated tablet contains:		
		Gliclazide Modified release	IP	30 mg
		Metformine hydrochloride Sustaned release	IP	500 mg
		Excipients		q.s
		Colour: Approved colour used		
		Each uncoated tablet contains:		

307	Metformin Hydrochloride & Pioglitazone Tablets	Pioglitazone hydrochloride	IP	15 mg
		Eq. to Pioglitazone		
		Metformin Hydrochloride	IP	500 mg
		Excipients		q.s
Colour: Approved colour used				
308	Povidone iodine, Sucralfate & Metronidazole Ointment	Composition:		
		Povidone iodine (Available iodine 0.5%w/w)	IP	5%w/w
		Sucralfate	BP	7%w/w
		Metronidazole	IP	1%w/w
In a Ointment base				q.s
309	Diacerein, Glucosamine with Methyl Sulphonyl Methane Tablets	Each Film coated tablet contains:		
		Diacerein	IP	50mg
		Glucosamine Sulphate Potassium Chloride	USP	750 mg
		Eq to Glucosamine Sulphate		446 mg
		Methyl Sulphonyl Methane	USP	250 mg
		Excipients		q.s
Colour: Approved colour used.				
310	Cinnarizine & Domperidone Tablets	Each filmcoated tablet contains:		
		Cinnarizine	IP	20 mg
		Domperidone	IP	15 mg
		Excipients		q.s
Colour: Approved colour used				
311	Sodium Feredetate, Folic Acid & Vitamin B12 Tablets	Each filmcoated tablet contains:		
		Sodium Feredetate eq. to elemental Iron	BP	33mg
		Folic Acid	IP	1.5mg
		Vitamin B12	IP	15mcg
		Excipients		q.s
		Colour: Titanium Dioxide IP		
312	Ambroxol HCl sustained release & Levocetirizine Tablets	Each uncoated tablet contains :		
		Ambroxol hydrochloride (sustained release)	IP	75 mg
		Levocetirizine dihydrochloride	IP	5 mg
		Excipients		q.s
313	Biotin & Finasteride Tablets	Each film coated tablet contains:		
		Biotin	B.P	10 mg
		Finasteride	IP	1 mg
		Excipients		q.s
Colour: Tartrazine Lake.				
314	Metformin Hydrochloride Sustained release	Each uncoated tablet contains:		
		Glimepiride	IP	1 mg
		Metformin HCl	IP	1000 mg

314	Sustained release & Glimepiride Tablets	(Sustained release)		
		Excipients		q.s
		Colour: Approved colour used		
315	Metformin Hydrochloride Sustained release & Glimepiride Tablets	Each uncoated tablet contains:		
		Glimepiride	IP	2 mg
		Metformin HCl (Sustained release)	IP	1000 mg
		Excipients		q.s
		Colour: Approved colour used		
316	Voglibose and Metformin hydrochloride Tablets	Each Film coated tablet contains:		
		Voglibose	IP	0.2 mg
		Metformin hydrochloride	IP	500 mg
		Excipients		q.s
Colour: Approved colour used				
317	Metformin hydrochloride Sustained release and Voglibose Tablets	Each uncoated Sustained release tablet contains:		
		Metformin hydrochloride (Sustained release)	IP	500 mg
		Voglibose	IP	0.3 mg
		Excipients		q.s
Colour: Approved colour used				
318	Fexofenadine hydrochloride & Montelukast sodium Tablets	Each film coated tablet contains:		
		Fexofenadine hydrochloride	IP	120 mg
		Montelukast sodium eq. to Montelukast	IP	10 mg
		Excipients		q.s
Colour: Approved colour used.				
319	Diethylcarbama- zine citrate & chlorpheniramine maleate Tablets	Each Film coated tablet contains:		
		Diethylcarbamaz- ine citrate	I.P	250 mg
		chlorpheniramine maleate	I.P	5 mg
		Excipients		q.s
Colour: Approved colour used				
320	Halobetasol propionate and Salicylic acid Ointment	Composition:		
		Halobetasol propionate	IH	0.05%w/w
		Salicylic acid	IP	6 %w/w
		In a ointment base		q.s
321	Halobetasol propionate and Fusidic acid Cream	Composition:		
		Halobetasol propionate	IH	0.05%w/w
		Fusidic acid	IP	2 %w/w
		In a cream base		q.s
322	Olmisartan & Hydrochlorothiaz- ide	Each film coated tablet contains:		
		Olmisartan	IH	40mg
		Hydrochlorothiaz- ide	IP	12.5mg

	Tablets	Excipients q.s		
Colour: Approved colour used				
323	Olmisartan & Hydrochlorothiazide Tablets	Each film coated tablet contains:		
		Olmisartan	IH	20mg
		Hydrochlorothiazide	IP	12.5mg
Excipients q.s				
Colour: Approved colour used				
324	Ursodeoxycholic acid & Silymarin Tablets	Each film coated tablet contains:		
		Ursodeoxycholic Acid	IP	300 mg
		Silymarin	IH	140 mg
Excipients q.s				
Colour: Approved colour used.				
325	Pancreatin & Activated Dimethicone Tablets	Each enteric coated tablet contains :		
		Pancreatin	IP	170 mg
		Activated Dimethicone	IP	80 mg
Excipients q.s				
Colour: Approved colour used				
326	Clindamycin & Benzoyl Peroxide Gel	Composition:		
		Clindamycin Phosphate eq. to Clindamycin	I.P	1 %w/w
		Hydrous Benzoyl Peroxide eq. to Anhydrous Benzoyl Peroxide	I.P	2.5 %w/w
In a gel base q.s				
327	Clindamycin & Benzoyl Peroxide Gel	Composition:		
		Clindamycin Phosphate eq. to Clindamycin	IP	1%w/w
		Hydrous Benzoyl Peroxide eq. to Anhydrous Benzoyl Peroxide	IP	5% w/w
In a gel base q.s				
328	Benzoyl Peroxide and Adapalene gel	Composition:		
		Hydrous Benzoyl Peroxide eq. to Anhydrous Benzoyl Peroxide	IP	2.5%w/w
		Adapalene	BP	0.1%w/w
In a cream base q.s				
329	Levocetirizine Hydrochloride & Montelukast Sodium Tablets	Each film coated tablets contains:		
		Levocetirizine Hydrochloride	I.P.	5 mg
		Montelukast Sodium Equivalent to Montelukast	I.P.	10 mg
Excipients q.s				
Colour: Approved colour used.				
	Aceclofenac	Each Film coated tablet contains:		
		Aceclofenac	I.P	100 mg

330	Aceclofenac, Paracetamol & Chlorzoxazone Tablets	Paracetamol	I.P	325 mg
		Chlorzoxazone	U.S.P	250 mg
		Excipients	q.s	
		Colour: Approved colour used		
331	Aceclofenac, Paracetamol & Chlorzoxazone Tablets	Each Film coated tablet contains:		
		Aceclofenac	I.P	100 mg
		Paracetamol	I.P	325 mg
		Chlorzoxazone	U.S.P	500 mg
		Excipients	q.s	
		Colour: Approved colour used		
332	Aceclofenac, Paracetamol & Serratiopeptidase Tablets	Each Film coated tablet contains:		
		Aceclofenac	I.P	100 mg
		Paracetamol	I.P	325 mg
		Serratiopeptidase (As enteric coated granules) (Eq to 20,000 units of Enzymatic activity)	I.P	10 mg
		Excipients	q.s	
		Colour: Approved colour used		
333	Aceclofenac, Paracetamol & Serratiopeptidase Tablets	Each Film coated tablet contains:		
		Aceclofenac	I.P	100 mg
		Paracetamol	I.P	325 mg
		Serratiopeptidase (As enteric coated granules) (Eq to 30,000 units of Enzymatic activity)	I.P	15 mg
		Excipients	q.s	
		Colour: Approved colour used		
334	Aceclofenac & Paracetamol Tablets	Each film coated tablet contains:		
		Aceclofenac	I.P	100 mg
		Paracetamol	I.P	325 mg
		Excipients	q.s	
Colour: Approved colour used.				
335	Aceclofenac & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Aceclofenac	IP	100 mg
		Thiocolchicoside	IP	4 mg
		Excipients	q.s	
Colour: Approved colour used.				
336	Aceclofenac & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Aceclofenac	IP	100 mg
		Thiocolchicoside	IP	8 mg
		Excipients	q.s	
Colour: Approved colour used.				
337	Hydroquinone, Tretinoin & Hydrocortisone Cream	Composition:		
		Hydroquinone	IP	2%w/w
		Tretinoin	BP	0.05%w/w
		Hydrocortisone	IP	1%w/w

		In a Cream Base		q.s
338	Beclomethasone dipropionate & Clotrimazole Cream	Composition:		
		Beclomethasone dipropionate	IP	0.025%w/w
		Clotrimazole	IP	1.0%w/w
		In a cream base		q.s
339	Beclomethasone dipropionate & Clotrimazole Lotion	Composition:		
		Beclomethasone dipropionate	IP	0.025%w/w
		Clotrimazole	IP	1.0%w/w
		In a Lotion Base		q.s
340	Etoricoxib & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Etoricoxib	IP	60 mg
		Thiocolchicoside	IP	4 mg
		Excipients		q.s
		Colour: Approved colour used		
341	Isotretinoin & Clindamycin Gel	Composition:		
		IsoTretinoin	IP	0.05% w/w
		Clindamycin Phosphate Eq. to Clindamycin	IP	1% w/w
		In a gel base		q.s
342	Telmisartan & Hydrochlorothiazide Tablets	Each film coated tablet contains:		
		Telmisartan	IP	80mg
		Hydrochlorothiazide	IP	12.5mg
		Excipients		q.s
		Colour: Approved colour used		
343	Atorvastatin & Fenofibrate Tablets	Each film coated tablet contains:		
		Atorvastatin Calcium Eq to Atorvastatin	IP	10 mg
		Fenofibrate	IP	160 mg
		Excipients		q.s
		Colour: Approved colour used		
344	Mometasone & Fusidic acid Ointment	Composition:		
		Mometasone Furoate IP	IP	0.1% w/w
		Fusidic acid IP	IP	2% w/w
		In a Ointment base		q.s
345	Ciprofloxacin & Tinidazole Tablets	Each film coated tablet contains:		
		Ciprofloxacin Hydrochloride eq to Ciprofloxacin	IP	500 mg
		Tinidazole	IP	600 mg
		Excipients		q.s
		Colour: Approved colour used		q.s
		Each uncoated tablet contains:		

346	Tamsulosin Modified release & Dutasteride Tablets	Tamsulosin hydrochloride	IP	0.4 mg
		Modified release		
		Dutasteride	IP	0.5 mg
		Excipients		q.s
Colour: Approved colour used				
347	Doxylamine Succinate, Pyridoxine Hydrochloride & Folic Acid Tablets	Each enteric coated tablet contains:		
		Doxylamine Succinate	BP	10 mg
		Pyridoxine Hydrochloride	IP	10 mg
		Folic Acid	IP	2.5 mg
		Excipients		q.s
Colour: Approved colour used				
348	Doxylamine Succinate & Pyridoxine Hydrochloride Tablets	Each enteric coated tablet contains:		
		Doxylamine Succinate	B.P	10 mg
		Pyridoxine Hydrochloride	I.P	10 mg
		Excipients		q.s
		Colour: Approved colour used.		
349	Doxylamine Succinate, Pyridoxine Hydrochloride & Folic Acid Tablets	Each enteric coated tablet contains:		
		Doxylamine Succinate	BP	10 mg
		Pyridoxine Hydrochloride	IP	10 mg
		Folic Acid	IP	5 mg
		Excipients		q.s
Colour: Approved colour used				
350	Minoxidil & Aminexil topical solution	composition		
		Minoxidil	IP	5%w/v
		Aminexil	IH	1.5%w/v
		Isopropyl Alcohol IP		q.s
351	Minoxidil & Aminexil topical solution	composition		
		Minoxidil	IP	2% w/v
		Aminexil	IH	1.5% w/v
		Isopropyl Alcohol IP		q.s
352	Minoxidil & Finasteride topical solution	composition		
		Minoxidil	I.P	5% w/v
		Finasteride	I.P	0.1% w/v
		Isopropyl Alcohol IP		q.s
353	Flunarizine HCl, Domperidone & Paracetamol Tablets	Each uncoated tablet contains:		
		Flunarizine HCl	BP	
		Eq to Flunarizine		10 mg
		Domperidone	IP	10 mg
		Paracetamol	IP	325 mg
Excipients		q.s		
	Dicyclomine	Each ml Contains:		
		Dicyclomine Hydrochloride	I.P	10 mg

354	Hydrochloride & Dimethicone Drops	Dimethicone	I.P	40 mg	
		Excipients			q.s
		In flavoured syrupy base			
355	Nimesulide & Serratiopeptidase Tablets	Each Enteric coated tablet contains:			
		Nimesulide	B.P.	100 mg	
		Serratiopeptidase (As enteric coated granules) (Eq to 20,000 units of Enzymatic activity)	I.P	15 mg	
		Excipients			q.s
		Colour: Approved colour used.			
		Caution: Children below 12 years not to be given.			
356	Mefenamic acid & Dicyclomine hydrochloride Tablets	Each uncoated tablets contains:			
		Mefenamic acid	IP	250 mg	
		Dicyclomine hydrochloride	IP	10 mg	
		Excipients			q.s
Colour: Approved colour used					
357	Zinc gluconate, Calcium, Magnesium & vitamin D3 Suspension	Each 5 ml contains:			
		Zinc gluconate eq. to elemental zinc	USP	14 mg 2 mg	
		Vitamin D3	IP	200 IU	
		Calcium Carbonate Eq. to Elemental Calcium	IP	625 mg 250 mg	
		Magnesium Hydroxide eq. to Magnesium	IP	180 mg 75 mg	
		Excipients			q.s
		Flavoured syrupy base			q.s
		358	Trypsin chymotrypsin tablets	Each uncoated tablet contains:	
1,00,000 armour units of enzymatic activity supplied by a purified concentrate which has specific trypsin an chymotrypsin activity in a ration of approximately six to one					
Excipients				q.s	
Colour: Approved colour used					
359	Amoxycillin Tablets IP	Each uncoated dispersible tablets contains:			
		Amoxycillin Trihydrate Eq to Amoxycillin	I.P	250 mg	
		Excipients			q.s
		Colour: Sunset Yellow FCF			
360	Cefixime Tablets I.P	Each uncoated dispersible tablet contains :			
		Cefixime eq to Cefixime Anhydrous	I.P.	50 mg	
		Excipients			q.s
		Colour: Approved colour used			
361	Cefixime Tablets	Each uncoated dispersible tablet contains :			
		Cefixime	I.P.		

361	IP	eq to Cefixime Anhydrous		100 mg
		Excipients		q.s
362	Cefixime Tablets IP	Each uncoated dispersible tablet contains :		
		Cefixime eq to Cefixime Anhydrous	I.P.	200 mg
		Excipients		q.s
		Colour: Approved colour & Flavour used		
363	Cefixime & Potassium Clavulanate Tablets	Each uncoated dispersible tablet contains :		
		Cefixime eq to Cefixime Anhydrous	I.P.	100 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P.	62.5 mg
		Excipients		q.s
		Colour: Approved colour & Flavour used		
364	Cefixime & Potassium Clavulanate Tablets	Each film coated tablet contains:		
		Cefixime Eq to Cefixime Anhydrous	I.P.	100 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P.	62.5 mg
		Excipients		q.s
		Colour: Approved colour used		
365	Cefadroxil & Potassium Clavulanate Tablets	Each uncoated dispersible tablet contains :		
		Cefadroxil eq to Cefadroxil Anhydrous	I.P.	500 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P.	125 mg
		Excipients		q.s
		Colour: Approved colour used		
366	Cefadroxil & Potassium Clavulanate Tablets	Each uncoated dispersible tablet contains :		
		Cefadroxil eq to Cefadroxil Anhydrous	I.P.	250 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P.	62.5 mg
		Excipients		q.s
		Colour: Approved colour used		
367	Cefpodoxime Proxetil Tablets IP	Each uncoated dispersible tablet contains:		
		Cefpodoxime Proxetil eq to Cefpodoxime	I.P.	100 mg
		Excipients		q.s
368	Cefuroxime Axetil Tablets IP	Each film coated tablet contains :		
		Cefuroxime Axetil Eq to Cefuroxime	I.P.	500 mg
		Excipients		q.s
		Colour: Titanium Dioxide IP		

369	Cefuroxime & Potassium Clavulanate Tablets	Each Film coated tablet contains:		
		Cefuroxime Axetil eq to Cefuroxime	IP	500mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	IP	125mg
		Excipients		q.s
		Colour: Approved colour used.		
370	Cefprozil Tablets USP.	Each uncoated tablet contains:		
		Cefprozil	USP	500 mg
		Excipients		q.s
		Colour: Approved colour used.		
371	Cefixime & Azithromycin Tablets	Each film coated tablet contains:		
		Cefixime eq. to Cefixime anhydrous	IP	200 mg
		Azithromycin dihydrate eq. to Azithromycin	IP	250 mg
		Excipients		q.s
		Colour: Approved colour used		
372	Amoxicillin & Potassium Clavulanate Tablets IP	Each film coated tablet contains:		
		Amoxicillin Trihydrate eq to Amoxicillin	I.P.	200 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P.	28.5 mg
		Excipients		q.s
		Colour: Titanium Dioxide IP		
373	Amoxicillin & Potassium Clavulanate Oral Suspension IP	Each 5ml (after reconstitution) oral suspension contains:		
		Amoxicillin Trihydrate eq to Amoxicillin	I.P.	200 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P.	28.5 mg
		Excipients		q.s
		In a flavoured base.		
374	Amoxicillin & Potassium Clavulanate Oral Suspension IP	Each 5ml (after reconstitution) oral suspension contains:		
		Amoxicillin Trihydrate eq to Amoxicillin	I.P.	125 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P.	31.25 mg
		Excipients		q.s
		In a flavoured base.		
375	Amoxicillin & Potassium Clavulanate Oral	Each 5ml (after reconstitution) oral suspension contains:		
		Amoxicillin Trihydrate eq to Amoxicillin	I.P.	400 mg
		Potassium Clavulanate Diluted	I.P.	

	Suspension IP	eq to Clavulanic Acid		57 mg
		Excipients		q.s
		In Flavoured base		
376	Telmisartan & Metoprolol Tartarate sustained release Tablets	Each uncoated tablet contains:		
		Metoprolol Tartarate Eq. to Metoprolol (sustained release)	IP	50 mg
		Telmisartan	IP	40 mg
		Excipients		q.s
		Colour: Approved colour used		
377	Telmisartan & Hydrochlorothiazide Tablets	Each film coated tablet contains:		
		Telmisartan	IP	40mg
		Hydrochlorothiazide	IP	12.5mg
		Excipients		q.s
		Colour: Approved colour used		
378	Doxylamine Succinate, Pyridoxine Hydrochloride & Folic Acid Tablets	Each enteric coated tablet contains:		
		Doxylamine Succinate	BP	10 mg
		Pyridoxine Hydrochloride	IP	10 mg
		Folic Acid	IP	10 mg
		Excipients		q.s
		Colour: Approved colour used		
379	Amlodipine & Metoprolol Tartarate sustained release Tablets	Each uncoated tablet contains:		
		Metoprolol Tartarate Eq. to Metoprolol (sustained release)	IP	50 mg
		Amlodipine besylate Eq. to amlodipine	IP	5 mg
		Excipients		q.s
		Colour: Approved colour used		
380	Nitazoxanide & Ofloxacin Tablets	Each film coated tablet contains:		
		Nitazoxanide	IH	500 mg
		Ofloxacin	IP	200 mg
		Excipients		q.s
		Colour: Approved colour used		
381	Glimipride & Metformin Hydrochloride Sustained Release Tablets	Each uncoated tablet contains:		
		Glimipride	I.P.	1 mg
		Metformin Hydrochloride (In Sustained Release Form)	I.P.	500 mg
		Excipients		q.s
382	Glimipride & Metformin Hydrochloride Sustained Release Tablets	Each uncoated tablet contains:		
		Glimipride	I.P.	2 mg
		Metformin Hydrochloride (In Sustained Release Form)	I.P.	500 mg

		Excipients	q.s
383	Amlodipine & Atenolol Tablets	Each film coated tablet contains:	
		Amlodipine Besilate Eq. to Amlodipine	IP 5 mg
		Atenolol	IP 50 mg
		Excipients	q.s
		Colour: Approved colour used	
384	Telmisartan & Amlodipine Tablets	Each film coated tablet contains:	
		Telmisartan	IP 40 mg
		Amlodipine Besylate Eq. to Amlodipine	IP 5 mg
		Excipients	q.s
		Colour: Approved colour used	
385	Rosuvastatin and Fenofibrate Tablets	Each uncoated tablet contains :	
		Rosuvastatin Calcium eq. to Rosuvastatin	IP 10 mg
		Fenofibrate	IP 160 mg
		Excipients	q.s
		Colour: Approved colour used	
386	Amoxicillin & Potassium Clavulanate Tablets IP	Each film coated tablet contains:	
		Amoxicillin Trihydrate eq to Amoxicillin	I.P. 500 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P. 125 mg
		Excipients	q.s
		Colour: Titanium Dioxide IP	
387	Amoxicillin & Potassium Clavulanate Tablets IP	Each Film coated tablet contains:	
		Amoxicillin Trihydrate eq to Amoxicillin	IP 875 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	IP 125 mg
		Excipients	q.s
		Colour: Titanium dioxide	
388	Amoxicillin & Potassium Clavulanate Tablets IP	Each film coated tablet contains:	
		Amoxicillin Trihydrate eq to Amoxicillin	I.P. 250 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P. 125 mg
		Excipients	q.s
		Colour: Titanium Dioxide IP	
389	Cefixime Tablets IP	Each uncoated tablet contains :	
		Cefixime eq to Cefixime Anhydrous	I.P. 100 mg

		Excipients	q.s
		Colour: Approved colour used	
390	Cefixime Tablets IP	Each uncoated tablet contains :	
		Cefixime eq to Cefixime Anhydrous	I.P. 200 mg
		Excipients	q.s
		Colour: Approved colour used	
391	Cefixime & Potassium Clavulanate Tablets	Each film coated tablet contains :	
		Cefixime eq to Cefixime Anhydrous	I.P. 200 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P. 125 mg
		Excipients	q.s
		Colour: Approved colour used	
392	Cefpodoxime Proxetil Tablets IP	Each film coated tablet contains:	
		Cefpodoxime Proxetil eq to Cefpodoxime	I.P. 100 mg
		Excipients	q.s
		Colour: Approved colour used.	
393	Cefpodoxime Proxetil Tablets IP	Each film coated tablet contains:	
		Cefpodoxime Proxetil eq to Cefpodoxime	I.P. 200 mg
		Excipients	q.s
		Colour: Approved colour used.	
394	Cefpodoxime & Potassium Clavulanate Tablets	Each film coated tablet contains:	
		Cefpodoxime Proxetil eq to Cefpodoxime	I.P. 200 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid	I.P. 125 mg
		Excipients	q.s
		Colour: Titanium Dioxide IP	
395	Cefuroxime Axetil Tablets IP	Each film coated tablet contains :	
		Cefuroxime Axetil Eq to Cefuroxime	I.P. 250 mg
		Excipients	q.s
		Colour: Titanium Dioxide IP	
396	Levosulpiride sustained release & Enteric coated Rabeprazol sodium Capsules	Each hard gelatin capsule contains:	
		Rabeprazol sodium (As enteric coated pellets)	IP 20 mg
		Levosulpiride (sustained release Pellets)	IH 75 mg
		Colour: Approved colour used in empty capsules shells & pellets	

397	Omeprazole Enteric Coated & Domperidone Capsules	Each hard gelatin capsule contains:		
		Omeprazole (Enteric Coated)	IP	20 mg
		Domperidone	IP	10 mg
		Colour: Approved colour used in empty capsules shells & pellets		
398	Enteric coated Esomeprazole magnesium & Domperidone sustained release Capsules	Each hard gelatin capsule contains:		
		Esomeprazole magnesium trihydrate eq. to Esomeprazole (As enteric coated pellets)	IP	40 mg
		Domperidone (10 mg of immediate release pellets and 20 mg of sustained release pellets)	IP	30 mg
		Colour: Approved colour used in empty capsules shells & pellets		
399	Aceclofenac, Paracetamol & Rabeprazole Capsules	Each hard gelatin capsule contains:		
		Aceclofenac	IP	100mg
		Paracetamol	IP	325mg
		Rabeprazole sodium	IP	10mg
		Excipients	q.s	
Colour: Approved colour used in empty capsules shells				
400	Enteric coated Omeprazole & Domperidone sustained release Capsules	Each hard gelatin capsule contains:		
		Omeprazole (As enteric coated pellets)	IP	20 mg
		Domperidone (10 mg of immediate release pellets and 20 mg of sustained release pellets)	IP	30 mg
		Colour: Approved colour used in empty capsules shells & pellets		
401	Carbonyl Iron, Folic Acid & Zinc sulphate Capsules.	Each hard gelatin capsule contains:		
		Carbonyl Iron Eq to Elemental Iron	IH	50 mg
		Folic Acid	IP	0.5 mg
		Zinc Sulphate monohydrate eq. to elemental zinc	IP	22.5 mg
		Colour: Approved colour used in empty capsules shells.		
402	Carbonyl Iron, Folic Acid, Vitamin B12, Vitamin C & Zinc sulphate Capsules.	Each hard gelatin capsule contains:		
		Carbonyl Iron Eq to Elemental Iron	IH	100 mg
		Folic Acid	IP	1.5 mg
		Zinc Sulphate monohydrate	IP	61.8 mg
		Vitamin C	IP	75 mg
		Vitamin B12	IP	15 mcg
		Colour: Approved colour used in empty capsules shells.		
		Each hard gelatin capsule contains:		
		Carbonyl Iron	IH	

403	Carbonyl Iron, Folic Acid & Zinc sulphate Capsules.	Eq to Elemental Iron		100 mg
		Folic Acid	IP	0.5 mg
		Zinc Sulphate monohydrate	IP	61.8 mg
		Colour: Approved colour used in empty capsules shells.		
404	Lycopene with Antioxidant capsules	Each hard gelatin capsule contains:		
		Lycopene 10% (Dispersion)	USP	2000mcg
		Vitamin A (acetate)	IP	5000 IU
		Vitamin E	IP	15 IU
		Vitamin C	IP	75 mg
		Copper sulphate	USP	1 mg
		Zinc sulphate monohydrate	IP	7.5 mg
		Magnese sulphate	USP	15 mg
		Betacarotene 10% (Dispersion)	USP	10 mg
		Selenium dioxide monohydrate eq. to selenium	USP	150 mcg
		Excipients		q.s
		Colour: Approved colour used in empty capsules shells.		
405	Enteric Coated Rabeprazole & Domperidone Sustained release Capsules	Each hard gelatin capsule contains:		
		Rabeprazole Sodium (As enteric coated pellets)	I.P.	20 mg
		Domperidone (10mg of Immediate release pellets & 20mg of Sustain release pellets)	I.P.	30 mg
		Approved colour used in Empty capsule shells & pellets		
406	Cefixime & Potassium Clavulanate Oral Suspension	Each 5ml (after reconstitution) oral suspension contains:		
		Cefixime IP eq. to Cefixime Anhydrous	I.P.	50 mg
		Potassium Clavulanate Diluted IP eq. to Clavulanic Acid	I.P.	31.25 mg
		Excipients		q.s
		In flavoured base		q.s
407	Cefixime Oral Suspension IP	Each 5ml (after reconstitution) oral suspension contains:		
		Cefixime eq to Cefixime Anhydrous	I.P.	50 mg
		Excipients		q.s
		Colour: Approved colour used		
		In flavoured base		
408	Cefixime Oral Suspension IP	Each 5ml (after reconstitution) oral suspension contains:		
		Cefixime eq to Cefixime Anhydrous	I.P.	100 mg
		Excipients		q.s
		Colour: Approved colour used		
		In flavoured base		
		Each 5ml (after reconstitution) oral suspension contains:		

409	Cefpodoxime Oral Suspension IP	Cefpodoxime Proxetil eq to Cefpodoxime	I.P	50 mg	
		Excipients			q.s
		In flavoured base			
		Each 5ml (after reconstitution) oral suspension contains:			
410	Cefpodoxime Oral Suspension IP	Cefpodoxime Proxetil eq to Cefpodoxime	I.P	100 mg	
		Excipients			q.s
		In flavoured base			
		Each 5ml (after reconstitution) oral suspension contains:			
411	Cefpodoxime & Potassium Clavulanate Oral Suspension	Cefpodoxime Proxetil eq to Cefpodoxime	IP	50 mg	
		Potassium Clavulanate Diluted eq to Clavulanic Acid	IP	31.25mg	
		Excipients			q.s
		In a flavoured base			
		Each 5ml (after reconstitution) oral suspension contains:			
412	Cefpodoxime & Potassium Clavulanate Oral Suspension	Cefpodoxime Proxetil eq to Cefpodoxime	IP	100 mg	
		Potassium Clavulanate Diluted eq to Clavulanic Acid	IP	62.5mg	
		Excipients			q.s
		In a flavoured base			
		Each 5ml (after reconstitution) oral suspension contains:			
413	Ambroxol, Guaiphenesin & Levosalbutamol sulphate Syrup	Levosalbutamol sulphate Eq. to Levosalbutamol	IP	1 mg	
		Ambroxol Hydrochloride	IP	30 mg	
		Guaiphenesin	IP	50 mg	
		Excipients			q.s
		Flavoured Syrupy base			
		Each 5ml Contains:			
414	Terbutaline sulphate, Ambroxol & Menthol syrup	Terbutaline Sulphate	IP	1.5 mg	
		Ambroxol Hydrochloride	IP	15 mg	
		Menthol	IP	0.5 mg	
		Flavoured syrupy base			q.s
		Each 5 ml Contains:			
415	Ambroxol Hydrochloride, Terbutaline Sulphate, menthol & Guaiphenesin Syrup	Ambroxol Hydrochloride	I.P	15 mg	
		Terbutaline Sulphate	I.P	1.25 mg	
		Guaiphenesin	I.P	50 mg	
		menthol	I.P	2.5 mg	
		Excipients			q.s
		Colour: Tartrazine			
		Each 5ml Contains:			

416	Magnesium Hydroxide, Dried Aluminium Hydroxide gel & Dimethicone Suspension	Magnesium Hydroxide	I.P	200 mg
		Dried Aluminium Hydroxide Gel	I.P	200 mg
		Dimethicone	I.P	25 mg
		Excipients	q.s	
		Flavoured Syrupy base		
		Colour: Approved colour used.		
417	Sodium Feredetate, Folic Acid & Vitamin B12 Syrup	Each 5ml Contains:		
		Sodium Feredetate (Eq. to Elemental Iron)	B.P	231 mg
		Folic Acid	I.P.	1.5 mg
		Vitamin B12	I.P.	15 mcg
		Excipients	q.s	
		Colour: Approved colour used		
418	Sucralfate & Oxetacaine Suspension	Each 5ml contains:		
		Sucralfate	U.S.P	1000 mg
		Oxetacaine	B.P	10 mg
		Excipients	q.s	
		Flavoured sugar free base		
		Colour: Approved colour used.		
419	Ambroxol Hydrochloride, Terbutaline Sulphate & Guaiphenesin Syrup	Each 10ml Contains:		
		Ambroxol Hydrochloride	I.P	30 mg
		Terbutaline Sulphate	I.P	2.5 mg
		Guaiphenesin	I.P	100 mg
		Excipients	q.s	
		flavoured syrupy base	q.s	
420	Aceclofenac & Paracetamol suspension	Each 5ml Contains:		
		Aceclofenac	IP	50 mg
		Paracetamol	IP	125 mg
		Excipients	q.s	
		In a Flavoured base	q.s	
421	Montelukast Sodium & Levocetirizine Hydrochloride Syrup	Each 5 ml contains:		
		Montelukast Sodium Equivalent to Montelukast	IP	4 mg
		Levocetirizine Dihydrochloride	IP	2.5mg
		Excipients	q.s	
		in a Flavoured syrupy base	q.s	
422	Magnesium hydroxide, Dried aluminium hydroxid and Activated Dimethicone Liquid	Each 5 ml contains:		
		Magnesium hydroxide	IP	250 mg
		Dried aluminium hydroxide gel	IP	250 mg
		Activated Dimethicone	IP	50 mg
		Sorbitol	IP	1.25 gm
		Excipients	q.s	
		Flavoured syrupy base	q.s	

423	Betamethasone dipropionate & Fusidic acid Cream	Composition:		
		Betamethasone dipropionate	IP	0.025% w/w
		Fusidic acid	IP	2% w/w
		In a Cream base q.s		
424	Hydroquinone, Tretinoin & Mometasone Furoate Cream	Composition:		
		Hydroquinone	BP	2% w/v
		Tretinoin	USP	0.025 %w/v
		Mometasone Furoate	IP	0.1 %w/v
In a Cream Base			q.s	
425	Hydroquinone, Tretinoin & Fluocinolone Acetonide Cream	Composition:		
		Hydroquinone	IP	20 mg
		Tretinoin	USP	0.25 mg
		Fluocinolone Acetonide	IP	0.1 mg
In a Cream Base			q.s	
426	Glycollic acid and Salicylic acid face wash	Composition:		
		Glycollic acid	IP	4% w/w
		Salicylic acid	IP	2% w/w
		In a gel base q.s		
427	Clobetasol Propionate & Salicylic Acid Cream	Composition		
		Clobetasol Propionate	IP	0.05%w/w
		Salicylic Acid	IP	6 %w/w
		In a cream base q.s		
		Colour: Approved colour used		
428	Clobetasol Propionate & Salicylic Acid Cream	Composition		
		Clobetasol Propionate	IP	0.05%w/w
		Salicylic Acid	IP	3 %w/w
		In a cream base q.s		
		Colour: Approved colour used		
429	Adapalene & Clindamycin Gel	Composition:		
		Adapalene	BP	0.1% w/w
		Clindamycin Phosphate Equivalent to Clindamycin	U.S.P	1% w/w
		In a Gel Base containing Aloe vera and Zinc q.s		
430	Mometasone & Salicylic Acid Ointment	Composition:		
		Mometasone Furoate	I.P.	0.1% w/w
		Salicylic Acid	I.P.	5% w/w
		In a Ointment Base q.s		
431	Clobetasol Propionate, Neomycin & miconazole Nitrate Chlorocresol	Composition:		
		Clobetasol Propionate	IP	0.05%w/w
		Neomycin Sulphate eq. to Neomycin	IP	0.5%w/w
		Miconazole Nitrate	IP	2.0% w/w

	Chlorocresol Cream	Chlorocresol	IP	0.1 %w/w
		In a Cream base		q.s
432	Mometasone Furoate, Nadifloxacin and Miconazole nitrate cream	Composition:		
		Mometasone Furoate	IP	0.1%w/w
		Nadifloxacin	IH	1%w/w
		Miconazole nitrate	IP	2%w/w
		In a Cream base		q.s
433	Voglibose dispersible tablets IP	Each uncoated dispersible tablets contains:		
		Voglibose	IP	0.3 mg
		Excipients		q.s
		Colour: Approved colour used		
434	Voglibose dispersible tablets I.P.	Each uncoated dispersible tablets contains:		
		Voglibose	IP	0.2 mg
		Excipients		q.s
		Colour: Approved colour used		
435	Nitrofurantoin Tablets I.P	Each uncoated tablets contains:		
		Nitrofurantoin	IP	100 mg
		Excipients		q.s
		Colour: Approved colour used		
436	Amoxicillin Oral Suspension IP	Each 5ml (after reconstitution) oral suspension contains:		
		Amoxicillin Trihydrate eq to Amoxicillin	IP	125 mg
		Excipients		q.s
		In flavoured base		q.s
437	Amoxicillin Oral Suspension IP	Each 5ml (after reconstitution) oral suspension contains:		
		Amoxicillin Trihydrate eq to Amoxicillin	IP	250 mg
		Excipients		q.s
		In flavoured base		q.s
438	Sertaconazole nitrate & Zinc Pyrithione Shampoo	Composition:		
		Sertaconazole nitrate	BP	2.0 %w/v
		Zinc Pyrithione	IH	1%w/v
		In a Shampoo base		q.s
439	Aceclofenac & Thiocolchicoside Capsules	Each hard gelatin capsule contains:		
		Aceclofenac (S.R Pellets)	IP	200 mg
		Thiocolchicoside (S.R Pellets)	IP	8 mg
		Colour: Approved colour used in empty capsules shells & pellets		
440	Aceclofenac & Thiocolchicoside	Each hard gelatin capsule contains:		
		Aceclofenac (S.R Pellets)	IP	200 mg
		Thiocolchicoside (S.R Pellets)	IP	16 mg

	Capsules	Colour: Approved colour used in empty capsules shells & pellets		
441	Aceclofenac & Tizanidine Tablets	Each film coated tablet contains:		
		Aceclofenac	I.P	100 mg
		Tizanidine Hydrochloride	I.P	2 mg
		Excipients		q.s
		Colour: Approved colour used.		
442	Magnesium hydroxide, Dried aluminium hydroxid and Activated Methylpolysiloxane Solution	Each 5 ml contains:		
		Magnesium hydroxide	IP	100 mg
		Dried aluminium hydroxide gel	IP	50 mg
		Activated Methylpolysiloxane	IH	125 mg
		Excipients		q.s
		Flavoured syrupy base		q.s
443	Acyclovir & Hydrocortisone Cream	Composition:		
		Acyclovir	IP	50 mg
		Hydrocortisone	IP	10 mg
		In a Cream Base		q.s
444	Albendazole & Ivermectin Tablets	Each film coated tablet contains:		
		Albendazole	IP	400 mg
		Ivermectin	IP	6 mg
		Excipients		q.s
		Colour: Approved colour used		
445	Methylcobalamin, Pyridoxine hydrochloride, Vitamin D3, alpha liopic acid & Folic Acid Tablets	Each film coated tablet contains:		
		Methylcobalamin	IP	1500 mcg
		Alpha liopic acid	USP	100 mg
		Pyridoxine hydrochloride	IP	3 mg
		Folic Acid	IP	1.5 mg
		Vitamin D3	IP	1000 IU
		Excipients		q.s
		Colour: Approved colour used		
446	Methylcobalamin, Vitamin B6, alpha liopic acid, Benfotiamine, Biotin, Chromium picolinate & Folic Acid Capsules	Each hard gelatin capsule contains:		
		Methylcobalamin	IP	1500 mcg
		Alpha liopic acid	USP	100 mg
		Vitamin B6	IP	3 mg
		Folic Acid	IP	1.5 mg
		Benfotiamine	IH	50 mg
		Biotin	B.P	5 mg
		Chromium picolinate eq. to Chromium	IH	200 mcg
		Excipients		q.s
		Colour: Approved colour used in empty capsules		
		Each Film coated tablet contains:		
		Amoxicillin Trihydrate	IP	

447	Amoxicillin & Potassium Clavulanate Tablets IP	eq to Amoxicillin		1000 mg
		Potassium Clavulanate Diluted	IP	
		eq to Clavulanic Acid		62.5 mg
		Excipients		q.s
		Colour: Titanium dioxide		
448	Aspirin & Clopidogrel bisulphate tablets	Each Film coated tablet contains:		
		Aspirin	IP	150 mg
		Clopidogrel bisulphate	IP	
		eq to Clopidogrel		300 mg
		Excipients		q.s
		Colour: Approved colour used		
449	Aspirin & Clopidogrel bisulphate Tablets	Each Film coated tablet contains:		
		Aspirin	IP	75 mg
		Clopidogrel bisulphate	IP	
		eq to Clopidogrel		150 mg
		Excipients		q.s
		Colour: Approved colour used		
450	Azithromycin & Ambroxol Hydrochloride Sustained release Tablets	Each film coated tablet contains :		
		Azithromycin Dihydrate	I.P.	
		eq to Azithromycin		500 mg
		Ambroxol Hydrochloride (S.R)	I.P.	75 mg
		Excipients		q.s
		Colour: Titanium Dioxide IP		
451	Eberconazole & Mometasone cream	Composition:		
		Eberconazole nitrate	IP	1%w/w
		Mometasone Furoate	IP	1 mg
		In a Cream base		q.s
452	Beclomethasone dipropionate, Neomycin & Econazole Nitrate Cream	Composition:		
		Beclomethasone dipropionate	IP	0.25 mg
		Neomycin Sulphate	IP	
		eq. to Neomycin		5 mg
		Econazole Nitrate	IP	10 mg
		In a Cream base q.s		
453	Cefixime, Cloxacillin & Lactobacillus Tablets	Each film coated tablet contains:		
		Cefixime	I.P.	
		eq to Cefixime Anhydrous		100 mg
		Cloxacillin Sodium	I.P.	500 mg
		Lactobacillus	IH	45 Million spore
		Excipients		q.s
		Colour: Approved colour used		
	Cefixime,	Each film coated tablet contains:		
		Cefixime	I.P.	
		eq to Cefixime Anhydrous		200 mg

454	Cloxacillin & Lactobacillus Tablets	Cloxacillin Sodium			I.P.	500 mg
		Lactobacillus			IH	90 Million spore
		Excipients			q.s	
		Colour: Approved colour used				
455	Cefixime, Cloxacillin (E.R) & Lactobacillus Tablets	Each film coated tablet contains:				
		Cefixime eq to Cefixime Anhydrous			I.P.	200 mg
		Cloxacillin Sodium (E.R)			I.P.	500 mg
		Lactobacillus			IH	90 Million spore
		Excipients			q.s	
		Colour: Approved colour used				
456	Cefpodoxime Proxetil & Ofloxacin Dispersible Tablets	Each uncoated dispersible tablet contains:				
		Cefpodoxime Proxetil eq to Cefpodoxime			I.P	100 mg
		Ofloxacin			I.P	100 mg
		Excipients			q.s	
		Colour: Approved colour used				
457	Cefprozil & Potassium Clavulanate Tablets.	Each film coated tablet contains:				
		Cefprozil			USP	250 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid			IP	62.5 mg
		Excipients			q.s	
Colour: Approved colour used						
458	Cefprozil & Potassium Clavulanate Tablets.	Each film coated tablet contains:				
		Cefprozil			USP	500 mg
		Potassium Clavulanate Diluted eq to Clavulanic Acid			IP	125 mg
		Excipients			q.s	
Colour: Approved colour used						
459	Tretinoin & Clindamycin Topical gel	Composition:				
		Tretinoin			BP	0.025% w/w
		Clindamycin Phosphate Eq. to Clindamycin			IP	1% w/w
		In a gel base			q.s	
460	Combipack of Fluconazole Tablets I.P., Azithromycin Tablets I.P &	Pack A (1 tablet)				
		Each film coated tablets contains:				
		Fluconazole			I.P	150 mg
		Excipients			q.s	
		Colour: Yellow oxide of iron				
		Pack B (1 tablet)				
Each film coated tablets contains:						
Azithromycin Dihydrate eq to Azithromycin			I.P	1 g		

	Secnidazole Tablets I.P	Excipients			q.s
		Colour: Titanium dioxide I.P			
		Pack C (2 tablet)			
		Each film coated tablets contains:			
		Secnidazole	I.P	1 g	
		Excipients			q.s
		Colour: Sunset Yellow FCF			
461	Combipack of Omeprazole Capsules I.P, Tinidazole Tablets I.P and Amoxicillin Tablets USP	Pack A (1 capsule)			
		Each hard gelatin capsule contains:			
		Omeprazole	I.P	20 mg	
		Excipients			q.s
		Colour: Approved colour used in empty capsules			
		Pack B (1 tablet)			
		Each film coated tablets contains:			
		Tinidazole	I.P	500 mg	
		Excipients			q.s
		Colour: Yellow oxide of iron			
		Pack C (1 tablet)			
		Each film coated tablets contains:			
		Amoxicillin Trihydrate	I.P	750 mg	
Eq to Amoxicillin					
Excipients			q.s		
Colour: Titanium dioxide I.P					
462	Dexketoprofen, Linseed Oil, Menthol & Methyl Salicylate gel	Composition:			
		Dexketoprofen	IH	1.25%w/w	
		Linseed Oil	BP	3.0%w/w	
		Methyl Salicylate	IP	10.0%w/w	
		Menthol	IP	5.0%w/w	
		Benzyl Alcohol (As Preservative)	IP	1.0%w/w	
		In a Gel Base			q.s
463	Diacerein with Glucosamine Tablets	Each Film coated tablet contains:			
		Diacerein	IP	50mg	
		Glucosamine Sulphate Potassium Chloride	USP	500 mg	
		Eq to Glucosamine Sulphate			
		Excipients			q.s
Colour: Approved colour used.					
464	Diacerein with Glucosamine Tablets	Each Film coated tablet contains:			
		Diacerein	IP	50mg	
		Glucosamine Sulphate Potassium Chloride	USP	1500 mg	
		Excipients			q.s
		Colour: Approved colour used.			
465	Diacerein with Aceclofenac	Each Film coated tablet contains:			
		Diacerein	IP	50mg	
		Aceclofenac	IP	100 mg	

	Tablets	Excipients			q.s
Colour: Approved colour used.					
466	Diclofenac Diethylamine, Menthol, Methyl Salicylate & Absolute Alcohol Topical Solution	Composition:			
		Diclofenac Diethylamine	B.P.	2.32 % w/v	
		Equivalent to Diclofenac Sodium		2 % w/v	
		Menthol	I.P.	5% w/v	
		Methyl Salicylate	I.P.	10% w/v	
		Absolute Alcohol	I.P.	10% v/v	
		In a Solution Base		q.s	
467	Diclofenac Diethylamine & Absolute Alcohol Topical Solution	Composition:			
		Diclofenac Diethylamine	B.P.	4.64 % w/v	
		Equivalent to Diclofenac Sodium		4 % w/v	
		Absolute Alcohol	I.P.	10 % v/v	
		In a Solution Base		q.s	
468	Lactulose & Ispaghula husk Sachet	Each 15 g Sachet contains:			
		Lactulose	IP	10 g	
		Ispaghula husk (granules)	BP	3.5 g	
		Excipients		q.s	
		Colour: Approved colour used			
469	Halobetasol propionate and Mupirocin Gel	Composition:			
		Halobetasol propionate	IH	0.05%w/w	
		Mupirocin	IP	2%w/w	
		In a gel base		q.s	
470	Enteric Coated Esomeprazole (Gastro-resistant) and Itopride sustained release Capsules	Each hard gelatin capsule contains:			
		Esomeprazole magnesium trihydrate eq. to Esomeprazole (E.C)	IP	40 mg	
		Itopride (S.R)	IH	150 mg	
		Excipients		q.s	
		Colour: Approved colour used in empty capsules shells & pellets			
471	Etodolac & Thiocolchicoside Tablets	Each film coated tablet contains:			
		Etodolac	IP	400 mg	
		Thiocolchicoside	IP	4 mg	
		Excipients		q.s	
		Colour: Approved colour used.			
472	Etodolac & Thiocolchicoside Tablets	Each film coated tablet contains:			
		Etodolac	IP	400 mg	
		Thiocolchicoside	IP	8 mg	
		Excipients		q.s	
		Colour: Approved colour used.			
473	Etoricoxib, Linseed Oil,	Composition:			
		Etoricoxib	IP	10 mg	
		Linseed Oil	BP	30 mg	

473	Menthol & Methyl Salicylate gel	Methyl Salicylate	IP	100 mg
		Menthol	IP	50 mg
		In a Gel Base		q.s
474	Etoricoxib & Methyl Salicylate Cream	Composition:		
		Etoricoxib	IP	10 mg
		Methyl Salicylate	IP	20 mg
		In a cream Base		q.s
475	Magnesium hydroxide, Dried aluminium hydroxid, Simethicone and Oxetacaine Suspension	Each 5 ml contains:		
		Magnesium hydroxide	IP	300 mg
		Dried aluminium hydroxide gel	IP	600 mg
		Simethicone Emulsion eq. to Simethicone	USP	25 mg
		Oxetacaine	BP	10 mg
		Excipients		q.s
		Flavoured syrupy base		q.s
476	Ferrous Ascorbate, Cyanocobalamin, Folic Acid & Zinc Tablets	Each film coated tablet contains:		
		Ferrous Ascorbate Eq to Elemental iron	IH	100 mg
		Folic Acid	IP	1.5 mg
		Zinc Sulphate Monohydrate Eq to Elemental Zinc	IP	22.5 mg
		Cyanocobalamin	IP	15mcg
		Excipients		q.s
		Colour: Approved colour used		
		477	Combipack of 1. Ferrous Ascorbate & folic acid Tablets, 2. Omega 3 fatty acid Capsules	Pack A
Each film coated tablets contains:				
Ferrous Ascorbate Eq to Elemental iron	IH			100 mg
Folic Acid	IP			1.1 mg
Excipients				q.s
Colour: Iron oxide of Red				
Pack B				
Each hard gelatin capsule contains:				
Omega 3 fatty acid	BP			200 mg
Excipients				q.s
Colour: Approved colour used in empty capsules shells				
478	Fluconazole & Zinc Pyrithione Lotion	Composition		
		Fluconazole	I.P.	2%w/v
		Zinc Pyrithione	IH	1%w/v
		In a lotion base		q.s
		Colour: Approved colour used		
479	Isotretinoin & Erythromycin gel	Composition:		
		Isotretinoin	IP	0.05% w/v
		Erythromycin	IP	2 %w/v

		In a gel Base		q.s
480	Lactobacillus, Saccharomyces Boulardi & Zinc Sachet	Each 15 g Sachet contains:		
		Saccharomyces Boulardi	IH	125 mg
		Lactobacillus Rhammnosus	IH	1 billion cells
		Zinc Enriched yeast	IH	20 mg
		Excipients		q.s
		Colour: Approved colour used		
481	Lactobacillus, Saccharomyces Boulardi & Zinc Capsules	Each hard gelatin capsule contains:		
		Saccharomyces Boulardi	IH	125 mg
		Lactobacillus Rhammnosus	IH	1 billion cells
		Zinc Enriched yeast	IH	20 mg
		Excipients		q.s
		Colour: Approved colour used in empty capsules shells		
482	Lidocaine & Prilocaine Cream	Composition:		
		Lidocaine hydrochloride	I.P.	2 %w/w
		Prilocaine hydrochloride	BP	2.5 %w/w
		Excipients		q.s
		In a cream Base		q.s
483	Lidocaine & Prilocaine gel	Composition:		
		Lidocaine hydrochloride	I.P.	2.5 %w/w
		Prilocaine hydrochloride	BP	2.5 %w/w
		Excipients		q.s
		In a gel Base		q.s
484	Methylcobalamin, Inositol, Chromium Polynicotinate, alpha liopic acid, Seleno methionine, Zinc monomethionine & Folic Acid caplues	Each hard gelatin capsule contains:		
		Methylcobalamin	IH	1500 mcg
		Inositol	IH	100 mg
		Folic Acid	IP	1.5 mg
		Alpha liopic acid	USP	200 mg
		Chromium Polynicotinate	IH	200 mcg
		Seleno methionine	IH	55 mcg
		Zinc monomethionine	IH	25 mg
		Colour: Approved colour used in empty capsules shells.		
485	Methylcobalamin, Lutein, Folic Acid, Beta carotene, Vitamin B1, Vitamin B2, Vitamin B6, Vitamin BC, Vitamin D3, Vitamin E, Niacinamide, Calcium Pantothenate,	Each film coated tablets contains:		
		Methylcobalamin	IH	500 mcg
		Lutein	IH	1 mg
		Folic Acid	IP	50 mg
		Beta carotene	BP	5.17 mcg
		Vitamin B1	IP	2 mg
		Vitamin B2	IP	2 mg
		Vitamin B6	IP	1.5 mg
		Vitamin C	IP	50 mg
		Vitamin D3	IP	200 IU
		Vitamin E	IP	10 IU
		Niacinamide	IP	25 mg

	Chromium Picolinate, Selenium dioxide, Alpha liopic acid, Zinc oxide, Copper sulphate, Manganese sulphate Tablets	Calcium Pantothenate	IP	5 mg
		Chromium Picolinate	IP	2.5 mg
		Selenium dioxide	IP	1.4 mg
		Alpha liopic acid	USP	100 mg
		Zinc oxide	IP	65 mcg
		Copper sulphate	IP	15 mg
		Manganese sulphate	IP	60 mcg
		Excipients		q.s
		Colour: Approved colour used		
486	Allantion, Glycerin, Methylparaben, Propyl paraben, CMC, Benzyl Alcohol gel	Composition:		
		Allantion	BP	0.5 %w/w
		Glycerin	IP	20 %w/w
		Methylparaben	BP	0.15 %w/w
		Propyl paraben	IP	0.05%w/w
		CMC	IP	1.74%w/w
		Benzyl Alcohol (As Preservative)	IP	0.5%w/w
		In a Gel Base		q.s
487	Terbinafine hydrochloride & Mometasone Furoate cream	Composition:		
		Terbinafine hydrochloride	BP	1%w/w
		Mometasone Furoate	IP	0.1 %w/v
		In a Cream base		q.s
488	Mometasone Furoate & Nadifloxacin cream	Composition:		
		Mometasone Furoate	IP	1 mg
		Nadifloxacin	IH	10 mg
		In a Cream base		q.s
489	Octinoxate, oxybenzone, Zinc Oxide & Avobenzone Lotion	Composition		
		Octinoxate	I.P.	7.5 %w/v
		oxybenzone	USP	3 %w/v
		Zinc Oxide	I.P.	2 %w/v
		Avobenzone	IH	2 %w/v
		In a lotion base		q.s
Colour: Approved colour used				
490	Octinoxate, oxybenzone, Zinc Oxide, Octocrylene & Avobenzone Lotion	Composition		
		Octinoxate	I.P.	7.5 %w/v
		oxybenzone	USP	3 %w/v
		Zinc Oxide	I.P.	2 %w/v
		Avobenzone	IH	2 %w/v
		Octocrylene	IH	3 %w.v
		In a lotion base		q.s
Colour: Approved colour used				
491	Octinoxate, oxybenzone, Titanium dioxide	Composition		
		Octinoxate	I.P.	7.5 %w/v
		oxybenzone	USP	3 %w/v
		Avobenzone	IH	3 %w/v

	& Avobenzone Lotion	Titanium dioxide	IP	2 %w.v
		In a lotion base		q.s
		Colour: Approved colour used		
492	Povidone iodine & Ornidazole Ointment	Composition:		
		Povidone iodine (Available iodine 0.5%w/w)	IP	5%w/w
		Ornidazole	IP	1%w/w
		In a Ointment base		q.s
493	Liquid Paraffin & White soft Paraffin Cream	Composition:		
		Liquid Paraffin	I.P.	6 % w/v
		White soft Paraffin	I.P.	15 % w/v
		In a Cream Base		q.s
494	Enteric Coated Pantoprazole Sodium and Levosulpiride (As sustained release Tablets) Capsules	Each hard gelatin capsule contains:		
		Pantoprazole Sodium Eq. to Pantoprazole (As enteric coated pellets)	I.P.	40 mg
		Levosulpiride (As sustained release Tablets)	IH	75 mg
		Colour: Approved colour used in empty capsules shells & pellets		
495	Glimepiride & Pioglitazone Tablets	Each uncoated tablet contains:		
		Pioglitazone hydrochloride eq. to Pioglitazone	IP	15mg
		Glimepiride	IP	1 mg
		Excipients		q.s
		Colour: Approved colour used		
496	Glimepiride & Pioglitazone Tablets	Each uncoated tablet contains:		
		Pioglitazone hydrochloride eq. to Pioglitazone	IP	15mg
		Glimepiride	IP	2 mg
		Excipients		q.s
		Colour: Approved colour used		
497	Glimepiride & Pioglitazone Tablets	Each uncoated tablet contains:		
		Pioglitazone hydrochloride eq. to Pioglitazone	IP	30mg
		Glimepiride	IP	1 mg
		Excipients		q.s
		Colour: Approved colour used		
498	Glimepiride & Pioglitazone Tablets	Each uncoated tablet contains:		
		Pioglitazone hydrochloride eq. to Pioglitazone	IP	30mg
		Glimepiride	IP	2 mg
		Excipients		q.s
		Colour: Approved colour used		

499	Methylcobalamin, Pyridoxine hydrochloride, alpha liopic acid, Pregabalin & Folic Acid caplues	Each hard gelatin capsule contains:		
		Methylcobalamin	IH	750 mcg
		Pyridoxine hydrochloride	IP	3 mg
		Folic Acid	IP	1.5 mg
		Alpha liopic acid	USP	100 mg
		Pregabalin	IP	75 mg
		Colour: Approved colour used in empty capsules shells.		
500	Methylcobalamin, Pyridoxine hydrochloride, alpha liopic acid & Folic Acid caplues	Each hard gelatin capsule contains:		
		Methylcobalamin	IH	750 mcg
		Pyridoxine hydrochloride	IP	3 mg
		Folic Acid	IP	1.5 mg
		Alpha liopic acid	USP	100 mg
		Pregabalin	IP	150 mg
		Colour: Approved colour used in empty capsules shells.		
501	Nicotinamide, Pyridoxine hydrochloride, Cyanocobalamin, Folic acid & Chromium Picolinate Tablets	Each uncoated tablet contains:		
		Nicotinamide	IP	100 mg
		Pyridoxine hydrochloride	IP	3 mg
		Cyanocobalamin	IP	15 mcg
		Folic acid	IP	500 mcg
		Chromium Picolinate	USP	250 mcg
		Excipients	q.s	
Colour: Approved colour used				
502	Mebeverine hydrochloride & Ispaghula husk Sachet	Each 15 g Sachet contains:		
		Mebeverine hydrochloride	I.H	135 mg
		Ispaghula husk (Effervescent granules)	BP	3.5 g
		Excipients	q.s	
		Colour: Approved colour used		
503	Etodolac, Camphor, Linseed Oil, Menthol & Methyl Salicylate gel	Composition:		
		Etodolac	IP	5 %w/w
		Camphor	IP	4 %w/w
		Linseed Oil	BP	3 %w/w
		Methyl Salicylate	IP	5 %w/w
		Menthol	IP	10 %w/w
		In a Gel Base	q.s	
504	Etodolac, Camphor, Linseed Oil, Menthol & Methyl Salicylate gel	Composition:		
		Etodolac	IP	10 %w/w
		Camphor	IP	4 %w/w
		Linseed Oil	BP	3 %w/w
		Methyl Salicylate	IP	5 %w/w
		Menthol	IP	10 %w/w
		In a Gel Base	q.s	
	Salicylic Acid	Composition		
		Salicylic Acid	IP	2 %w/w

506	Cetyl Alcohol & Stearyl Alcohol Lotion	Cetyl Alcohol	IP	2.65 %w/w
		Stearyl Alcohol	IP	0.26 %w/w
		In a Lotion base		q.s
		Colour: Approved colour used		
507	Salicylic Acid & Coal tar Solution	Composition		
		Salicylic Acid	IP	3%w/v
		Coal tar solution 1966	IP	1%w/v
		In a lotion base		q.s
		Colour: Approved colour used		
508	Salicylic Acid, Coal tar & Precipitated Sulphur Ointment	Composition		
		Salicylic Acid	IP	3%w/w
		Coal tar solution 1966	IP	1%w/w
		Precipitated Sulphur	IP	3%w/w
		In a Ointment base		q.s
Colour: Approved colour used				
509	Lignocaine, Silver Sulphadiazine & Chlorhexidine Glulonate Cream	Composition:		
		Lignocaine	BP	2% w/w
		Silver Sulphadiazine	I.P	1% w/w
		Chlorhexidine Glulonate solution	I.P	0.02 %w/w
In a Cream Base			q.s	
510	Sertanidazole nitrate & Ofloxacin Tablets	Each film coated tablet contains:		
		Sertanidazole nitrate	BP	300 mg
		Ofloxacin	I.P.	200 mg
		Excipients		q.s
		Colour: Approved colour used		
511	Sitagliptin & Metformin Hydrochloride Tablets	Each film coated tablet contains:		
		Sitagliptin Phosphate	I.H	50 mg
		Metformin Hydrochloride	IP	500 mg
		Excipients		q.s
Colour: Approved colour used				
512	Sitagliptin & Metformin Hydrochloride Tablets	Each film coated tablet contains:		
		Sitagliptin Phosphate	I.H	50 mg
		Metformin Hydrochloride	IP	1000 mg
		Excipients		q.s
Colour: Approved colour used				
513	Lactobacillus, Streptococcus faecalis, Bacillus mesentericus & Clostridium butyricum Capsules	Each hard gelatin capsule contains:		
		Streptococcus faecalis	IH	30 million spore
		Lactobacillus Rhammnosus	IH	50 million spore
		Bacillus mesentericus	IH	1 million spore
		Clostridium butyricum	IH	2 million spore
		Excipients		q.s
Colour: Approved colour used in empty capsules shells.				

514	Thiamine mononitrate, Riboflavin, Pyridoxine hydrochloride, Vitamin B12, Niacinamide, Calcium Pantothenate, Folic acid, Biotin & Ascorbic acid Capsules	Each hard gelatin capsule contains:			
		Thiamine mononitrate	IP	10 mg	
		Riboflavin Sodium phosphate	IP	10 mg	
		Pyridoxine hydrochloride	IP	3 mg	
		Vitamin B12	IP	15 mcg	
		Niacinamide	IP	100 mg	
		Calcium Pantothenate	IP	50 mg	
		Folic acid	IP	1.5 mg	
		Biotin	BP	100 mcg	
		Ascorbic acid	IP	150 mg	
		Excipients		q.s	
		Colour: Approved colour used in empty capsules shells.			
515	Thiamine mononitrate, Riboflavin, Pyridoxine hydrochloride, Vitamin B12, Niacinamide, Calcium Pantothenate, Folic acid, Biotin, Zinc sulphate & Ascorbic acid Capsules	Each hard gelatin capsule contains:			
		Thiamine mononitrate	IP	10 mg	
		Riboflavin Sodium phosphate	IP	10 mg	
		Pyridoxine hydrochloride	IP	3 mg	
		Vitamin B12	IP	15 mcg	
		Niacinamide	IP	100 mg	
		Calcium Pantothenate	IP	50 mg	
		Folic acid	IP	1.5 mg	
		Biotin	BP	100 mcg	
		Ascorbic acid	IP	150 mg	
		Zinc Sulphate Monohydrate Eq to Elemental Zinc	IP	41.4 mg 15 mg	
		Excipients		q.s	
Colour: Approved colour used in empty capsules shells.					
516	Thiocolchicoside, Methyl Salicylate, Menthol & Absolute alcohol gel	Composition:			
		Thiocolchicoside	IP	0.25%w/w	
		Methyl Salicylate	IP	100 mg	
		Menthol	IP	50 mg	
		Absolute alcohol	IP	50 mg	
In a Gel Base		q.s			
517	Etoricoxib & Thiocolchicoside Tablets	Each film coated tablet contains:			
		Etoricoxib	IP	60 mg	
		Thiocolchicoside	IP	8 mg	
		Excipients		q.s	
Colour: Approved colour used					
518	Tranexamic acid & Mefenamic acid Tablets	Each film coated tablet contains:			
		Tranexamic acid	IP	500 mg	
		Mefenamic acid	IP	250 mg	
		Excipients		q.s	
Colour: Approved colour used					
519	Tranexamic acid & Ethamsylate	Each film coated tablet contains:			
		Tranexamic acid	IP	250 mg	
		Ethamsylate	BP	250 mg	

	Tablets	Excipients		q.s
Colour: Approved colour used				
520	Tranexamic acid Tablets I.P.	Each film coated tablet contains:		
		Tranexamic acid	I.P	500 mg
		Excipients		
		q.s		
Colour: Approved colour used				
521	Vildagliptin & Metformin Hydrochloride Tablets	Each film coated tablet contains:		
		Vildagliptin	I.H	50 mg
		Metformin Hydrochloride	IP	500 mg
		Excipients		
		q.s		
Colour: Approved colour used				
522	Vildagliptin & Metformin Hydrochloride Tablets	Each film coated tablet contains:		
		Vildagliptin	I.H	50 mg
		Metformin Hydrochloride	IP	850 mg
		Excipients		
		q.s		
Colour: Approved colour used				
523	Vildagliptin & Metformin Hydrochloride Tablets	Each film coated tablet contains:		
		Vildagliptin	I.H	50 mg
		Metformin Hydrochloride	IP	1000 mg
		Excipients		
		q.s		
Colour: Approved colour used				
524	Multivitamin and mulimineral capsule	Each hard gelatin capsule contains:		
		Vitamin A as palmitate (Oil form)	IP	2000 IU
		Vitamin B1	IP	1 mg
		Vitamin B2	IP	1 mg
		Vitamin B6	IP	1.34 mg
		Vitamin B12	IP	1 mcg
		Ascorbic acid	IP	33.3 mg
		Vitamin D3	IP	200 IU
		Folic acid	BP	0.3 mg
		Calcium pantotenate	IP	1 mg
		Niacinamide	IP	15 mg
		Dibasic calcium phosphate	IP	100 mg
		Phosphorous	IP	77 mg
		Ferrous fumarate	IP	50 mg
		Copper	IP	0.01 mg
		Potassium iodide	IP	0.0015 mg
		Heavy magnesium oxide	IP	1 mg
		Manganse sulphate	IP	0.01 mg
		Potassium sulphate	IP	1 mg
		Zinc sulphate	IP	0.15 mg
		Excipients		
		q.s		
Colour: Approved colour used in empty capsules shells.				
		Each film coated tablet contains:		

525	Vitamin C, Zinc Citrate & Selenium Tablets	Vitamin C	IP	500 mcg
		Zinc Citrate	IH	2.2 mg
		Selenium dioxide	IP	60 mcg
		Excipients	q.s	
		Colour: Approved colour used		
526	Zinc Gluconate, Ascorbic acid & Sodium ascorbate chewable tablets	Each uncoated chewable tablet contains:		
		Zinc Gluconate eq. to elemental Zinc	IP	12.5 mg
		Ascorbic acid	IP	100 mg
		Sodium ascorbate eq. to ascorbic acid	IP	150 mg
		Excipients	q.s	
Colour: Approved colour used				
527	Lactic acid & Lactoserum Topical solution	Composition:		
		Lactic acid	I.P	1.0 %w/v
		Lactoserum	IH	0.9 % w/v
		In a solution base q.s		
528	Aspirin (as enteric coated tablets) & Clopidogrel bisulphate Capsules	Each hard gelatin capsule contains:		
		Aspirin (as enteric coated tablets)	IP	75 mg
		Clopidogrel bisulphate eq to Clopidogrel	IP	75 mg
		Excipients	q.s	
Colour: Approved colour used in empty capsules shells.				
529	Aspirin (as enteric coated tablets) & Clopidogrel bisulphate Capsules	Each hard gelatin capsule contains:		
		Aspirin (as enteric coated tablets)	IP	150 mg
		Clopidogrel bisulphate eq to Clopidogrel	IP	75 mg
		Excipients	q.s	
Colour: Approved colour used in empty capsules shells.				
530	Etodolac & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Etodolac	IP	300 mg
		Thiocolchicoside	IP	4 mg
		Excipients	q.s	
Colour: Approved colour used.				
531	Etodolac & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Etodolac	IP	300 mg
		Thiocolchicoside	IP	8 mg
		Excipients	q.s	
Colour: Approved colour used.				
532	Satranidazole & Ofloxacin Tablets	Each film coated tablet contains:		
		Satranidazole	IH	300 mg
		Ofloxacin	I.P.	200 mg
		Excipients	q.s	

		Colour: Tartrazine																																																			
533	Adenosylcobalamin, Ferrous Ascorbate, Folic Acid & Zinc Tablets	<table border="1"> <tr> <td colspan="3">Each film coated tablet contains:</td> </tr> <tr> <td>Adenosylcobalamin</td> <td>IH</td> <td>15 mcg</td> </tr> <tr> <td>Ferrous Ascorbate</td> <td>IH</td> <td></td> </tr> <tr> <td>Eq to Elemental iron</td> <td></td> <td>100 mg</td> </tr> <tr> <td>Folic Acid</td> <td>IP</td> <td>1.5 mg</td> </tr> <tr> <td>Zinc Sulphate Monohydrate</td> <td>IP</td> <td></td> </tr> <tr> <td>Eq to Elemental Zinc</td> <td></td> <td>22.5 mg</td> </tr> <tr> <td>Excipients</td> <td></td> <td>q.s</td> </tr> <tr> <td colspan="3">Colour: Approved colour used</td> </tr> </table>	Each film coated tablet contains:			Adenosylcobalamin	IH	15 mcg	Ferrous Ascorbate	IH		Eq to Elemental iron		100 mg	Folic Acid	IP	1.5 mg	Zinc Sulphate Monohydrate	IP		Eq to Elemental Zinc		22.5 mg	Excipients		q.s	Colour: Approved colour used																										
Each film coated tablet contains:																																																					
Adenosylcobalamin	IH	15 mcg																																																			
Ferrous Ascorbate	IH																																																				
Eq to Elemental iron		100 mg																																																			
Folic Acid	IP	1.5 mg																																																			
Zinc Sulphate Monohydrate	IP																																																				
Eq to Elemental Zinc		22.5 mg																																																			
Excipients		q.s																																																			
Colour: Approved colour used																																																					
534	Combipack of Amoxicillin Tablets USP., Gastro-resistant Pantoprazole Tablets I.P & Tinidazole Tablets I.P	<table border="1"> <tr> <td colspan="3">Pack A (2 tablet)</td> </tr> <tr> <td colspan="3">Each film coated tablets contains:</td> </tr> <tr> <td>Amoxicillin Trihydrate</td> <td>I.P.</td> <td></td> </tr> <tr> <td>eq to Amoxicillin</td> <td></td> <td>750 mg</td> </tr> <tr> <td>Excipients</td> <td></td> <td>q.s</td> </tr> <tr> <td colspan="3">Colour: Titanium dioxide I.P</td> </tr> <tr> <td colspan="3">Pack B (2 tablet)</td> </tr> <tr> <td colspan="3">Each Gastro-resistant tablets contains:</td> </tr> <tr> <td>Pantoprazole Sodium</td> <td>I.P</td> <td></td> </tr> <tr> <td>Eq. to Pantoprazole</td> <td></td> <td>40 mg</td> </tr> <tr> <td>Excipients</td> <td></td> <td>q.s</td> </tr> <tr> <td colspan="3">Colour: Yellow oxide of iron</td> </tr> <tr> <td colspan="3">Pack C (2 tablet)</td> </tr> <tr> <td colspan="3">Each film coated tablets contains:</td> </tr> <tr> <td>Tinidazole</td> <td>I.P</td> <td>500 mg</td> </tr> <tr> <td>Excipients</td> <td></td> <td>q.s</td> </tr> <tr> <td colspan="3">Colour: Sunset Yellow</td> </tr> </table>	Pack A (2 tablet)			Each film coated tablets contains:			Amoxicillin Trihydrate	I.P.		eq to Amoxicillin		750 mg	Excipients		q.s	Colour: Titanium dioxide I.P			Pack B (2 tablet)			Each Gastro-resistant tablets contains:			Pantoprazole Sodium	I.P		Eq. to Pantoprazole		40 mg	Excipients		q.s	Colour: Yellow oxide of iron			Pack C (2 tablet)			Each film coated tablets contains:			Tinidazole	I.P	500 mg	Excipients		q.s	Colour: Sunset Yellow		
Pack A (2 tablet)																																																					
Each film coated tablets contains:																																																					
Amoxicillin Trihydrate	I.P.																																																				
eq to Amoxicillin		750 mg																																																			
Excipients		q.s																																																			
Colour: Titanium dioxide I.P																																																					
Pack B (2 tablet)																																																					
Each Gastro-resistant tablets contains:																																																					
Pantoprazole Sodium	I.P																																																				
Eq. to Pantoprazole		40 mg																																																			
Excipients		q.s																																																			
Colour: Yellow oxide of iron																																																					
Pack C (2 tablet)																																																					
Each film coated tablets contains:																																																					
Tinidazole	I.P	500 mg																																																			
Excipients		q.s																																																			
Colour: Sunset Yellow																																																					
535	Norfloxacin & Tinidazole Tablets	<table border="1"> <tr> <td colspan="3">Each film coated tablet contains:</td> </tr> <tr> <td>Norfloxacin</td> <td>I.P</td> <td>400 mg</td> </tr> <tr> <td>Tinidazole</td> <td>I.P</td> <td>600 mg</td> </tr> <tr> <td>Excipients</td> <td></td> <td>q.s</td> </tr> <tr> <td colspan="3">Colour: Approved colour used</td> </tr> </table>	Each film coated tablet contains:			Norfloxacin	I.P	400 mg	Tinidazole	I.P	600 mg	Excipients		q.s	Colour: Approved colour used																																						
Each film coated tablet contains:																																																					
Norfloxacin	I.P	400 mg																																																			
Tinidazole	I.P	600 mg																																																			
Excipients		q.s																																																			
Colour: Approved colour used																																																					
536	Framycetin, Dexamethasone & Clotrimazole ointment	<table border="1"> <tr> <td colspan="3">Composition:</td> </tr> <tr> <td>Framycetin sulphate</td> <td>I.P</td> <td>1 % w/w</td> </tr> <tr> <td>Dexamethasone</td> <td>I.P</td> <td>0.1 %w/w</td> </tr> <tr> <td>Clotrimazole</td> <td>I.P</td> <td>1 %w/w</td> </tr> <tr> <td colspan="3">In a ointment base q.s</td> </tr> </table>	Composition:			Framycetin sulphate	I.P	1 % w/w	Dexamethasone	I.P	0.1 %w/w	Clotrimazole	I.P	1 %w/w	In a ointment base q.s																																						
Composition:																																																					
Framycetin sulphate	I.P	1 % w/w																																																			
Dexamethasone	I.P	0.1 %w/w																																																			
Clotrimazole	I.P	1 %w/w																																																			
In a ointment base q.s																																																					
537	Combipack of Omeprazole Capsules I.P, Tinidazole	<table border="1"> <tr> <td colspan="3">Pack A (1 capsule)</td> </tr> <tr> <td colspan="3">Each hard gelatin capsule contains:</td> </tr> <tr> <td>Omeprazole</td> <td>I.P</td> <td>20 mg</td> </tr> <tr> <td>Excipients</td> <td></td> <td>q.s</td> </tr> <tr> <td colspan="3">Colour: Approved colour used in empty capsules</td> </tr> <tr> <td colspan="3">Pack B (1 tablet)</td> </tr> <tr> <td colspan="3">Each film coated tablets contains:</td> </tr> <tr> <td>Tinidazole</td> <td>I.P</td> <td>500 mg</td> </tr> </table>	Pack A (1 capsule)			Each hard gelatin capsule contains:			Omeprazole	I.P	20 mg	Excipients		q.s	Colour: Approved colour used in empty capsules			Pack B (1 tablet)			Each film coated tablets contains:			Tinidazole	I.P	500 mg																											
Pack A (1 capsule)																																																					
Each hard gelatin capsule contains:																																																					
Omeprazole	I.P	20 mg																																																			
Excipients		q.s																																																			
Colour: Approved colour used in empty capsules																																																					
Pack B (1 tablet)																																																					
Each film coated tablets contains:																																																					
Tinidazole	I.P	500 mg																																																			

	Tablets I.P and Clarithromycin Tablets I.P	Excipients			q.s
		Colour: Yellow oxide of iron			
		Pack C (1 tablet)			
		Each film coated tablets contains:			
		Clarithromycin	I.P	250 mg	
		Excipients			q.s
		Colour: Titanium dioxide I.P			
538	Beta-Carotene, Vitamin E acetate, Vitamin C, Vitamin B6, Cyanocoblamín, Zinc Sulphat, Selenium dioxide & Copper Sulphate Capsules	Each hard gelatin capsule contains:			
		Beta-Carotene (30% dispersion)	BP	15 mg	
		eq. to vitamin A	IP	7500 I.U	
		Vitamin E acetate	IP	25 mg	
		Vitamin C	IP	100 mg	
		Vitamin B6	IP	1.5 mg	
		Cyanocoblamín	IP	5 mcg	
		Folic Acid	IP	400 mcg	
		Zinc Sulphate Monohydrate	IP		
		eq. to Zinc		15 mg	
		Selenium dioxide monohydrate	USP		
		eq. to selenium		100 mcg	
		Copper Sulphate	IP		
eq. to elemental Copper		1 mg			
Excipients			q.s		
Colour: Approved colour used in empty capsules shells.					
539	Tizanidine & Mefenamic acid Tablets	Each film coated tablet contains:			
		Tizanidine hydrochloride	IP	2 mg	
		Mefenamic acid	IP	500 mg	
		Excipients			q.s
Colour: Approved colour used					
540	Methylcobalamin, Vitamin B12, Vitamin B6, Folic acid, Niacinamide & Calcium Pantothenate Tablets	Each film coated tablet contains:			
		Methylcobalamin	IP	1000 mcg	
		Vitamin B1	IP	10 mg	
		Vitamin B6	IP	3 mg	
		Folic acid	IP	1 mg	
		Niacinamide	IP	45 mg	
		Calcium Pantothenate	IP	50 mg	
		Excipients			q.s
Colour: Approved colour used.					
541	Methylcobalamin, Alpha liopic acid & Folic Acid caplues	Each hard gelatin capsule contains:			
		Methylcobalamin	IP	750 mcg	
		Folic Acid	IP	300 mcg	
		Alpha liopic acid	USP	100 mg	
Colour: Approved colour used in empty capsules shells.					
542	Drotaverine with Aceclofenac	Each Film coated tablet contains:			
		Drotaverine	IH	80 mg	
		Aceclofenac	I.P	100 mg	

	Tablets	Excipients	q.s
		Colour: Approved colour used.	
543	Methylcobalamin, Vitamin A, Folic Acid, Riboflavin, Vitamin B1, Vitamin B6, Vitamin C, Vitamin E, Niacinamide, Calcium Pantothenate, Chromium Picolinate, Sodium Selenate, Manganese sulphate, Copper oxide, Zinc oxide & Manganese chloride Tablets	Each film coated tablets contains:	
		Methylcobalamin	IP 500 mcg
		Vitamin A	IP 5000 IU
		Folic Acid	IP 50 mg
		Riboflavin	IP 10 mg
		Vitamin B1	IP 10 mg
		Vitamin B6	IP 3 mg
		Vitamin C	IP 100 mg
		Vitamin E	IP 25 IU
		Niacinamide	IP 500 mcg
		Calcium Pantothenate	IP 1 mg
		Chromium Picolinate	IP 65 mcg
		Sodium Selenate	IP 2.5 mg
		Manganese sulphate	USP 1.4 mg
		Zinc oxide	IP 12.5 mg
		Copper oxide	IP 15 mg
		Manganese chloride	IP 60 mg
Excipients	q.s		
		Colour: Approved colour used	
544	Methylcobalamin, Folic Acid, Beta carotene, Vitamin A, Vitamin B1, Vitamin B6, Vitamin E, Calcium Pantothenate, Selenium dioxide & Alpha liopic acid Tablets	Each film coated tablets contains:	
		Methylcobalamin	IP 500 mcg
		Folic Acid	IP 1.5 mg
		Beta carotene	BP 20.66 mg
		Vitamin A	IP 5000 IU
		Vitamin B1	IP 1.5 mg
		Vitamin B6	IP 1.5 mg
		Vitamin E	IP 25 IU
		Calcium Pantothenate	IP 10 mg
		Selenium dioxide	IP 163.6 mcg
		Alpha liopic acid	USP 50 mg
		Excipients	q.s
		Colour: Approved colour used	
545	Calcium Carbonate, Calcitriol & Zinc Capsules	Each hard gelatin capsule contains:	
		Calcitriol	I.P 0.25 mcg
		Calcium Carbonate	I.P
		Eq to Elemental Calcium	200 mg
		Zinc Sulphate Monohydrate	I.P
		Eq to Elemental Zinc	7.5 mg
Excipients	q.s		
		Colour: Approved colour used in empty capsules shells.	
546	Ferrous bisglycinate, Zinc bisglycinate, Methylcobalamin	Each film coated tablets contains:	
		Ferrous bisglycinate	IH 60 mg
		Zinc bisglycinate	IH 15 mg
		Methylcobalamin	IP 500 mcg

	& Folic Acid Tablets	Folic Acid	IP	1 mg
		Excipients		q.s
		Colour: Approved colour used		
547	Halobetasol propionate and Clotrimazole Cream	Composition:		
		Halobetasol propionate	IH	0.05%w/w
		Clotrimazole	IP	1%w/w
		In a Cream base		q.s
548	Cefixime & Lactic acid bacillus Tablets	Each film coated tablet contains:		
		Cefixime eq to Cefixime Anhydrous	I.P.	100 mg
		Lactic acid bacillus	IH	2.5 billion spore
		Excipients		q.s
		Colour: Approved colour used		
549	Cefixime & Lactic acid bacillus Tablets	Each film coated tablet contains:		
		Cefixime eq to Cefixime Anhydrous	I.P.	200 mg
		Lactic acid bacillus	IH	2.5 billion spore
		Excipients		q.s
		Colour: Approved colour used		
550	Cefixime & Lactic acid bacillus Dispersible Tablets	Each uncoated Dispersible tablet contains:		
		Cefixime eq to Cefixime Anhydrous	I.P.	200 mg
		Lactic acid bacillus	IH	2.5 billion spore
		Excipients		q.s
		Colour: Approved colour used		
551	Aspirin & Atorvastatin Capsules	Each hard gelatin capsule contains:		
		Aspirin	IP	75 mg
		Atorvastatin Calcium Eq to Atorvastatin	IP	10 mg
		Excipients		q.s
		Colour: Approved colour used in empty capsules shells.		
552	Aspirin & Atorvastatin Capsules	Each hard gelatin capsule contains:		
		Aspirin	IP	150 mg
		Atorvastatin Calcium Eq to Atorvastatin	IP	10 mg
		Excipients		q.s
		Colour: Approved colour used in empty capsules shells.		
553	Enteric Coated Rabeprazole & Diclofenac sodium Sustained release Capsules	Each hard gelatin capsule contains:		
		Rabeprazole Sodium (As enteric coated pellets)	I.P.	20 mg
		Diclofenac sodium (Sustained release pellets)	I.P.	100 mg
		Approved colour used in Empty capsule shells & pellets		

554	Enteric Coated Dexrabeprazole & Domperidone Sustained release Capsules	Each hard gelatin capsule contains:		
		Dexrabeprazole sodium (As enteric coated pellets)	IH	10 mg
		Domperidone (Sustained release pellets)	I.P.	30 mg
		Approved colour used in Empty capsule shells & pellets		
555	Etoricoxib & Paracetamol Tablets	Each film coated tablet contains:		
		Etoricoxib	I.P.	60 mg
		Paracetamol	I.P.	325 mg
		Excipients	q.s	
Colour: Approved colour used				
556	Desloratadine & Montelukast Sodium Tablets	Each film coated tablets contains:		
		Desloratadine	IH	5 mg
		Montelukast Sodium Equivalent to Montelukast	I.P.	10 mg
		Excipients	q.s	
Colour: Approved colour used.				
557	Chlorhexidine, Cetrimide & Isopropyl alcohol solution	Composition:		
		Chlorhexidine Gluconate Solution Eq to Chlorhexidine Gluconate	I.P.	7.5 %w/v
		Cetrimide	I.P.	15 %w/v
		Isopropyl alcohol	I.P.	7.5 %w/v
Colour: Approved colour used				
558	Ketoconazole & Coaltar solution	Composition		
		Ketoconazole	IP	2%w/v
		Coaltar solution 1966	IP	2%w/v
		In a solution base	q.s	
Colour: Approved colour used				
559	Liquid Paraffin & Calamine Lotion	Composition:		
		Liquid Paraffin	I.P.	10 % w/v
		Calamine	I.P.	8 % w/v
In a lotion Base			q.s	
600	Levocetirizine Hydrochloride & Montelukast Sodium Tablets	Each film coated tablets contains:		
		Levocetirizine Hydrochloride	I.P.	4 mg
		Montelukast Sodium Equivalent to Montelukast	I.P.	2.5 mg
		Excipients	q.s	
Colour: Approved colour used.				
601	Methylcobalamin & Gabapentin (Sustained release) Tablets	Each film coated tablet contains:		
		Methylcobalamin	I.P.	1500 mcg
		Gabapentin (Sustained release)	BP	600 mg
		Excipients	q.s	

		Colour: Iron Oxide Red		
602	Aceclofenac (Sustained release) & Rabeprazole Capsules	Each hard gelatin capsule contains:		
		Aceclofenac (Sustained release)	I.P	200mg
		Rabeprazole sodium	I.P	20mg
		Excipients q.s		
		Colour: Approved colour used in empty capsules shells		
603	Pregabalin Sustained release & Methylcobalamin Tablets	Each film coated tablet contains:		
		Pregabalin (Sustained release)	IP	75 mg
		Methylcobalamin	I.P	1500 mcg
		Excipients q.s		
		Colour: Approved colour used		
604	Pregabalin Sustained release & Methylcobalamin Tablets	Each film coated tablet contains:		
		Pregabalin (Sustained release)	IP	150 mg
		Methylcobalamin	I.P	1500 mcg
		Excipients q.s		
		Colour: Approved colour used		
605	Pregabalin Sustained release & Methylcobalamin Tablets	Each film coated tablet contains:		
		Pregabalin (Sustained release)	IP	300 mg
		Methylcobalamin	I.P	1500 mcg
		Excipients q.s		
		Colour: Approved colour used		
606	Methylcobalamin, Selenium Dioxide, alpha lipoic acid, Benfotiamine, Inositol, Chromium picolinate & Folic Acid Capsules	Each hard gelatin capsule contains:		
		Methylcobalamin	IP	1500 mcg
		Alpha lipoic acid	USP	100 mg
		Selenium Dioxide	IP	55 mcg
		Folic Acid	IP	1.5 mg
		Benfotiamine	IH	150 mg
		Inositol	B.P	100 mg
		Chromium picolinate eq. to Chromium	IH	200 mcg
		Excipients q.s		
		Colour: Approved colour used in empty capsules		
607	Methylprednisolone and Mupirocin Cream	Composition:		
		Methylprednisolone aceponate	IH	0.1%w/w
		Mupirocin	IP	2%w/w
		In a Cream base q.s		
608	Methylcobalamin, Pyridoxine hydrochloride, Alpha Lipoic acid, Thiamine & Chromium Picolinate Tablets	Each Film coated tablet contains:		
		Methylcobalamin	IP	500 mcg
		Pyridoxine hydrochloride	IP	1.5 mg
		Alpha Lipoic acid	USP	100 mg
		Thiamine Hydrochloride	IP	2 mg
		Chromium Picolinate	USP	200 mcg
		Excipients q.s		

		Colour: Approved colour used		
609	Lornoxicam & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Lornoxicam	IP	4 mg
		Thiocolchicoside	IP	4 mg
		Excipients q.s		
		Colour: Approved colour used.		
610	Lornoxicam & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Lornoxicam	IP	4 mg
		Thiocolchicoside	IP	8 mg
		Excipients q.s		
		Colour: Approved colour used.		
611	Lornoxicam & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Lornoxicam	IP	8 mg
		Thiocolchicoside	IP	4 mg
		Excipients q.s		
		Colour: Approved colour used.		
612	Lornoxicam & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Lornoxicam	IP	8 mg
		Thiocolchicoside	IP	8 mg
		Excipients q.s		
		Colour: Approved colour used.		
613	Sustained release Doxofylline & Montelukast Sodium Tablets	Each film coated tablet contains:		
		Doxofylline (Sustained release)	IP	400 mg
		Montelukast Sodium Equivalent to Montelukast	I.P.	10 mg
		Excipients q.s		
		Colour: Approved colour used.		
614	Sustained release Doxofylline & Montelukast Sodium Tablets	Each film coated tablet contains:		
		Doxofylline (Sustained release)	IP	800 mg
		Montelukast Sodium Equivalent to Montelukast	I.P.	10 mg
		Excipients q.s		
		Colour: Approved colour used.		
615	Cefixime & Ofloxacin Tablets	Each film coated tablet contains:		
		Cefixime eq. to Cefixime anhydrous	IP	100 mg
		Ofloxacin	IP	100 mg
		Excipients q.s		
		Colour: Approved colour used		
616	Cefixime &	Each film coated tablet contains:		
		Cefixime eq. to Cefixime anhydrous	IP	200 mg

610	Ofloxacin Tablets	Ofloxacin	IP	200 mg	
		Excipients			q.s
		Colour: Approved colour used			
617	Tolperisone & Paracetamol Tablets	Each film coated tablet contains:			
		Tolperisone hydrochloride	I.H	150 mg	
		Paracetamol	IP	325 mg	
		Excipients			q.s
		Colour: Approved colour used.			
618	Combipack of Ramipril & Amlodipine Tablets, Atorvastatin Tablets I.P	Pack A (1 tablet)			
		Each uncoated tablets contains:			
		Ramipril	IP	5 mg	
		Amlodipine Besylate	IP		
		Eq. to Amlodipine		5 mg	
		Excipients			q.s
		Colour: Approved colour used.			
		Pack B (1 tablet)			
		Each film coated tablets contains:			
		Atorvastatin Calcium	IP		
		Eq to Atorvastatin		20 mg	
Excipients			q.s		
Colour: Titanium dioxide I.P					
619	Ferrous Ascorbate, Methylcobalamin, Folic Acid & Zinc Tablets	Each film coated tablet contains:			
		Ferrous Ascorbate	IH		
		Eq to Elemental iron		100 mg	
		Folic Acid	IP	1.5 mg	
		Zinc Sulphate Monohydrate	IP		
		Eq to Elemental Zinc		22.5 mg	
		Methylcobalamin	IP	1.5 mg	
Excipients			q.s		
Colour: Approved colour used					
620	Tolperisone & Diclofenac sodium Sustained release Tablets	Each Uncoated Sustained release tablet contains:			
		Tolperisone hydrochloride	I.H	450 mg	
		Diclofenac sodium	IP	100 mg	
		Excipients			q.s
		Colour: Approved colour used.			
621	Methylcobalamin, Vitamin B6, alpha liopic acid, Benfotiamine, Zinc oxide, Calcium pantothenate, Inositol, Lutein, Chromium nicolinate & Folic	Each hard gelatin capsule contains:			
		Methylcobalamin	IP	1500 mcg	
		Alpha liopic acid	USP	100 mg	
		Vitamin B6	IP	3 mg	
		Folic Acid	IP	1.5 mg	
		Benfotiamine	IH	15 mg	
		Zinc oxide	IP	22.5 mg	
		Calcium pantothenate	IP	25 mg	
		Inositol	BP	10 mcg	
		Lutein	IH	5 mg	

	Acid Capsules	Chromium picolinate eq. to Chromium	IH	65 mcg
		Excipients		q.s
		Colour: Approved colour used in empty capsules		
622	Methylcobalamin, Vitamin B6, alpha liopic acid, Benfotiamine, Nicotinamide, Calcium pantothenate & Folic Acid Capsules	Each hard gelatin capsule contains:		
		Methylcobalamin	IP	750 mcg
		Alpha liopic acid	USP	100 mg
		Vitamin B6	IP	1.5 mg
		Folic Acid	IP	0.75 mg
		Benfotiamine	IH	7.5 mg
		Nicotinamide	IP	50 mg
		Calcium pantothenate	IP	25 mg
		Excipients		q.s
		Colour: Approved colour used in empty capsules		
623	Methylcobalamin, Pyridoxine, alpha liopic acid, Benfotiamine, Biotin, & Folic Acid Capsules	Each hard gelatin capsule contains:		
		Methylcobalamin	IP	500 mcg
		Alpha liopic acid	USP	200 mg
		Pyridoxine hydrochloride	IP	3 mg
		Folic Acid	IP	1.5 mg
		Benfotiamine	IH	10 mg
		Biotin	BP	5 mg
		Excipients		q.s
		Colour: Approved colour used in empty capsules		
624	Methylcobalamin, Calcium pantothenate, Zinc, Niacinamide, Pyridoxine, Folic Acid & Chromium picolinate Tablets	Each film coated tablet contains:		
		Methylcobalamin	IP	500 mcg
		Calcium pantothenate	IP	10 mg
		Zinc sulphate monohydrate	IP	61.8 mg
		Niacinamide	IP	50 mg
		Pyridoxine hydrochloride	IP	3 mg
		Folic Acid	IP	1.5 mg
		Chromium picolinate eq. to Chromium	IH	50 mcg
		Excipients		q.s
		Colour: Approved colour used		
625	Methylcobalamin, Alpha liopic acid, Thiamine, Pyridoxine & Folic Acid Capsules	Each hard gelatin capsule contains:		
		Methylcobalamin	IP	1500 mcg
		Alpha liopic acid	USP	100 mg
		Thiamine mononitrate	IP	10 mg
		Pyridoxine hydrochloride	IP	3 mg
		Folic Acid	IP	1.5 mg
		Excipients		q.s
		Colour: Approved colour used in empty capsules		
	Methylcobalamin, Alpha liopic acid	Each hard gelatin capsule contains:		
		Methylcobalamin	IP	1500 mcg
		Alpha liopic acid	USP	200 mg

626	Alpha liopic acid, Seleno Methionine, Folic Acid, Zinc Monomethionine, Inositol & Chromium Polynicotinate Capsules	Seleno Methionine	IP	55 mcg
		Folic Acid	IP	1.5 mg
		Zinc Monomethionine	IH	25 mg
		Inositol	BP	100 mg
		Chromium Polynicotinate eq. to Chromium	IH	200 mcg
		Excipients		q.s
		Colour: Approved colour used in empty capsules		
627	Methylcobalamin, Alpha liopic acid, Selenium Dioxide, Inositol, Folic Acid & Chromium Polynicotinate Capsules	Each hard gelatin capsule contains:		
		Methylcobalamin	IP	500 mcg
		Alpha liopic acid	USP	100 mg
		Selenium Dioxide	IP	18 mcg
		Folic Acid	IP	0.5 mg
		Inositol	BP	100 mg
		Chromium Polynicotinate eq. to Chromium	IH	65 mcg
		Excipients		q.s
Colour: Approved colour used in empty capsules				
628	Methylcobalamin, Eicosahexanoic, Pyridoxine, Folic Acid, Zinc sulphate, Docosahexanoic, Vitamin E & Vitamin C Capsules	Each hard gelatin capsule contains:		
		Methylcobalamin	IP	500 mcg
		Eicosahexanoic acid	IH	90 mg
		Pyridoxine hydrochloride	IP	3 mg
		Folic Acid	IP	1.5 mg
		Zinc sulphate monohydrates	IP	15 mg
		Docosahexanoic acid	IH	60 mg
		Vitamin E	IP	25 IU
		Vitamin C	IP	100 mg
		Selenium dioxide	IP	60 mcg
		Excipients		q.s
		Colour: Approved colour used in empty capsules		
629	Methylcobalamin, Calcitriol, Pyridoxine, Folic Acid, Zinc sulphate & Calcium Carbonate Capsules	Each hard gelatin capsule contains:		
		Methylcobalamin	IP	500 mcg
		Calcitriol	IP	0.25 mcg
		Pyridoxine hydrochloride	IP	3 mg
		Folic Acid	IP	1.5 mg
		Zinc sulphate monohydrates	IP	7.5 mg
		Calcium Carbonate eq. to elemental Calcium	IP	250 mg
		Excipients		q.s
Colour: Approved colour used in empty capsules				
630	Combipack of Risedronate Tablets, Calcium	Pack A (1 tablet)		
		Each film coated tablets contains:		
		Risedronate Sodium	I.P	35 mg
		Excipients		q.s
		Colour: Yellow oxide of iron		
Pack B (6 tablet)				

	Carbonate Tablets I.P	Each film coated tablets contains:		
		Calcium Carbonate Eq to Elemental Calcium	I.P	500 mg
		Excipients q.s		
		Colour: Titanium dioxide I.P		
631	Streptococcus thermophilus, Lactobacillus acidophilus, Lactobacillus casei, Lactobacillus delbruecki, Bifidobacteria & Lactobacillus plantarum Capsules	Each hard gelatin capsule contains:		
		Streptococcus thermophilus	IH	45% w/w
		Lactobacillus acidophilus	IH	3 %w/w
		Lactobacillus casei	IH	2 %w/w
		Lactobacillus delbruecki susp. Bulgaris	IH	3 %w/w
		Bifidobacteria	IH	45 %w/w
		Lactobacillus plantarum	IH	2 % w/w
		Excipients q.s		
		Colour: Approved colour used in empty capsules shells.		
632	Halobetasol propionate and Salicylic acid Ointment	Composition:		
		Halobetasol propionate	IH	0.05%w/w
		Salicylic acid	IP	6 %w/w
		In a Cream base q.s		
633	Sumatriptan and Naproxen Tablets	Each film coated tablet contains:		
		Sumatriptan	IP	50 mg
		Naproxen	IP	275 mg
		Excipients q.s		
		Colour: Approved colour used		
634	Sumatriptan and Naproxen Tablets	Each film coated tablet contains:		
		Sumatriptan	IP	85 mg
		Naproxen	IP	500 mg
		Excipients q.s		
		Colour: Approved colour used		
635	Aspirin (as enteric coated tablets), Ramipril, Atenolol, Hydrochlorothiazide & Simvastatin Capsules	Each hard gelatin capsule contains:		
		Aspirin (as enteric coated tablets)	IP	100 mg
		Ramipril	IP	5 mg
		Atenolol	IP	50 mg
		Hydrochlorothiazide	IP	12.5mg
		Simvastatin	IP	20 mg
		Excipients q.s		
		Colour: Approved colour used in empty capsules shells.		
636	Extended release Cinitapride & Enteric Coated Omeprazole Capsules	Each hard gelatin capsule contains:		
		Cinitapride hydrogen tartrate (E.R Pellets)	IH	3 mg
		Omeprazole (Enteric Coated Pellets)	IP	20 mg
		Excipients q.s		
		Colour: Approved colour used in empty capsules shells.		
	Voglibose & Metformin	Each film coated tablet contains:		
		Voglibose	IP	0.3 mg

637	Hydrochloride sustained release Tablets	Metformin Hydrochloride (S.R)	IP	500 mg	
		Excipients			q.s
		Colour: Approved colour used			
638	Repaglinide & Metformin Hydrochloride Tablets	Each film coated tablet contains:			
		Repaglinide	IP	1 mg	
		Metformin Hydrochloride	IP	500 mg	
		Excipients			q.s
		Colour: Approved colour used			
639	Repaglinide & Metformin Hydrochloride Tablets	Each film coated tablet contains:			
		Repaglinide	IP	2 mg	
		Metformin Hydrochloride	IP	500 mg	
		Excipients			q.s
		Colour: Approved colour used			
640	Etodolac & Tolperisone Tablets	Each film coated tablet contains:			
		Etodolac	IP	400 mg	
		Tolperisone hydrochloride	I.H	150 mg	
		Excipients			q.s
		Colour: Approved colour used.			
641	Diclofenac & Thiocolchicoside Capsules	Each hard gelatin capsule contains:			
		Diclofenac sodium (Enteric coated pellets)	I.P.	100 mg	
		Thiocolchicoside	IP	8 mg	
		Colour: Approved colour used in empty capsules shells & pellets			
642	Tretinoin, Allantion & Hydroquinone gel	Composition:			
		Tretinoin	BP	0.025% w/w	
		Allantion	BP	1 %w/w	
		Hydroquinone	IP	2%w/w	
		In a gel base			q.s
643	Rosuvastatin & Fenofibrate Tablets	Each Film coated tablet contains :			
		Rosuvastatin Calcium eq. to Rosuvastatin	IP	20 mg	
		Fenofibrate	IP	67.5 mg	
		Excipients			q.s
		Colour: Approved colour used			
644	Rosuvastatin & Fenofibrate Tablets	Each Film coated tablet contains :			
		Rosuvastatin Calcium eq. to Rosuvastatin	IP	20 mg	
		Fenofibrate	IP	145 mg	
		Excipients			q.s
		Colour: Approved colour used			
		Composition:			

645	Clindamycin & Benzoyl Peroxide Topical Gel	Clindamycin Phosphate eq. to Clindamycin	I.P	1 %w/w	
		Hydrous Benzoyl Peroxide eq. to Anhydrous Benzoyl Peroxide	I.P	2.5 %w/w	
		In a gel base			q.s
646	Tolperisone & Diclofenac sodium Tablets	Each Film coated tablet contains :			
		Tolperisone hydrochloride	I.H	150 mg	
		Diclofenac sodium	IP	50 mg	
		Excipients			q.s
		Colour: Approved colour used.			
647	Combipack of Ramipril & Amlodipine Tablets, Atorvastatin Tablets I.P	Pack A (1 tablet)			
		Each uncoated tablets contains:			
		Ramipril	IP	5 mg	
		Amlodipine Besylate Eq. to Amlodipine	IP	5 mg	
		Excipients			q.s
		Colour: Approved colour used.			
		Pack B (1 tablet)			
		Each film coated tablets contains:			
		Atorvastatin Calcium Eq to Atorvastatin	IP	10 mg	
		Excipients			q.s
Colour: Titanium dioxide I.P					
648	Doxycycline & Lactic Acid Bacillus Capsules	Each hard gelatin capsule contains:			
		Doxycycline Hydrochloride Eq. to Doxycycline	I.P.	100 mg	
		Lactic Acid Bacillus	IH	5 billion spores	
		Colour: Approved colour used in empty capsules shells & pellets			
649	Itraconazole pellets 200 mg	Each 1000 mg of blended pellets contains			
		Itraconazole	BP	200 mg	
		Excipients			q.s
		Colour: Approved colour used			
650	Itraconazole pellets 200 mg	Each 910 mg of blended pellets contains			
		Itraconazole	BP	200 mg	
		Excipients			q.s
		Colour: Approved colour used			
651	Itraconazole pellets 200 mg	Each 500 mg of blended pellets contains			
		Itraconazole	BP	200 mg	
		Excipients			q.s
		Colour: Approved colour used			
652	Itraconazole	Each 400 mg of blended pellets contains			
		Itraconazole	BP	200 mg	

652	pellets 200 mg	Excipients			q.s	
Colour: Approved colour used						
653	Itraconazole pellets 100 mg	Each 500 mg of blended pellets contains				
		Itraconazole	BP	100 mg		
		Excipients				q.s
Colour: Approved colour used						
654	Itraconazole pellets 100 mg	Each 454 mg of blended pellets contains				
		Itraconazole	BP	100 mg		
		Excipients				q.s
Colour: Approved colour used						
655	Itraconazole pellets 100 mg	Each 250 mg of blended pellets contains				
		Itraconazole	BP	100 mg		
		Excipients				q.s
Colour: Approved colour used						
656	Itraconazole pellets 100 mg	Each 200 mg of blended pellets contains				
		Itraconazole	BP	100 mg		
		Excipients				q.s
Colour: Approved colour used						
657	Ketoconazole Soap	Composition				
		Ketoconazole	IP	2% w/w		
		Soap noodles				q.s
Colour: Approved colour used						
658	Ketoconazole Soap	Composition				
		Ketoconazole	IP	1% w/w		
		Soap noodles				q.s
Colour: Approved colour used						
659	Cetrimide Soap	Composition				
		Cetrimide	IP	0.5 %w/w		
		Soap noodles				q.s
Colour: Approved colour used						
660	Monosulfiram Soap	Composition				
		Monosulfiram	BP	5 %w/w		
		Soap noodles				q.s
Colour: Approved colour used						
661	Permethrin Soap	Composition				
		Permethrin	IP	1% w/w		
		Soap noodles				q.s
Colour: Approved colour used						
		Composition				
		Hydrous Benzoyl Peroxide	IP			

662	Hydrous Benzoyl Peroxide Soap	Eq. to Benzoyl Peroxide		2.5 %w/w	
		Soap noodles			q.s
		Colour: Approved colour used			
663	Clotrimazole Soap	Composition			
		Clotrimazole	IP	1 %w/w	
		Soap noodles			q.s
		Colour: Approved colour used			
664	Gamma Benzene Hexachloride Soap	Composition			
		Gamma Benzene Hexachloride	I.P	1 %w/w	
		Soap noodles			q.s
		Colour: Approved colour used			
665	Chlorhexidine Gluconate Soap	Composition			
		Chlorhexidine Gluconate Solution	I.P	1 %w/w	
		Soap noodles			q.s
		Colour: Approved colour used			
667	Permethrin Soap	Composition			
		Permethrin	I.P	5 % w/w	
		Soap noodles			q.s
		Colour: Approved colour used			