

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

6	<p>Ambroxol Hydrochloride, Terbutaline Sulphate, Guaiphenesin & Menthol Syrup</p> <p>Each 5ml contains:</p> <table border="0"> <tr> <td>Ambroxol hydrochloride</td> <td>IP</td> <td>15 mg</td> </tr> <tr> <td>Terbutaline sulphate</td> <td>IP</td> <td>1.25mg</td> </tr> <tr> <td>Guaiphenesin</td> <td>IP</td> <td>50 mg</td> </tr> <tr> <td>Menthol</td> <td>IP</td> <td>2.5mg</td> </tr> </table>	Ambroxol hydrochloride	IP	15 mg	Terbutaline sulphate	IP	1.25mg	Guaiphenesin	IP	50 mg	Menthol	IP	2.5mg
Ambroxol hydrochloride	IP	15 mg											
Terbutaline sulphate	IP	1.25mg											
Guaiphenesin	IP	50 mg											
Menthol	IP	2.5mg											
7	<p>Levocetirizine & Montelukast Syrup</p> <p>Each 5 ml contains:</p> <table border="0"> <tr> <td>Levocetirizine Hydrochloride</td> <td>IP</td> <td>2.5mg</td> </tr> <tr> <td>Montelukast</td> <td></td> <td>4mg</td> </tr> </table> <p>(as Montelukast Sodium IP)</p>	Levocetirizine Hydrochloride	IP	2.5mg	Montelukast		4mg						
Levocetirizine Hydrochloride	IP	2.5mg											
Montelukast		4mg											
8	<p>Ambroxol, Levo salbutamol & Guaiphenesin Syrup</p> <p>Each 5ml contains:</p> <table border="0"> <tr> <td>Ambroxol Hydrochloride</td> <td>IP</td> <td>30 mg</td> </tr> <tr> <td>Levo salbutamol Sulphate</td> <td>IP</td> <td></td> </tr> <tr> <td>Eq. to Salbutamol</td> <td></td> <td>1mg</td> </tr> <tr> <td>Guaiphenesin</td> <td>IP</td> <td>50mg</td> </tr> </table>	Ambroxol Hydrochloride	IP	30 mg	Levo salbutamol Sulphate	IP		Eq. to Salbutamol		1mg	Guaiphenesin	IP	50mg
Ambroxol Hydrochloride	IP	30 mg											
Levo salbutamol Sulphate	IP												
Eq. to Salbutamol		1mg											
Guaiphenesin	IP	50mg											
9	<p>Vitamin D 3 oral Solution</p> <p>Each 5 ml contains :</p> <table border="0"> <tr> <td>Vitamin D3</td> <td>I.P</td> <td>60,000 IU</td> </tr> </table> <p>(Nano shots)</p>	Vitamin D3	I.P	60,000 IU									
Vitamin D3	I.P	60,000 IU											
10	<p>Sodium Picosulfate Syrup</p> <p>Each 5 ml contains:</p> <table border="0"> <tr> <td>Sodium picosulfate</td> <td>BP</td> <td>5 mg</td> </tr> </table>	Sodium picosulfate	BP	5 mg									
Sodium picosulfate	BP	5 mg											
11	<p>Cetirizine Hydrochloride Syrup</p> <p>Each 5 ml contains:</p> <table border="0"> <tr> <td>Cetirizine Hydrochloride</td> <td>IP</td> <td>5 mg</td> </tr> </table>	Cetirizine Hydrochloride	IP	5 mg									
Cetirizine Hydrochloride	IP	5 mg											
12.	<p>Pepsin & Fungal Diastase Syrup</p> <p>Each 5ml Contains</p> <table border="0"> <tr> <td>Pepsin (1:3000)</td> <td>I.P.</td> <td>10mg</td> </tr> <tr> <td>Fungal Diastase (1:1200)</td> <td>I.P</td> <td>50mg</td> </tr> <tr> <td>Flavoured syrupy base</td> <td></td> <td>Q.S.</td> </tr> </table>	Pepsin (1:3000)	I.P.	10mg	Fungal Diastase (1:1200)	I.P	50mg	Flavoured syrupy base		Q.S.			
Pepsin (1:3000)	I.P.	10mg											
Fungal Diastase (1:1200)	I.P	50mg											
Flavoured syrupy base		Q.S.											

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

13	<p>Iron , B12, Folic acid and zinc oral syrup Each 15ml Contains:</p> <table border="0"> <tr> <td>Ferric Ammonium Citrate</td> <td>I.P.</td> <td></td> </tr> <tr> <td>Eq. to elemental iron</td> <td></td> <td>50mg</td> </tr> <tr> <td>Vitamin B12</td> <td>I.P.</td> <td>7.5mcg</td> </tr> <tr> <td>Folic Acid</td> <td>I.P.</td> <td>0.5mg</td> </tr> <tr> <td>Zinc Sulphate</td> <td>I.P.</td> <td></td> </tr> <tr> <td>Eq. to elemental Zinc</td> <td></td> <td>7mg</td> </tr> </table> <p>In Flavored Syrupy base</p>	Ferric Ammonium Citrate	I.P.		Eq. to elemental iron		50mg	Vitamin B12	I.P.	7.5mcg	Folic Acid	I.P.	0.5mg	Zinc Sulphate	I.P.		Eq. to elemental Zinc		7mg
Ferric Ammonium Citrate	I.P.																		
Eq. to elemental iron		50mg																	
Vitamin B12	I.P.	7.5mcg																	
Folic Acid	I.P.	0.5mg																	
Zinc Sulphate	I.P.																		
Eq. to elemental Zinc		7mg																	
14	<p>Magaldrate, Simethicone and Oxetacaine oral suspension Each 5 ml contains</p> <table border="0"> <tr> <td>Magaldrate</td> <td>I.P</td> <td></td> </tr> <tr> <td>Equivalent to anhydrous Magaldrate</td> <td></td> <td>540 mg</td> </tr> <tr> <td>Simethicone</td> <td>I.P</td> <td>50 mg</td> </tr> <tr> <td>Oxetacaine</td> <td>B.P</td> <td>10 mg</td> </tr> </table> <p>In flavored sorbitol base</p>	Magaldrate	I.P		Equivalent to anhydrous Magaldrate		540 mg	Simethicone	I.P	50 mg	Oxetacaine	B.P	10 mg						
Magaldrate	I.P																		
Equivalent to anhydrous Magaldrate		540 mg																	
Simethicone	I.P	50 mg																	
Oxetacaine	B.P	10 mg																	
15	<p>Albendazole & Ivermectin oral Suspension Each 5 ml contains :</p> <table border="0"> <tr> <td>Albendazole</td> <td>I.P</td> <td>200 mg</td> </tr> <tr> <td>Ivermectin</td> <td>I.P</td> <td>1.5 mg</td> </tr> </table> <p>In a flavoured syrupy base</p>	Albendazole	I.P	200 mg	Ivermectin	I.P	1.5 mg												
Albendazole	I.P	200 mg																	
Ivermectin	I.P	1.5 mg																	
16	<p>Ambroxol Hydrochloride, Levosalbutamol Sulphate & Guaiphenesin Syrup Esch 5 ml contains</p> <table border="0"> <tr> <td>Ambroxol Hydrochloride</td> <td>I.P</td> <td>15 mg</td> </tr> <tr> <td>Guaiphenesin</td> <td>I.P</td> <td>50 mg</td> </tr> <tr> <td>Levosalbutamol Sulphate</td> <td></td> <td></td> </tr> <tr> <td>Equ. to Levosalbutamol</td> <td>I.P</td> <td>0.5 mg</td> </tr> </table> <p>In flavoured Syrupy Base Q.S.</p>	Ambroxol Hydrochloride	I.P	15 mg	Guaiphenesin	I.P	50 mg	Levosalbutamol Sulphate			Equ. to Levosalbutamol	I.P	0.5 mg						
Ambroxol Hydrochloride	I.P	15 mg																	
Guaiphenesin	I.P	50 mg																	
Levosalbutamol Sulphate																			
Equ. to Levosalbutamol	I.P	0.5 mg																	
17	<p>Terbutaline Sulphate, Bromhexine Hydrochloride And Guaiphenesin Syrup Composition Each 5 ml contains :</p> <table border="0"> <tr> <td>Terbutaline Sulphate</td> <td>I.P</td> <td>1.25 mg</td> </tr> <tr> <td>Bromhexine Hydrochloride</td> <td>I.P</td> <td>4 mg</td> </tr> <tr> <td>Guaiphenesin</td> <td>I.P</td> <td>50 mg</td> </tr> </table> <p>In a flavoured syrupy base q.s</p>	Terbutaline Sulphate	I.P	1.25 mg	Bromhexine Hydrochloride	I.P	4 mg	Guaiphenesin	I.P	50 mg									
Terbutaline Sulphate	I.P	1.25 mg																	
Bromhexine Hydrochloride	I.P	4 mg																	
Guaiphenesin	I.P	50 mg																	

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

18	<p>Dextromethorphan, Phenylephrine & Chlorpheniramine Maleate Syrup</p> <p>Each 5 ml contains:</p> <table border="0"> <tr> <td>Dextromethorphan Hydrobromide</td> <td>I.P</td> <td>10 mg</td> </tr> <tr> <td>Phenylephrine Hydrochloride</td> <td>I.P</td> <td>5 mg</td> </tr> <tr> <td>Chlorpheniramine Maleate</td> <td>I.P</td> <td>2 mg</td> </tr> <tr> <td>In a flavoured syrupy base</td> <td></td> <td>Q.S</td> </tr> </table>	Dextromethorphan Hydrobromide	I.P	10 mg	Phenylephrine Hydrochloride	I.P	5 mg	Chlorpheniramine Maleate	I.P	2 mg	In a flavoured syrupy base		Q.S									
Dextromethorphan Hydrobromide	I.P	10 mg																				
Phenylephrine Hydrochloride	I.P	5 mg																				
Chlorpheniramine Maleate	I.P	2 mg																				
In a flavoured syrupy base		Q.S																				
19	<p>Oxetacaine, Dried Aluminum Hydroxide Gel & Magnesium Hydroxide oral Suspension</p> <p>Each 5 ml contains</p> <table border="0"> <tr> <td>Oxetacaine</td> <td>B.P</td> <td>10 mg</td> </tr> <tr> <td>Aluminium Hydroxide</td> <td>I.P</td> <td>291 mg</td> </tr> <tr> <td colspan="3">(Added as aluminum Hydroxide paste</td> </tr> <tr> <td>E.q to dried aluminum Hydroxide Gel</td> <td>I.P</td> <td>382 mg</td> </tr> <tr> <td>Magnesium Hydroxide</td> <td>I.P</td> <td>98 mg</td> </tr> <tr> <td colspan="3">(Added as Magnesium Hydroxide paste)</td> </tr> <tr> <td>Flavored sorbitol base</td> <td>Q.S</td> <td></td> </tr> </table>	Oxetacaine	B.P	10 mg	Aluminium Hydroxide	I.P	291 mg	(Added as aluminum Hydroxide paste			E.q to dried aluminum Hydroxide Gel	I.P	382 mg	Magnesium Hydroxide	I.P	98 mg	(Added as Magnesium Hydroxide paste)			Flavored sorbitol base	Q.S	
Oxetacaine	B.P	10 mg																				
Aluminium Hydroxide	I.P	291 mg																				
(Added as aluminum Hydroxide paste																						
E.q to dried aluminum Hydroxide Gel	I.P	382 mg																				
Magnesium Hydroxide	I.P	98 mg																				
(Added as Magnesium Hydroxide paste)																						
Flavored sorbitol base	Q.S																					
20	<p>Paracetamol and Mefenamic Acid Oral Suspension</p> <p>Each 5 ml contains :</p> <table border="0"> <tr> <td>Paracetamol</td> <td>I.P</td> <td>250 mg</td> </tr> <tr> <td>Mefenamic Acid</td> <td>I.P</td> <td>100 mg</td> </tr> <tr> <td colspan="3">In a flavoured syrupy base</td> </tr> </table>	Paracetamol	I.P	250 mg	Mefenamic Acid	I.P	100 mg	In a flavoured syrupy base														
Paracetamol	I.P	250 mg																				
Mefenamic Acid	I.P	100 mg																				
In a flavoured syrupy base																						
21	<p>Dextromethorphan Hydrobromide, Phenylephrine HCL & Chlorpheniramine maleate syrup</p> <p>Each 5 ml Contains :</p> <table border="0"> <tr> <td>Dextromethorphan Hydrobromide</td> <td>I.P</td> <td>15 mg</td> </tr> <tr> <td>Phenylephrine HCL</td> <td>I.P</td> <td>5 mg</td> </tr> <tr> <td>Chlorpheniramine maleate</td> <td>I.P</td> <td>2 mg</td> </tr> <tr> <td>Sorbitol</td> <td></td> <td>Q.S.</td> </tr> <tr> <td colspan="3">Flavoured (Sugar Free) base</td> </tr> </table>	Dextromethorphan Hydrobromide	I.P	15 mg	Phenylephrine HCL	I.P	5 mg	Chlorpheniramine maleate	I.P	2 mg	Sorbitol		Q.S.	Flavoured (Sugar Free) base								
Dextromethorphan Hydrobromide	I.P	15 mg																				
Phenylephrine HCL	I.P	5 mg																				
Chlorpheniramine maleate	I.P	2 mg																				
Sorbitol		Q.S.																				
Flavoured (Sugar Free) base																						
22	<p>Diphenhydramine, Ammonium Chloride & Sodium citrate oral syrup</p> <p>Each 5 ml contains:</p> <table border="0"> <tr> <td>Diphenhydramine</td> <td>IP</td> <td>14.08 mg</td> </tr> <tr> <td>Ammonium chloride</td> <td>IP</td> <td>138 mg</td> </tr> <tr> <td>Sodium citrate</td> <td>IP</td> <td>57.03 mg</td> </tr> <tr> <td>In a flavoured syrupy base</td> <td></td> <td>q. s</td> </tr> </table>	Diphenhydramine	IP	14.08 mg	Ammonium chloride	IP	138 mg	Sodium citrate	IP	57.03 mg	In a flavoured syrupy base		q. s									
Diphenhydramine	IP	14.08 mg																				
Ammonium chloride	IP	138 mg																				
Sodium citrate	IP	57.03 mg																				
In a flavoured syrupy base		q. s																				
23	<p>Paracetamol & Mefenamic acid suspension</p> <p>Each 5 ml contains:</p> <table border="0"> <tr> <td>Mefenamic acid</td> <td>IP</td> <td>50 mg</td> </tr> <tr> <td>Paracetamol</td> <td>IP</td> <td>125 mg</td> </tr> <tr> <td colspan="3">In a flavoured syrupy base q.s</td> </tr> </table>	Mefenamic acid	IP	50 mg	Paracetamol	IP	125 mg	In a flavoured syrupy base q.s														
Mefenamic acid	IP	50 mg																				
Paracetamol	IP	125 mg																				
In a flavoured syrupy base q.s																						

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

24	<p>Paracetamol & Ibuprofen suspension Each 5 ml contains:</p> <table data-bbox="245 373 760 485"> <tr> <td>Ibuprofen</td> <td>IP</td> <td>100 mg</td> </tr> <tr> <td>Paracetamol</td> <td>IP</td> <td>162.5 mg</td> </tr> <tr> <td>In a flavoured syrupy base</td> <td></td> <td>q.s</td> </tr> </table>	Ibuprofen	IP	100 mg	Paracetamol	IP	162.5 mg	In a flavoured syrupy base		q.s												
Ibuprofen	IP	100 mg																				
Paracetamol	IP	162.5 mg																				
In a flavoured syrupy base		q.s																				
25	<p>Dicyclomine Hydrochloride & Simethicone oral suspension Each 5 ml contains:</p> <table data-bbox="245 600 813 674"> <tr> <td>Dicyclomine Hydrochloride</td> <td>IP</td> <td>10 mg</td> </tr> <tr> <td>Activated Dimethicone</td> <td>IP</td> <td>40 mg</td> </tr> <tr> <td>In a flavoured syrupy base</td> <td></td> <td>q.s</td> </tr> </table>	Dicyclomine Hydrochloride	IP	10 mg	Activated Dimethicone	IP	40 mg	In a flavoured syrupy base		q.s												
Dicyclomine Hydrochloride	IP	10 mg																				
Activated Dimethicone	IP	40 mg																				
In a flavoured syrupy base		q.s																				
26	<p>Ofloxacin, Metronidazole & Simethicone suspension Each 5 ml contains:</p> <table data-bbox="245 825 776 1014"> <tr> <td>Ofloxacin</td> <td>IP</td> <td>50 mg</td> </tr> <tr> <td>Metronidazole Benzoate</td> <td>IP</td> <td></td> </tr> <tr> <td>Eq. to Metronidazole</td> <td></td> <td>120 mg</td> </tr> <tr> <td>Simethicone</td> <td>IP</td> <td>10 mg</td> </tr> <tr> <td>In a flavoured suspension base</td> <td></td> <td>q. s</td> </tr> </table>	Ofloxacin	IP	50 mg	Metronidazole Benzoate	IP		Eq. to Metronidazole		120 mg	Simethicone	IP	10 mg	In a flavoured suspension base		q. s						
Ofloxacin	IP	50 mg																				
Metronidazole Benzoate	IP																					
Eq. to Metronidazole		120 mg																				
Simethicone	IP	10 mg																				
In a flavoured suspension base		q. s																				
27	<p>Ambroxol Hydrochloride & Levocetirizine HCl Syrup Each 5 ml contains:</p> <table data-bbox="245 1119 789 1224"> <tr> <td>Ambroxol Hydrochloride</td> <td>IP</td> <td>30 mg</td> </tr> <tr> <td>Levocetirizine Hydrochloride</td> <td>IP</td> <td>5 mg</td> </tr> <tr> <td>In a flavoured syrupy base</td> <td></td> <td>q. s</td> </tr> </table>	Ambroxol Hydrochloride	IP	30 mg	Levocetirizine Hydrochloride	IP	5 mg	In a flavoured syrupy base		q. s												
Ambroxol Hydrochloride	IP	30 mg																				
Levocetirizine Hydrochloride	IP	5 mg																				
In a flavoured syrupy base		q. s																				
28	<p>Paracetamol, Phenylephrine HCL, Ammonium Chloride, Chlorpheniramine, Sodium Citrate & Menthol Suspension Each 5 ml contains:</p> <table data-bbox="245 1335 833 1545"> <tr> <td>Paracetamol</td> <td>IP</td> <td>250 mg</td> </tr> <tr> <td>Phenylephrine HCL</td> <td>IP</td> <td>5 mg</td> </tr> <tr> <td>Chlorpheniramine Maleate</td> <td>IP</td> <td>2 mg</td> </tr> <tr> <td>Sodium Citrate</td> <td>IP</td> <td>60 mg</td> </tr> <tr> <td>Ammonium Chloride</td> <td>IP</td> <td>120 mg</td> </tr> <tr> <td>Menthol</td> <td>IP</td> <td>1 mg</td> </tr> <tr> <td>In a suspension base</td> <td></td> <td>q. s</td> </tr> </table>	Paracetamol	IP	250 mg	Phenylephrine HCL	IP	5 mg	Chlorpheniramine Maleate	IP	2 mg	Sodium Citrate	IP	60 mg	Ammonium Chloride	IP	120 mg	Menthol	IP	1 mg	In a suspension base		q. s
Paracetamol	IP	250 mg																				
Phenylephrine HCL	IP	5 mg																				
Chlorpheniramine Maleate	IP	2 mg																				
Sodium Citrate	IP	60 mg																				
Ammonium Chloride	IP	120 mg																				
Menthol	IP	1 mg																				
In a suspension base		q. s																				
29	<p>Ferrous Ascorbate & Folic Acid oral drop Each ml contains:</p> <table data-bbox="245 1682 695 1787"> <tr> <td>Ferrous Ascorbate</td> <td></td> <td></td> </tr> <tr> <td>Eq. to elemental iron</td> <td></td> <td>10 mg</td> </tr> <tr> <td>Folic Acid</td> <td>IP</td> <td>100 mcg</td> </tr> </table>	Ferrous Ascorbate			Eq. to elemental iron		10 mg	Folic Acid	IP	100 mcg												
Ferrous Ascorbate																						
Eq. to elemental iron		10 mg																				
Folic Acid	IP	100 mcg																				

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

30	<p>Calcium carbonate, Vitamin D3 & Zinc syrup Each 5 ml contains: Calcium Carbonate 625 mg Eq. to calcium 250 mg Vitamin D3 IP 400 IU Zinc sulphate IP 7.5 mg In a flavoured syrupy base</p>
31	<p>Lactulose Solution USP Each 15 ml contains: Lactulose Concentrate I.P Eq. to Lactulose 10 gm. In a flavoured syrupy base q. s</p>
32	<p>Paracetamol Paediatric oral suspension IP (250mg/5ml) Each 5 ml contains: Paracetamol IP 250 mg In a flavoured syrupy base q. s</p>
33	<p>Citicoline & Piracetam Syrup Each 5 ml contains: Citicoline sodium IP Eq. to citicoline 500 mg Piracetam IP 400 mg In a flavoured syrupy base q. s</p>
34	<p>Aceclofenac & Paracetamol suspension Each 5 ml contains: Aceclofenac IP 50 mg Paracetamol IP 125 mg Excipients q. s In a flavoured syrupy base q. s</p>
35	<p>Vitamin B1, Vitamin B6, Vitamin B12, Vitamin B2, with Lysine Hydrochloride D-Panthenol & Niacinamide Syrup Each 5 ml contains:- Vitamin B1 I.P 2.0mg Vitamin B6 I.P 0.75mg Vitamin B12 I.P 2mcg D-Panthenol I.P 3 mg Vitamin B2 Sodium 5 Phosphate I.P 2.5 mg Niacinamide I.P 15 mg Lysine Hydrochloride U.S.P 375 mg In a flavoured Syrupy base q. s</p>

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

36	<p>Potassium Citrate, Magnesium Citrate & vitamin B6 Oral Solution</p> <p>Each 5 ml contains:</p> <table data-bbox="256 390 860 510"> <tr> <td>Potassium Citrate</td> <td>I.P</td> <td>1100 mg</td> </tr> <tr> <td>Magnesium Citrate</td> <td>USP</td> <td>375 mg</td> </tr> <tr> <td>Pyridoxine Hydrochloride</td> <td>I.P</td> <td>20 mg</td> </tr> </table> <p>(vitamin B6)</p> <p>In a flavoured syrupy base q. s</p>	Potassium Citrate	I.P	1100 mg	Magnesium Citrate	USP	375 mg	Pyridoxine Hydrochloride	I.P	20 mg
Potassium Citrate	I.P	1100 mg								
Magnesium Citrate	USP	375 mg								
Pyridoxine Hydrochloride	I.P	20 mg								
37	<p>Ferrous Ascorbate & Folic Acid Syrup</p> <p>Each 5 ml contains:</p> <table data-bbox="256 688 738 800"> <tr> <td>Ferrous Ascorbate</td> <td></td> <td></td> </tr> <tr> <td>Eq. to Elemental Iron</td> <td></td> <td>30 mg</td> </tr> <tr> <td>Folic Acid</td> <td>IP</td> <td>550 mcg</td> </tr> </table>	Ferrous Ascorbate			Eq. to Elemental Iron		30 mg	Folic Acid	IP	550 mcg
Ferrous Ascorbate										
Eq. to Elemental Iron		30 mg								
Folic Acid	IP	550 mcg								
38	<p>Deflazacort Oral Suspension</p> <p>Each 5 ml Contains:</p> <table data-bbox="256 892 581 926"> <tr> <td>Deflazacort</td> <td>6 mg</td> </tr> </table>	Deflazacort	6 mg							
Deflazacort	6 mg									
39	<p>Zinc Gluconate oral solution (20mg/5ml)</p> <p>Each 5ml contains:</p> <table data-bbox="256 1045 669 1150"> <tr> <td>Zinc gluconate</td> <td>USP</td> <td></td> </tr> <tr> <td>Eq. to elemental zinc</td> <td></td> <td>20mg</td> </tr> </table> <p>Flavoured syrupy base q. s</p>	Zinc gluconate	USP		Eq. to elemental zinc		20mg			
Zinc gluconate	USP									
Eq. to elemental zinc		20mg								
40	<p>Ofloxacin & Metronidazole Oral Suspension</p> <p>Each 5 ml (app.one teaspoonful) contains:</p> <table data-bbox="256 1262 836 1339"> <tr> <td>Ofloxacin</td> <td>I.P</td> <td>50 mg</td> </tr> <tr> <td>Metronidazole Benzoate</td> <td>I.P</td> <td>100 mg</td> </tr> </table> <p>Eq. to Metronidazole</p> <p>In a flavoured syrupy base q. s</p>	Ofloxacin	I.P	50 mg	Metronidazole Benzoate	I.P	100 mg			
Ofloxacin	I.P	50 mg								
Metronidazole Benzoate	I.P	100 mg								
41	<p>Silymarin & Tricholine Citrate Suspension</p> <p>Each 5 ml contains:</p> <table data-bbox="256 1528 876 1633"> <tr> <td>Silymarin</td> <td></td> <td>70 mg</td> </tr> <tr> <td>Tricholine Citrate</td> <td></td> <td>210 mg</td> </tr> <tr> <td>Sorbitol (70% non-crystallising)</td> <td>I.P</td> <td>1 gm.</td> </tr> </table>	Silymarin		70 mg	Tricholine Citrate		210 mg	Sorbitol (70% non-crystallising)	I.P	1 gm.
Silymarin		70 mg								
Tricholine Citrate		210 mg								
Sorbitol (70% non-crystallising)	I.P	1 gm.								
42	<p>Magaldrate & Simethicone Oral Suspension</p> <p>Each 5 ml contains:</p> <table data-bbox="256 1738 824 1801"> <tr> <td>Magaldrate (Anhydrous)</td> <td>I.P</td> <td>480 mg</td> </tr> <tr> <td>Simethicone</td> <td>I.P</td> <td>20 mg</td> </tr> </table>	Magaldrate (Anhydrous)	I.P	480 mg	Simethicone	I.P	20 mg			
Magaldrate (Anhydrous)	I.P	480 mg								
Simethicone	I.P	20 mg								

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

43	<p>Levocetirizine Dihydrochloride syrup Each 5 ml contains: Levocetirizine Dihydrochloride I.P 2.5 mg In flavoured syrupy base q. s</p>
44	<p>Dextromethorphan HBR & Chlorpheniramine Maleate Syrup Each 5 ml contains: Dextromethorphan Hydrobromide I.P 10 mg Chlorpheniramine Maleate I.P 4 mg In flavoured syrupy base q. s</p>
45	<p>Cetirizine Hcl & Ambroxol Hcl Syrup Each 5 ml contains: Cetirizine Hydrochloride I.P 5 mg Ambroxol Hydrochloride I.P 30 mg In flavoured syrupy base q. s</p>
46	<p>Potassium Citrate & Citric Acid Syrup Each 5 ml contains: Potassium Citrate Monohydrate I.P 1100 mg Citric Acid Monohydrate I.P 334 mg In flavoured syrupy base q. s</p>
47	<p>Paracetamol, Phenylephrine HCl & Chlorpheniramine Maleate oral Suspension Each 5 ml contains Paracetamol I.P 125 mg Phenylephrine HCl I.P 2.5 mg Chlorpheniramine maleate I.P 1 mg In a flavoured Syrupy base q. s</p>
48	<p>Sucralfate Oral Suspension EACH 10 ML CONTAINS: SUCRALFATE IP 1000 MG In palatable sorbitol base</p>
49	<p>Tricholine Citrate & Cyproheptadine Hcl Syrup Each 5 ml contains: Cyproheptadine HCl (Anhydrous) I.P 2 mg Tricholine Citrate (65%) 275 mg Flavoured Syrupy base q.s</p>

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

50	<p>Iron (III) Hydroxide Polymaltose Complex Syrup Each 5 ml. contains: Iron (III) Hydroxide Polymaltose Complex Eq. to elemental Iron 50 mg</p>
51	<p>Ondansetron Oral Solution IP Each 5 ml contains: Ondansetron Hydrochloride I.P Eq. to Ondansetron 2 mg Flavoured Syrupy base q.s</p>
52	<p>Ranitidine oral solution IP Each 10ml contains: Ranitidine Hydrochloride IP Eq. to Ranitidine 150mg Syrupy base q. s</p>
53	<p>Milk Of Magnesia, Liquid paraffin & Sodium Picosulfate Suspension Composition: Each 5 ml contains: Liquid Paraffin IP 1.25 ml Milk Of Magnesia IP 3.75 ml Sodium Picosulfate BP 3.33 mg In a flavoured syrupy base q. s</p>
54	<p>Dried Aluminium Hydroxide, Magnesium Hydroxide & Activated Dimethicone Suspension Each 5 ml contains: Dried Aluminium Hydroxide IP 250 mg Magnesium Hydroxide IP 250 mg Activated Dimethicone IP 50mg In flavoured sorbitol(70%) base q. s</p>
55	<p>Buclizine Hydrochloride Syrup Each 5 ml contains: Buclizine Hydrochloride IP 6 mg In flavoured syrupy base q. s</p>
56	<p>Fexofenadine Hydrochloride Oral Suspension Each 5 ml contains: Fexofenadine Hydrochloride IP 30 mg</p>

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

1	<p>Clobetasol , Ofloxacin ,Ornidazole , Itraconazole, Methylparaben, Propyl Paraben Cream</p> <p>COMPOSITION :</p> <p>Clobetasol I.P 0.05% W/W Ofloxacin I.P 0.75% W/W Ornidazole I.P 2% W/W Itraconazole USP 1% W/W Methyl paraben I.P 0.2% W/W Propyl paraben I.P 0.2% W/W In a cream base</p>
2	<p>Luliconazole Cream</p> <p>COMPOSITION :</p> <p>Luliconazole 1.0% w/w In a cream base q.s</p>
3	<p>Sertaconazole Nitrate and Beclomethasone cream</p> <p>COMPOSITION :</p> <p>Sertaconazole Nitrate B.P 2.0% w/w Beclomethasone dipropionate IP 0.025% w/w In a cream base q.s</p>
4	<p>Sertaconazole Nitrate Cream</p> <p>COMPOSITION :</p> <p>Sertaconazole Nitrate B.P 2.0% w/w In a cream base q.s</p>
5	<p>Mometasone Furoate Cream</p> <p>COMPOSITION:</p> <p>Mometasone Furoate I.P 0.1% W/W In a cream base q.s</p>
6	<p>Clindamycin & Nicotinamide Gel</p> <p>COMPOSITION :</p> <p>Clindamycin phosphate I.P Eq. to clindamycin 1% w/w Nicotinamide I.P 4% w/w In gel base q. s</p>

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

7	<p>Crotamiton & Hydrocortisone cream</p> <p>COMPOSITION</p> <table border="0"> <tr> <td>Crotamiton</td> <td>IP</td> <td>10% w/w</td> </tr> <tr> <td>Hydrocortisone</td> <td>IP</td> <td>0.25% w/w</td> </tr> <tr> <td>Cream base</td> <td>q. s</td> <td></td> </tr> </table>	Crotamiton	IP	10% w/w	Hydrocortisone	IP	0.25% w/w	Cream base	q. s																
Crotamiton	IP	10% w/w																							
Hydrocortisone	IP	0.25% w/w																							
Cream base	q. s																								
8	<p>Ketoconazole, Iodochlorhydroxyquinoline, Tolnaftate, Neomycin Sulphate & Clobetasol Propionate Cream</p> <p>COMPOSITION:</p> <table border="0"> <tr> <td>Clobetasol Propionate</td> <td>IP</td> <td>0.05% w/w</td> </tr> <tr> <td>Neomycin Sulphate</td> <td>IP</td> <td></td> </tr> <tr> <td>Eq. to Neomycin</td> <td></td> <td>0.1% w/w</td> </tr> <tr> <td>Tolnaftate</td> <td>IP</td> <td>1% w/w</td> </tr> <tr> <td>Iodochlorhydroxyquinoline</td> <td>IP</td> <td>1% w/w</td> </tr> <tr> <td>Ketoconazole</td> <td>IP</td> <td>2% w/w</td> </tr> <tr> <td>In a cream base</td> <td>q. s</td> <td></td> </tr> </table>	Clobetasol Propionate	IP	0.05% w/w	Neomycin Sulphate	IP		Eq. to Neomycin		0.1% w/w	Tolnaftate	IP	1% w/w	Iodochlorhydroxyquinoline	IP	1% w/w	Ketoconazole	IP	2% w/w	In a cream base	q. s				
Clobetasol Propionate	IP	0.05% w/w																							
Neomycin Sulphate	IP																								
Eq. to Neomycin		0.1% w/w																							
Tolnaftate	IP	1% w/w																							
Iodochlorhydroxyquinoline	IP	1% w/w																							
Ketoconazole	IP	2% w/w																							
In a cream base	q. s																								
9	<p>Hydroquinone, Tretinoin & Mometasone Cream</p> <p>COMPOSITION:</p> <table border="0"> <tr> <td>Hydroquinone</td> <td>USP</td> <td>2.0% w/w</td> </tr> <tr> <td>Tretinoin</td> <td>USP</td> <td>0.025% w/w</td> </tr> <tr> <td>Mometasone Furoate</td> <td>IP</td> <td>01% w/w</td> </tr> <tr> <td>In a cream base</td> <td>q. s</td> <td></td> </tr> </table>	Hydroquinone	USP	2.0% w/w	Tretinoin	USP	0.025% w/w	Mometasone Furoate	IP	01% w/w	In a cream base	q. s													
Hydroquinone	USP	2.0% w/w																							
Tretinoin	USP	0.025% w/w																							
Mometasone Furoate	IP	01% w/w																							
In a cream base	q. s																								
10	<p>Diclofenac Diethylamine, Linseed Oil, Menthol & Methyl salicylate Gel</p> <p>COMPOSITION:</p> <table border="0"> <tr> <td>Diclofenac Diethylamine</td> <td>IP</td> <td>1.16% w/w</td> </tr> <tr> <td>Eq. to Diclofenac Sodium</td> <td></td> <td>1% w/w</td> </tr> <tr> <td>Linseed Oil</td> <td>BP</td> <td>3% w/w</td> </tr> <tr> <td>Menthol</td> <td>IP</td> <td>5% w/w</td> </tr> <tr> <td>Methyl salicylate</td> <td>IP</td> <td>10% w/w</td> </tr> <tr> <td>Gel base</td> <td>q. s</td> <td></td> </tr> </table>	Diclofenac Diethylamine	IP	1.16% w/w	Eq. to Diclofenac Sodium		1% w/w	Linseed Oil	BP	3% w/w	Menthol	IP	5% w/w	Methyl salicylate	IP	10% w/w	Gel base	q. s							
Diclofenac Diethylamine	IP	1.16% w/w																							
Eq. to Diclofenac Sodium		1% w/w																							
Linseed Oil	BP	3% w/w																							
Menthol	IP	5% w/w																							
Methyl salicylate	IP	10% w/w																							
Gel base	q. s																								
11	<p>Clobetasol propionate , Miconazole Nitrate, Neomycin sulphate cream</p> <p>COMPOSITION :</p> <table border="0"> <tr> <td>Clobetasol propionate</td> <td>IP</td> <td>0.05%</td> <td>W/W</td> </tr> <tr> <td>Miconazole Nitrate</td> <td>IP</td> <td>2.0%</td> <td>W/W</td> </tr> <tr> <td>Neomycin sulphate</td> <td>IP</td> <td></td> <td></td> </tr> <tr> <td>Equivalent to neomycin</td> <td></td> <td>0.5%</td> <td>w/w</td> </tr> <tr> <td>Preservative : chlorocresol</td> <td></td> <td>0.1%</td> <td>w/w</td> </tr> <tr> <td>Cream base</td> <td></td> <td></td> <td></td> </tr> </table>	Clobetasol propionate	IP	0.05%	W/W	Miconazole Nitrate	IP	2.0%	W/W	Neomycin sulphate	IP			Equivalent to neomycin		0.5%	w/w	Preservative : chlorocresol		0.1%	w/w	Cream base			
Clobetasol propionate	IP	0.05%	W/W																						
Miconazole Nitrate	IP	2.0%	W/W																						
Neomycin sulphate	IP																								
Equivalent to neomycin		0.5%	w/w																						
Preservative : chlorocresol		0.1%	w/w																						
Cream base																									

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

12	<p>Fusidic Acid & Mometasone Furoate cream COMPOSITION: Fusidic Acid IP 2.0%w/w Mometasone furoate IP 0.1w/w In a cream base q.s</p>
13	<p>Potassium Nitrate & Fluoride Medicated Toothpaste. Composition: Potassium Nitrate BP 5%W/W Sodium Monofluorophosphate USP 0.7%w/w In a pleasantly Flavoured Base q.s. Available Fluoride content 917 ppm when packed</p>
14	<p>Beclomethasone Dipropionate ,Clotrimazole,Neomycin sulphate cream COMPOSITION: Beclomethasone Dipropionate IP 0.025%w/w Clotrimazole IP 1%w/w Neomycin sulphate IP Eq. to Neomycin 0.5%w/w In a cream Base q.s Preservative :- Chlorocresol IP 0.1%w/w</p>
15	<p>Etoricoxib Methyl Salicylate,Menthol And Linsed Oil Gel Composition: Each 1gm Contains Etoricoxib IP 10mg Methyl Salicylate IP 100mg Menthol IP 50mg Linsed Oil BP 30mg Benzyl Alcohol IP 10mg (As Preservative) Gel base qs</p>
16	<p>Terbinafine Hydrochloride cream 1% w/w COMPOSITION : Terbinafine Hydrochloride IP 1%w/w In a cream base q.s</p>

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

17	<p>Mometasone Furoate & Terbinafine Hydrochloride Cream COMPOSITION: Mometasone Furoate IP 0.1%w/w Terbinafine Hydrochloride IP 1%w/w In a cream base</p>
18	<p>Urea, Lactic Acid, Propylene glycol & Light liquid paraffin Cream COMPOSITION : Urea IP 10%w/w Lactic Acid IP 10%w/w Propylene Glycol IP 10%w/w Light Liquid Paraffin IP 10%w/w Cream base Preservative : Methyl Paraben IP 0.16%w/w Propyl Paraben IP 0.04</p>
19	<p>Amorolfine Cream Composition: Amorolfine Hydrochloride IP Eq. to Amorolfine 0.25%w/w In a cream base q.s</p>
20	<p>Potassium Nitrate & Sodium Fluoride mouthwash Composition: Potassium Nitrate BP 3%w/v Sodium Fluoride IP 0.2%w/v</p>
21	<p>Beclomethasone Dipropionate, Clotrimazole & Gentamicin Cream Composition: Beclomethasone Dipropionate IP 0.025%w/w Clotrimazole IP 1%w/w Gentamicin sulphate IP Eq. to Gentamicin 0.1w/w In a cream base q.s</p>
22	<p>Hydroquinone, Tretinoin & Hydrocortisone Cream Composition: Hydroquinone USP 2.0%w/w Tretinoin USP 0.05%w/w Hydrocortisone Acetate IP 1.0%w/w In a cream base q.s</p>

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

23	<p>Mupirocin Ointment IP Composition: Mupirocin I.P 2%w/w Ointment base Q. S</p>
24	<p>Fusidic Acid Cream IP Composition: Fusidic acid IP 2.0%w/w Cream base q. s</p>
25	<p>Povidone Iodine Ointment USP Composition: Povidone Iodine IP 5.0%w/w Eq. to Available Iodine 0.5%w/w Ointment base q. s</p>
26	<p>Diclofenac Diethylamine, thiocolchicoside, Linseed Oil, Methyl salicylate & Menthol Gel Diclofenac Diethylamine IP 1.16%w/w Eq. to Diclofenac Sodium 1.0%w/w Thiocolchicoside IP 0.125%w/w Linseed Oil BP 3%w/w Methylsalicylate IP 10%w/w Menthol IP 5%w/w Preservative: Benzyl Alcohol IP 1%w/w In a gel base q. s</p>
27	<p>Miconazole Nitrate Cream IP Compositon: Miconazole Nitrate IP 2%w/w Preservative - Chlorocresol IP 0.1%w/w Cream base q. s</p>
28	<p>Tacrolimus Ointment Composition: Each gm Contains: Tacrolimus IP 0.1%w/w Ointment base q. s</p>

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

29	Tacrolimus Ointment Composition: Each gm Contains: Tacrolimus IP 0.03%w/w Ointment base q. s
30	Permethrin Cream 5% Composition: Each gm contains: Permethrin BP 5%w/w (50 mg) Cream base q. s
31	Povidone Iodine, metronidazole & Sucralfate Ointment Composition: Sucralfate IP 7%w/w Metronidazole IP 1%w/w Povidone iodine IP 5%w/w Ointment base q. s
32	Kojic Acid & Vitamin C Cream Composition: Kojic Acid 0.75%w/w Vitamin C IP 2.5%w/w Cream base q. s
33	Azelaic Acid Cream Composition: Azelaic acid 20%w/w Cream base q. s
34	Ciclopirox Olamine Cream USP Composition: Each gm contains: Ciclopirox Olamine USP 10 mg
35	Nadifloxacin gel IP Composition: Nadifloxacin IP 1%w/w Cream base q. s
36	Oxiconazole Nitrate cream Composition: Oxiconazole Nitrate 1%w/w Cream base q. s

DERMI DERM BIOTECH Pvt. Ltd.

Plot no. 17, HSIIDC, Industrial Area Alipur, Barwala, Panchkula, Haryana

36	Halobetasol Propionate & Salicylic acid ointment Composition: Halobetasol Propionate USP 0.05%w/w Salicylic Acid IP 6%w/w In a Ointment base q. s
37	Nifedipine & Lidocaine Hcl cream Composition: Nifedipine IP 0.3%w/w Lidocaine Hydrochloride IP 1.5%w/w In a cream base q. s